

HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT

No:-PW-SD-CB- Kiari to Khinna-2025- 12034

Dated:- 21-11-25

To

✓
The Divisional Forest Officer,
Solan, Forest Division.

Subject: Diversion of 4.7 ha of forest land in favour of HPPWD for the construction of Kiari to Khinna road kms 0/0 to 7/820, within the jurisdiction of Solan Forest division Distt. Solan H.P. (Online Proposal No. FP.HP/ Road/ 28558/2017.

Sir,

This is with reference to the Subject cited above. In this context this is to inform you that the EDS raised by the Forest Department w.r.t. ERoW & PRow has been prepared and is hereby submitted to your good self for further necessary action please.

Detail is as under:-

1	Area in Violation/ERoW	3.00 Ha.
2	Area not in violation/PRow	1.00 Ha.
3	Dumping Area	0.70 Ha.
	Total Area	4.70 Ha.

Encl:-

1. Detail of ERoW & RPoW for information and necessary action please.


Executive Engineer,
B&R Division, HP.PWD,
Solan.

Detail of ERow and PRow

Sr. No.	KM/RD	ERoW	RoW	PRow	Length	Area of ERow in Sqm	Area of RoW in Sqm	Area Remaining PRow
1	0/000	0.00	5.00	5.00	15	0	75.00	75
2	0/015	3.40	5.00	1.60	15	51	75.00	24
3	0/030	3.50	5.00	1.50	15	52.5	75.00	22.5
4	0/045	3.40	5.00	1.60	15	51	75.00	24
5	0/060	3.90	5.00	1.10	15	58.5	75.00	16.5
6	0/075	3.10	5.00	1.90	15	46.5	75.00	28.5
7	0/090	4.05	5.00	0.95	15	60.75	75.00	14.25
8	0/105	3.45	5.00	1.55	15	51.75	75.00	23.25
9	0/120	4.00	5.00	1.00	15	60	75.00	15
10	0/135	4.05	5.00	0.95	15	60.75	75.00	14.25
11	0/150	4.35	5.00	0.65	15	65.25	75.00	9.75
12	0/165	4.90	5.00	0.10	15	73.5	75.00	1.5
13	0/180	5.00	6.00	1.00	15	75	90.00	15
14	0/195	4.90	5.00	0.10	15	73.5	75.00	1.5
15	0/210	3.80	5.00	1.20	15	57	75.00	18
16	0/225	5.05	6.00	0.95	15	75.75	90.00	14.25
17	0/240	5.65	6.00	0.35	15	84.75	90.00	5.25
18	0/255	5.50	6.00	0.50	15	82.5	90.00	7.5
19	0/270	3.90	5.00	1.10	15	58.5	75.00	16.5
20	0/285	5.05	6.00	0.95	15	75.75	90.00	14.25
21	0/300	5.30	6.00	0.70	15	79.5	90.00	10.5
22	0/315	4.00	5.00	1.00	15	60	75.00	15
23	0/330	4.30	5.00	0.70	15	64.5	75.00	10.5
24	0/345	4.50	5.00	0.50	15	67.5	75.00	7.5
25	0/360	4.00	5.00	1.00	15	60	75.00	15
26	0/375	5.05	6.00	0.95	15	75.75	90.00	14.25
27	0/390	5.20	6.00	0.80	15	78	90.00	12
28	0/405	5.10	6.00	0.90	15	76.5	90.00	13.5
29	0/420	3.75	5.00	1.25	15	56.25	75.00	18.75
30	0/435	3.70	5.00	1.30	15	55.5	75.00	19.5
31	0/450	4.50	5.00	0.50	15	67.5	75.00	7.5
32	0/465	4.00	5.00	1.00	15	60	75.00	15
33	0/480	3.30	5.00	1.70	15	49.5	75.00	25.5
34	0/495	3.05	5.00	1.95	15	45.75	75.00	29.25
35	0/510	3.05	5.00	1.95	15	45.75	75.00	29.25
36	0/525	3.25	5.00	1.75	15	48.75	75.00	26.25
37	0/540	7.05	6.00	0.00	15	105.75	90.00	0
38	0/555	3.45	5.00	1.55	15	51.75	75.00	23.25
39	0/570	3.40	5.00	1.60	15	51	75.00	24
40	0/585	4.20	5.00	0.80	15	63	75.00	12
41	0/600	6.05	6.00	0.00	15	90.75	90.00	0
42	0/615	4.90	5.00	0.10	15	73.5	75.00	1.5
43	0/630	4.20	5.00	0.80	15	63	75.00	12


 Executive Engineer,
 B. & R. Division
 H.P.F.W D., Solan (H.P.)



44	0/645	4.50	5.00	0.50	15	67.5	75.00	7.5
45	0/660	3.85	5.00	1.15	15	57.75	75.00	17.25
46	0/675	4.15	5.00	0.85	15	62.25	75.00	12.75
47	0/690	5.05	6.00	0.95	15	75.75	90.00	14.25
48	0/705	4.05	5.00	0.95	15	60.75	75.00	14.25
49	0/720	4.05	5.00	0.95	15	60.75	75.00	14.25
50	0/735	4.00	5.00	1.00	15	60	75.00	15
51	0/750	4.75	5.00	0.25	15	71.25	75.00	3.75
52	0/765	4.25	5.00	0.75	15	63.75	75.00	11.25
53	0/780	3.95	5.00	1.05	15	59.25	75.00	15.75
54	0/795	3.95	5.00	1.05	15	59.25	75.00	15.75
55	0/810	3.90	5.00	1.10	15	58.5	75.00	16.5
56	0/825	3.20	5.00	1.80	15	48	75.00	27
57	0/840	4.20	5.00	0.80	15	63	75.00	12
58	0/855	4.10	5.00	0.90	15	61.5	75.00	13.5
59	0/870	4.25	5.00	0.75	15	63.75	75.00	11.25
60	0/885	4.00	5.00	1.00	15	60	75.00	15
61	0/900	3.90	5.00	1.10	15	58.5	75.00	16.5
62	0/915	3.65	5.00	1.35	15	54.75	75.00	20.25
63	0/930	4.10	5.00	0.90	15	61.5	75.00	13.5
64	0/945	4.05	5.00	0.95	15	60.75	75.00	14.25
65	0/960	4.40	5.00	0.60	15	66	75.00	9
66	0/975	5.05	6.00	0.95	15	75.75	90.00	14.25
67	0/990	4.40	5.00	0.60	15	66	75.00	9
68	1/000	4.20	5.00	0.80	15	63	75.00	12
69	1/015	3.50	5.00	1.50	15	52.5	75.00	22.5
70	1/030	3.35	5.00	1.65	15	50.25	75.00	24.75
71	1/045	3.20	5.00	1.80	15	48	75.00	27
72	1/060	3.55	5.00	1.45	15	53.25	75.00	21.75
73	1/075	4.30	5.00	0.70	15	64.5	75.00	10.5
74	1/090	4.80	5.00	0.20	15	72	75.00	3
75	1/105	3.20	5.00	1.80	15	48	75.00	27
76	1/120	3.45	5.00	1.55	15	51.75	75.00	23.25
77	1/135	3.50	5.00	1.50	15	52.5	75.00	22.5
78	1/150	3.30	5.00	1.70	15	49.5	75.00	25.5
79	1/165	3.10	5.00	1.90	15	46.5	75.00	28.5
80	1/180	4.40	5.00	0.60	15	66	75.00	9
81	1/195	4.00	5.00	1.00	15	60	75.00	15
82	1/210	3.40	5.00	1.60	15	51	75.00	24
83	1/225	5.05	6.00	0.95	15	75.75	90.00	14.25
84	1/240	4.30	5.00	0.70	15	64.5	75.00	10.5
85	1/255	3.80	5.00	1.20	15	57	75.00	18
86	1/270	4.10	5.00	0.90	15	61.5	75.00	13.5
87	1/285	4.15	5.00	0.85	15	62.25	75.00	12.75
88	1/300	4.90	5.00	0.10	15	73.5	75.00	1.5
89	1/315	3.35	5.00	1.65	15	50.25	75.00	24.75
90	1/330	4.00	5.00	1.00	15	60	75.00	15

Executive Engineer
Solani B & R Division
H.P.P.W.D. Solani



91	1/345	4.30	5.00	0.70	15	64.5	75.00	10.5
92	1/360	4.00	5.00	1.00	15	60	75.00	15
93	1/375	3.95	5.00	1.05	15	59.25	75.00	15.75
94	1/390	5.00	6.00	1.00	15	75	90.00	15
95	1/405	3.70	5.00	1.30	15	55.5	75.00	19.5
96	1/420	4.50	5.00	0.50	15	67.5	75.00	7.5
97	1/435	5.35	6.00	0.65	15	80.25	90.00	9.75
98	1/450	5.75	6.00	0.25	15	86.25	90.00	3.75
99	1/465	4.20	5.00	0.80	15	63	75.00	12
100	1/480	4.00	5.00	1.00	15	60	75.00	15
101	1/495	3.70	5.00	1.30	15	55.5	75.00	19.5
102	1/510	6.20	6.00	0.00	15	93	90.00	0
103	1/525	6.30	6.00	0.00	15	94.5	90.00	0
104	1/540	3.05	5.00	1.95	15	45.75	75.00	29.25
105	1/555	4.80	5.00	0.20	15	72	75.00	3
106	1/570	3.45	5.00	1.55	15	51.75	75.00	23.25
107	1/585	3.80	5.00	1.20	15	57	75.00	18
108	1/600	3.40	5.00	1.60	15	51	75.00	24
109	1/615	3.90	5.00	1.10	15	58.5	75.00	16.5
110	1/630	3.45	5.00	1.55	15	51.75	75.00	23.25
111	1/645	4.30	5.00	0.70	15	64.5	75.00	10.5
112	1/660	4.20	5.00	0.80	15	63	75.00	12
113	1/675	4.30	5.00	0.70	15	64.5	75.00	10.5
114	1/690	6.80	6.00	0.00	15	102	90.00	0
115	1/705	3.40	5.00	1.60	15	51	75.00	24
116	1/720	3.00	5.00	2.00	15	45	75.00	30
117	1/735	3.60	5.00	1.40	15	54	75.00	21
118	1/750	3.50	5.00	1.50	15	52.5	75.00	22.5
119	1/765	3.20	5.00	1.80	15	48	75.00	27
120	1/780	4.60	5.00	0.40	15	69	75.00	6
121	1/795	5.70	6.00	0.30	15	85.5	90.00	4.5
122	1/810	3.50	5.00	1.50	15	52.5	75.00	22.5
123	1/825	5.50	6.00	0.50	15	82.5	90.00	7.5
124	1/840	4.00	5.00	1.00	15	60	75.00	15
125	1/855	4.65	5.00	0.35	15	69.75	75.00	5.25
126	1/870	5.50	6.00	0.50	15	82.5	90.00	7.5
127	1/885	4.00	5.00	1.00	15	60	75.00	15
128	1/900	3.80	5.00	1.20	15	57	75.00	18
129	1/915	4.50	5.00	0.50	15	67.5	75.00	7.5
130	1/930	4.00	5.00	1.00	15	60	75.00	15
131	1/945	4.70	5.00	0.30	15	70.5	75.00	4.5
132	1/960	7.85	6.00	0.00	15	117.75	90.00	0
133	1/975	5.30	6.00	0.70	15	79.5	90.00	10.5
134	1/990	4.75	5.00	0.25	15	71.25	75.00	3.75
135	2/00	4.50	5.00	0.50	15	67.5	75.00	7.5
136	2/015	4.00	5.00	1.00	15	60	75.00	15
137	2/030	4.30	5.00	0.70	15	64.5	75.00	10.5

Executive Engineer
Solun B & R Division
H.P.P.W.D. Solun



138	2/045	3.60	5.00	1.40	15	54	75.00	21
139	2/060	4.80	5.00	0.20	15	72	75.00	3
140	2/075	4.90	5.00	0.10	15	73.5	75.00	1.5
141	2/090	5.50	6.00	0.50	15	82.5	90.00	7.5
142	2/105	4.40	5.00	0.60	15	66	75.00	9
143	2/120	4.40	5.00	0.60	15	66	75.00	9
144	2/135	3.25	5.00	1.75	15	48.75	75.00	26.25
145	2/150	3.30	5.00	1.70	15	49.5	75.00	25.5
146	2/165	4.20	5.00	0.80	15	63	75.00	12
147	2/180	3.80	5.00	1.20	15	57	75.00	18
148	2/195	5.80	6.00	0.20	15	87	90.00	3
149	2/210	5.70	6.00	0.30	15	85.5	90.00	4.5
150	2/225	3.00	5.00	2.00	15	45	75.00	30
151	2/240	3.10	5.00	1.90	15	46.5	75.00	28.5
152	2/255	4.10	5.00	0.90	15	61.5	75.00	13.5
153	2/270	6.00	6.00	0.00	15	90	90.00	0
154	2/285	4.60	5.00	0.40	15	69	75.00	6
155	2/300	4.40	5.00	0.60	15	66	75.00	9
156	2/315	5.00	6.00	1.00	15	75	90.00	15
157	2/330	5.10	6.00	0.90	15	76.5	90.00	13.5
158	2/345	3.70	5.00	1.30	15	55.5	75.00	19.5
159	2/360	4.30	5.00	0.70	15	64.5	75.00	10.5
160	2/375	4.85	5.00	0.15	15	72.75	75.00	2.25
161	2/390	5.50	6.00	0.50	15	82.5	90.00	7.5
162	2/405	5.50	6.00	0.50	15	82.5	90.00	7.5
163	2/420	3.40	5.00	1.60	15	51	75.00	24
164	2/435	3.10	5.00	1.90	15	46.5	75.00	28.5
165	2/450	4.00	5.00	1.00	15	60	75.00	15
166	2/465	3.70	5.00	1.30	15	55.5	75.00	19.5
167	2/480	4.20	5.00	0.80	15	63	75.00	12
168	2/495	4.00	5.00	1.00	15	60	75.00	15
169	2/510	4.60	5.00	0.40	15	69	75.00	6
170	2/525	3.50	5.00	1.50	15	52.5	75.00	22.5
171	2/540	4.40	5.00	0.60	15	66	75.00	9
172	2/555	4.20	5.00	0.80	15	63	75.00	12
173	2/570	3.70	5.00	1.30	15	55.5	75.00	19.5
174	2/585	4.00	5.00	1.00	15	60	75.00	15
175	2/600	3.95	5.00	1.05	15	59.25	75.00	15.75
176	2/615	3.40	5.00	1.60	15	51	75.00	24
177	2/630	3.30	5.00	1.70	15	49.5	75.00	25.5
178	2/645	3.05	5.00	1.95	15	45.75	75.00	29.25
179	2/660	3.30	5.00	1.70	15	49.5	75.00	25.5
180	2/675	3.60	5.00	1.40	15	54	75.00	21
181	2/690	4.00	5.00	1.00	15	60	75.00	15
182	2/705	4.20	5.00	0.80	15	63	75.00	12
183	2/720	4.50	5.00	0.50	15	67.5	75.00	7.5
184	2/735	3.30	5.00	1.70	15	49.5	75.00	25.5

Executive Engineer
Solan B & R Division
H.P.P.W.D. Solan

279
280
281

185	2/750	4.40	5.00	0.60	15	66	75.00	9
186	2/765	3.30	5.00	1.70	15	49.5	75.00	25.5
187	2/780	3.80	5.00	1.20	15	57	75.00	18
188	2/795	4.40	5.00	0.60	15	66	75.00	9
189	2/810	3.60	5.00	1.40	15	54	75.00	21
190	2/825	3.20	5.00	1.80	15	48	75.00	27
191	2/840	4.10	5.00	0.90	15	61.5	75.00	13.5
192	2/855	3.20	5.00	1.80	15	48	75.00	27
193	2/870	3.00	5.00	2.00	15	45	75.00	30
194	2/885	3.00	5.00	2.00	15	45	75.00	30
195	2/900	3.30	5.00	1.70	15	49.5	75.00	25.5
196	2/915	3.40	5.00	1.60	15	51	75.00	24
197	2/930	3.50	5.00	1.50	15	52.5	75.00	22.5
198	2/945	3.30	5.00	1.70	15	49.5	75.00	25.5
199	2/960	3.40	5.00	1.60	15	51	75.00	24
200	2/975	3.20	5.00	1.80	15	48	75.00	27
201	2/990	3.10	5.00	1.90	15	46.5	75.00	28.5
202	3/000	3.40	5.00	1.60	15	51	75.00	24
203	3/015	3.40	5.00	1.60	15	51	75.00	24
204	3/030	3.80	5.00	1.20	15	57	75.00	18
205	3/045	4.20	5.00	0.80	15	63	75.00	12
206	3/060	3.10	5.00	1.90	15	46.5	75.00	28.5
207	3/075	3.50	5.00	1.50	15	52.5	75.00	22.5
208	3/090	3.20	5.00	1.80	15	48	75.00	27
209	3/105	3.60	5.00	1.40	15	54	75.00	21
210	3/120	4.75	5.00	0.25	15	71.25	75.00	3.75
211	3/135	5.60	5.60	0.00	15	84	84.00	0
212	3/150	5.00	5.50	0.50	15	75	82.50	7.5
213	3/165	4.10	5.00	0.90	15	61.5	75.00	13.5
214	3/180	3.80	5.00	1.20	15	57	75.00	18
215	3/195	4.80	5.00	0.20	15	72	75.00	3
216	3/210	4.10	5.00	0.90	15	61.5	75.00	13.5
217	3/225	3.40	5.00	1.60	15	51	75.00	24
218	3/240	3.40	5.00	1.60	15	51	75.00	24
219	3/255	3.90	5.00	1.10	15	58.5	75.00	16.5
220	3/270	4.70	5.00	0.30	15	70.5	75.00	4.5
221	3/285	4.30	5.00	0.70	15	64.5	75.00	10.5
222	3/300	4.95	5.00	0.05	15	74.25	75.00	0.75
223	3/315	4.20	5.00	0.80	15	63	75.00	12
224	3/330	3.90	5.00	1.10	15	58.5	75.00	16.5
225	3/345	4.10	5.00	0.90	15	61.5	75.00	13.5
226	3/360	4.25	5.00	0.75	15	63.75	75.00	11.25
227	3/375	3.90	5.00	1.10	15	58.5	75.00	16.5
228	3/390	3.30	5.00	1.70	15	49.5	75.00	25.5
229	3/405	3.50	5.00	1.50	15	52.5	75.00	22.5
230	3/420	4.40	5.00	0.60	15	66	75.00	9
231	3/435	5.50	6.00	0.50	15	82.5	90.00	7.5

[Signature]
Executive Engineer
Solun B & R Division
H.P.P.W.D. Solun

279	4/150	5.00	6.00	1.00	15	75	90.00	15
280	4/165	3.00	5.00	2.00	15	45	75.00	30
281	4/180	3.00	5.00	2.00	15	45	75.00	30
282	4/195	2.85	5.00	2.15	15	42.75	75.00	32.25
283	4/210	2.45	5.00	2.55	15	36.75	75.00	38.25
284	4/225	3.20	5.00	1.80	15	48	75.00	27
285	4/240	3.70	5.00	1.30	15	55.5	75.00	19.5
286	4/255	3.30	5.00	1.70	15	49.5	75.00	25.5
287	4/270	3.00	5.00	2.00	15	45	75.00	30
288	4/285	2.75	5.00	2.25	15	41.25	75.00	33.75
289	4/300	2.80	5.00	2.20	15	42	75.00	33
290	4/315	3.05	5.00	1.95	15	45.75	75.00	29.25
291	4/330	3.20	5.00	1.80	15	48	75.00	27
292	4/345	3.10	5.00	1.90	15	46.5	75.00	28.5
293	4/360	2.70	5.00	2.30	15	40.5	75.00	34.5
294	4/375	2.60	5.00	2.40	15	39	75.00	36
295	4/390	2.90	5.00	2.10	15	43.5	75.00	31.5
296	4/405	2.90	5.00	2.10	15	43.5	75.00	31.5
297	4/420	3.50	5.00	1.50	15	52.5	75.00	22.5
298	4/435	4.00	5.00	1.00	15	60	75.00	15
299	4/450	6.00	6.00	0.00	15	90	90.00	0
300	4/465	3.10	5.00	1.90	15	46.5	75.00	28.5
301	4/480	2.90	5.00	2.10	15	43.5	75.00	31.5
302	4/495	2.80	5.00	2.20	15	42	75.00	33
303	4/510	3.50	5.00	1.50	15	52.5	75.00	22.5
304	4/525	3.00	5.00	2.00	15	45	75.00	30
305	4/540	2.60	5.00	2.40	15	39	75.00	36
306	4/555	2.90	5.00	2.10	15	43.5	75.00	31.5
307	4/570	2.70	5.00	2.30	15	40.5	75.00	34.5
308	4/585	2.90	5.00	2.10	15	43.5	75.00	31.5
309	4/600	3.00	5.00	2.00	15	45	75.00	30
310	4/615	2.50	5.00	2.50	15	37.5	75.00	37.5
311	4/630	5.00	6.00	1.00	15	75	90.00	15
312	4/645	2.50	5.00	2.50	15	37.5	75.00	37.5
313	4/660	3.00	5.00	2.00	15	45	75.00	30
314	4/675	3.00	5.00	2.00	15	45	75.00	30
315	4/690	3.20	5.00	1.80	15	48	75.00	27
316	4/705	3.05	5.00	1.95	15	45.75	75.00	29.25
317	4/720	3.45	5.00	1.55	15	51.75	75.00	23.25
318	4/735	2.55	5.00	2.45	15	38.25	75.00	36.75
319	4/750	2.70	5.00	2.30	15	40.5	75.00	34.5
320	4/765	3.00	5.00	2.00	15	45	75.00	30
321	4/780	3.00	5.00	2.00	15	45	75.00	30
322	4/795	4.60	5.00	0.40	15	69	75.00	6
323	4/810	3.40	5.00	1.60	15	51	75.00	24
324	4/825	3.80	5.00	1.20	15	57	75.00	18
325	4/840	4.00	5.00	1.00	15	60	75.00	15

Executive Engineer
Solari B & R Division
H.P.W.D. Solari



232	3/460	5.00	6.00	1.00	15	75	90.00	15
233	3/465	4.00	5.00	1.00	15	60	75.00	15
234	3/480	3.10	5.00	1.90	15	46.5	75.00	28.5
235	3/495	3.70	5.00	1.30	15	55.5	75.00	19.5
236	3/510	3.00	5.00	2.00	15	45	75.00	30
237	3/525	3.50	5.00	1.50	15	52.5	75.00	22.5
238	3/540	3.30	5.00	1.70	15	49.5	75.00	25.5
239	3/555	2.90	5.00	2.10	15	43.5	75.00	31.5
240	3/570	4.10	5.00	0.90	15	61.5	75.00	13.5
241	3/585	3.40	5.00	1.60	15	51	75.00	24
242	3/600	4.00	5.00	1.00	15	60	75.00	15
243	3/615	3.80	5.00	1.20	15	57	75.00	18
244	3/630	4.65	5.00	0.35	15	69.75	75.00	5.25
245	3/645	3.40	5.00	1.60	15	51	75.00	24
246	3/660	3.90	5.00	1.10	15	58.5	75.00	16.5
247	3/675	4.10	5.00	0.90	15	61.5	75.00	13.5
248	3/690	4.10	5.00	0.90	15	61.5	75.00	13.5
249	3/705	4.15	5.00	0.85	15	62.25	75.00	12.75
250	3/720	4.10	5.00	0.90	15	61.5	75.00	13.5
251	3/735	3.50	5.00	1.50	15	52.5	75.00	22.5
252	3/750	3.90	5.00	1.10	15	58.5	75.00	16.5
253	3/765	4.50	5.00	0.50	15	67.5	75.00	7.5
254	3/780	4.50	5.00	0.50	15	67.5	75.00	7.5
255	3/795	4.75	5.00	0.25	15	71.25	75.00	3.75
256	3/810	4.70	5.00	0.30	15	70.5	75.00	4.5
257	3/825	3.70	5.00	1.30	15	55.5	75.00	19.5
258	3/840	3.10	5.00	1.90	15	46.5	75.00	28.5
259	3/835	3.00	5.00	2.00	15	45	75.00	30
260	3/870	2.90	5.00	2.10	15	43.5	75.00	31.5
261	3/885	3.00	5.00	2.00	15	45	75.00	30
262	3/900	3.50	5.00	1.50	15	52.5	75.00	22.5
263	3/915	3.80	5.00	1.20	15	57	75.00	18
264	3/930	3.80	5.00	1.20	15	57	75.00	18
265	3/945	3.30	5.00	1.70	15	49.5	75.00	25.5
266	3/960	2.80	5.00	2.20	15	42	75.00	33
267	3/975	2.70	5.00	2.30	15	40.5	75.00	34.5
268	3/990	4.40	5.00	0.60	15	66	75.00	9
269	4/000	4.00	5.00	1.00	15	60	75.00	15
270	4/015	2.65	5.00	2.35	15	39.75	75.00	35.25
271	4/030	3.60	5.00	1.40	15	54	75.00	21
272	4/045	3.00	5.00	2.00	15	45	75.00	30
273	4/060	3.05	5.00	1.95	15	45.75	75.00	29.25
274	4/075	3.00	5.00	2.00	15	45	75.00	30
275	4/090	3.00	5.00	2.00	15	45	75.00	30
276	4/105	3.80	5.00	1.20	15	57	75.00	18
277	4/120	3.00	5.00	2.00	15	45	75.00	30
278	4/135	3.05	5.00	1.95	15	45.75	75.00	29.25


Executive Engineer
Solari B & R Division
H.P.P.W.D. Solari

373	5/555	4.50	5.00	0.50	15	67.5	75.00	7.5
374	5/570	3.70	5.00	1.30	15	55.5	75.00	19.5
375	5/585	3.00	5.00	2.00	15	45	75.00	30
376	5/600	3.30	5.00	1.70	15	49.5	75.00	25.5
377	5/615	3.05	5.00	1.95	15	45.75	75.00	29.25
378	5/630	3.70	5.00	1.30	15	55.5	75.00	19.5
379	5/645	4.00	5.00	1.00	15	60	75.00	15
380	5/660	5.10	5.50	0.40	15	76.5	82.50	6
381	5/675	5.13	5.00	0.00	15	76.95	75.00	0
382	5/690	4.10	5.00	0.90	15	61.5	75.00	13.5
383	5/705	3.20	5.00	1.80	15	48	75.00	27
384	5/720	3.90	5.00	1.10	15	58.5	75.00	16.5
385	5/735	3.80	5.00	1.20	15	57	75.00	18
386	5/750	3.30	5.00	1.70	15	49.5	75.00	25.5
387	5/765	4.00	5.00	1.00	15	60	75.00	15
388	5/780	3.90	5.00	1.10	15	58.5	75.00	16.5
389	5/795	3.80	5.00	1.20	15	57	75.00	18
390	5/810	3.50	5.00	1.50	15	52.5	75.00	22.5
391	5/825	3.50	5.00	1.50	15	52.5	75.00	22.5
392	5/840	3.70	5.00	1.30	15	55.5	75.00	19.5
393	5/855	3.80	5.00	1.20	15	57	75.00	18
394	5/870	4.05	5.00	0.95	15	60.75	75.00	14.25
395	5/880	4.00	5.00	1.00	15	60	75.00	15
396	5/900	4.00	5.00	1.00	15	60	75.00	15
397	5/915	3.20	5.00	1.80	15	48	75.00	27
398	5/930	3.50	5.00	1.50	15	52.5	75.00	22.5
399	5/945	2.95	5.00	2.05	15	44.25	75.00	30.75
400	5/960	3.00	5.00	2.00	15	45	75.00	30
401	5/975	3.70	5.00	1.30	15	55.5	75.00	19.5
402	5/990	3.30	5.00	1.70	15	49.5	75.00	25.5
403	6/000	4.80	5.00	0.20	15	72	75.00	3
404	6/015	4.85	5.00	0.15	15	72.75	75.00	2.25
405	6/030	3.70	5.00	1.30	15	55.5	75.00	19.5
406	6/045	4.00	5.00	1.00	15	60	75.00	15
407	6/060	3.60	5.00	1.40	15	54	75.00	21
408	6/075	3.00	5.00	2.00	15	45	75.00	30
409	6/090	3.30	5.00	1.70	15	49.5	75.00	25.5
410	6/105	3.00	5.00	2.00	15	45	75.00	30
411	6/120	3.50	5.00	1.50	15	52.5	75.00	22.5
412	6/135	3.10	5.00	1.90	15	46.5	75.00	28.5
413	6/150	3.80	5.00	1.20	15	57	75.00	18
414	6/180	3.40	5.00	1.60	15	51	75.00	24
415	6/195	3.60	5.00	1.40	15	54	75.00	21
416	6/210	3.80	5.00	1.20	15	57	75.00	18
417	6/225	3.00	5.00	2.00	15	45	75.00	30
418	6/240	3.80	5.00	1.20	15	57	75.00	18
419	6/255	3.05	5.00	1.95	15	45.75	75.00	29.25

Executive Engineer
Solani B & R Division
H.P.P.W.D. Solan.

326	4/855	3.60	5.00	1.40	15	54	75.00	21
327	4/870	6.00	6.00	0.00	15	90	90.00	0
328	4/885	3.45	5.00	1.55	15	51.75	75.00	23.25
329	4/900	3.20	5.00	1.80	15	48	75.00	27
330	4/915	3.00	5.00	2.00	15	45	75.00	30
331	4/930	3.20	5.00	1.80	15	48	75.00	27
332	4/945	2.95	5.00	2.05	15	44.25	75.00	30.75
333	4/960	3.60	5.00	1.40	15	54	75.00	21
334	4/975	3.85	5.00	1.15	15	57.75	75.00	17.25
335	4/990	3.60	5.00	1.40	15	54	75.00	21
336	5/000	3.85	5.00	1.15	15	57.75	75.00	17.25
337	5/015	3.00	5.00	2.00	15	45	75.00	30
338	5/030	3.40	5.00	1.60	15	51	75.00	24
339	5/045	2.95	5.00	2.05	15	44.25	75.00	30.75
340	5/060	3.10	5.00	1.90	15	46.5	75.00	28.5
341	5/075	4.15	5.00	0.85	15	62.25	75.00	12.75
342	5/090	3.15	5.00	1.85	15	47.25	75.00	27.75
343	5/105	4.45	5.00	0.55	15	66.75	75.00	8.25
344	5/120	3.70	5.00	1.30	15	55.5	75.00	19.5
345	5/135	3.30	5.00	1.70	15	49.5	75.00	25.5
346	5/150	3.30	5.00	1.70	15	49.5	75.00	25.5
347	5/165	3.40	5.00	1.60	15	51	75.00	24
348	5/180	3.30	5.00	1.70	15	49.5	75.00	25.5
349	5/195	3.00	5.00	2.00	15	45	75.00	30
350	5/210	3.30	5.00	1.70	15	49.5	75.00	25.5
351	5/225	3.20	5.00	1.80	15	48	75.00	27
352	5/240	3.05	5.00	1.95	15	45.75	75.00	29.25
353	5/255	5.00	6.00	1.00	15	75	90.00	15
354	5/270	3.10	5.00	1.90	15	46.5	75.00	28.5
355	5/285	3.10	5.00	1.90	15	46.5	75.00	28.5
356	5/300	5.00	6.00	1.00	15	75	90.00	15
357	5/315	3.05	5.00	1.95	15	45.75	75.00	29.25
358	5/330	3.60	5.00	1.40	15	54	75.00	21
359	5/345	4.00	5.00	1.00	15	60	75.00	15
360	5/360	3.00	5.00	2.00	15	45	75.00	30
361	5/375	3.70	5.00	1.30	15	55.5	75.00	19.5
362	5/390	3.40	5.00	1.60	15	51	75.00	24
363	5/405	3.20	5.00	1.80	15	48	75.00	27
364	5/420	3.00	5.00	2.00	15	45	75.00	30
365	5/435	3.40	5.00	1.60	15	51	75.00	24
366	5/450	2.70	5.00	2.30	15	40.5	75.00	34.5
367	5/465	3.50	5.00	1.50	15	52.5	75.00	22.5
368	5/480	3.00	5.00	2.00	15	45	75.00	30
369	5/495	3.00	5.00	2.00	15	45	75.00	30
370	5/510	3.00	5.00	2.00	15	45	75.00	30
371	5/525	3.05	5.00	1.95	15	45.75	75.00	29.25
372	5/540	3.30	5.00	1.70	15	49.5	75.00	25.5

Executive Engineer
Solan B & R Division
H.P.P.W.D. Solan

467	6/975	3.90	5.00	1.10	15	58.5	75.00	16.5
468	6/990	3.90	5.00	1.10	15	58.5	75.00	16.5
469	7/000	4.00	5.00	1.00	15	60	75.00	15
470	7/015	4.05	5.00	1.30	15	55.5	75.00	14.25
471	7/030	3.70	5.00	1.00	15	60	75.00	19.5
472	7/045	4.00	5.00	1.65	15	50.25	75.00	24.75
473	7/060	3.35	5.00	0.00	15	90	90.00	0
474	7/075	6.00	6.00	2.00	15	45	75.00	30
475	7/090	3.00	5.00	1.70	15	49.5	75.00	25.5
476	7/105	3.30	5.00	1.70	15	49.5	75.00	25.5
477	7/120	3.30	5.00	1.50	15	52.5	75.00	22.5
478	7/135	3.50	5.00	0.00	15	102.75	90.00	0
479	7/150	6.85	6.00	1.65	15	50.25	75.00	24.75
480	7/165	3.35	5.00	1.95	15	45.75	75.00	29.25
481	7/180	3.05	5.00	2.00	15	45	75.00	30
482	7/195	3.00	5.00	0.80	15	63	75.00	12
483	7/210	4.20	5.00	0.85	15	62.25	75.00	12.75
484	7/225	4.15	5.00	1.60	15	51	75.00	24
485	7/240	3.40	5.00	1.25	15	56.25	75.00	18.75
486	7/255	3.75	5.00	1.00	15	60	75.00	15
487	7/270	4.00	5.00	1.30	15	55.5	75.00	19.5
488	7/285	3.70	5.00	0.90	15	61.5	75.00	13.5
489	7/300	4.10	5.00	1.20	15	57	75.00	18
490	7/345	3.80	5.00	1.50	15	52.5	75.00	22.5
491	7/330	3.50	5.00	1.40	15	54	75.00	21
492	7/345	3.60	5.00	0.80	15	63	75.00	12
493	7/360	4.20	5.00	0.70	15	79.5	90.00	10.5
494	7/375	5.30	6.00	1.80	15	48	75.00	27
495	7/390	3.20	5.00	1.80	15	48	75.00	27
496	7/405	3.20	5.00	1.35	15	54.75	75.00	20.25
497	7/420	3.65	5.00	0.25	15	71.25	75.00	3.75
498	7/435	4.75	5.00	1.40	15	54	75.00	21
499	7/450	3.60	5.00	0.70	15	64.5	75.00	10.5
500	7/465	4.30	5.00	1.50	15	52.5	75.00	22.5
501	7/480	3.50	5.00	1.70	15	49.5	75.00	25.5
502	7/495	3.30	5.00	0.00	15	90	90.00	0
503	7/510	6.00	6.00	0.60	15	66	75.00	9
504	7/525	4.40	5.00	1.80	15	48	75.00	27
505	7/540	3.20	5.00	1.40	15	54	75.00	21
506	7/555	3.60	5.00	0.70	15	64.5	75.00	10.5
507	7/570	4.30	5.00	0.30	15	70.5	75.00	4.5
508	7/585	4.70	5.00	1.95	15	45.75	75.00	29.25
509	7/600	3.05	5.00	1.00	15	60	75.00	15
510	7/615	4.00	5.00	1.90	15	46.5	75.00	28.5
511	7/630	3.10	5.00	0.50	15	67.5	75.00	7.5
512	7/645	4.50	5.00	0.35	15	69.75	75.00	5.25
513	7/660	4.65	5.00					

Executive Engineer
Solun B & R Division
H.P.P.W.D. Solun



420	6/270	3.10	5.00	1.90	15	46.5	75.00	28.5
421	6/285	2.90	5.00	2.10	15	43.5	75.00	31.5
422	6/300	2.70	5.00	2.30	15	40.5	75.00	34.5
423	6/315	3.90	5.00	1.10	15	58.5	75.00	16.5
424	6/330	4.00	5.00	1.00	15	60	75.00	15
425	6/345	2.90	5.00	2.10	15	43.5	75.00	31.5
426	6/360	3.00	5.00	2.00	15	45	75.00	30
427	6/375	3.10	5.00	1.90	15	46.5	75.00	28.5
428	6/390	3.30	5.00	1.70	15	49.5	75.00	25.5
429	6/405	2.90	5.00	2.10	15	43.5	75.00	31.5
430	6/420	3.00	5.00	2.00	15	45	75.00	30
431	6/435	3.80	5.00	1.20	15	57	75.00	18
432	6/450	3.80	5.00	1.20	15	57	75.00	18
433	6/465	3.00	5.00	2.00	15	45	75.00	30
434	6/480	4.00	5.00	1.00	15	60	75.00	15
435	6/495	3.00	5.00	2.00	15	45	75.00	30
436	6/510	3.05	5.00	1.95	15	45.75	75.00	29.25
437	6/525	3.80	5.00	1.20	15	57	75.00	18
438	6/540	3.30	5.00	1.70	15	49.5	75.00	25.5
439	6/555	4.00	5.00	1.00	15	60	75.00	15
440	6/570	3.70	5.00	1.30	15	55.5	75.00	19.5
441	6/585	3.70	5.00	1.30	15	55.5	75.00	19.5
442	6/600	3.30	5.00	1.70	15	49.5	75.00	25.5
443	6/615	3.35	5.00	1.65	15	50.25	75.00	24.75
444	6/630	5.00	6.00	1.00	15	75	90.00	15
445	6/645	3.80	5.00	1.20	15	57	75.00	18
446	6/660	3.80	5.00	1.20	15	57	75.00	18
447	6/675	3.70	5.00	1.30	15	55.5	75.00	19.5
448	6/690	3.50	5.00	1.50	15	52.5	75.00	22.5
449	6/785	4.00	5.00	1.00	15	60	75.00	15
450	6/720	3.50	5.00	1.50	15	52.5	75.00	22.5
451	6/735	3.80	5.00	1.20	15	57	75.00	18
452	6/750	4.80	5.00	0.20	15	72	75.00	3
453	6/765	3.50	5.00	1.50	15	52.5	75.00	22.5
454	6/780	3.25	5.00	1.75	15	48.75	75.00	26.25
455	6/795	3.30	5.00	1.70	15	49.5	75.00	25.5
456	6/810	3.40	5.00	1.60	15	51	75.00	24
457	6/825	3.50	5.00	1.50	15	52.5	75.00	22.5
458	6/840	3.00	5.00	2.00	15	45	75.00	30
459	6/855	3.40	5.00	1.60	15	51	75.00	24
460	6/870	7.50	6.00	0.00	15	112.5	90.00	0
461	6/885	3.95	5.00	1.05	15	59.25	75.00	15.75
462	6/900	4.00	5.00	1.00	15	60	75.00	15
463	6/915	4.10	5.00	0.90	15	61.5	75.00	13.5
464	6/930	3.10	5.00	1.90	15	46.5	75.00	28.5
465	6/945	3.25	5.00	1.75	15	48.75	75.00	26.25
466	6/960	3.20	5.00	1.80	15	48	75.00	27

Executive Engineer
Solani B & R Division
H.P.P.W.D. Solani



514	7/675	4.00	5.00	1.00	15	60	75.00	15
515	7/690	4.00	5.00	1.00	15	60	75.00	15
516	7/705	3.05	5.00	1.95	15	45.75	75.00	29.25
517	7/720	3.40	5.00	1.60	15	51	75.00	24
518	7/735	3.60	5.00	1.40	15	54	75.00	21
519	7/750	3.15	5.00	1.85	15	47.25	75.00	27.75
520	7/765	3.10	5.00	1.90	15	46.5	75.00	28.5
521	7/780	3.20	5.00	1.80	15	48	75.00	27
522	7/795	3.00	5.00	2.00	15	45	75.00	30
523	7/810	3.05	5.00	1.95	15	45.75	75.00	29.25
524	7/825	3.30	5.00	1.70	15	49.5	75.00	25.5
Total		2001.83	2668.6			30027.45	40029.00	10102.50
Avg. Width		3.82	5.09		Area in Ha.	3.00	4.00	1.0
1	Area in Violation/ERoW				3.00 Ha.			
2	Areae not in violation/PRoW				1.00 Ha.			
3	Dumping Area				0.70 Ha.			
	Total Area				4.70 Ha.			


Executive Engineer
Solan B & R Division
H.P.P.W.D. Solan