

Dist.: - Raigad

Name of the Proposal: - Berthing Jetty, Conveyor Corridor with Backup Facilities and Approach Road for Raigad Cement Bulk Terminal


Check list for preparing proposals of Maharashtra State for diverting forest land for non-forest use under provisions of Forest (Conservation) Act, 1980 for irrigation road/Transmission line/ wind mill/OFC/water supply scheme & other development project.

Sr. No.	Details of Check list	Compliance
1.	Information of proposal from item of form 1(l) regarding short description of the proposal / project which should invariably include.	Attachment - <u>1</u>
	a) cost of outlay	
	b) Justification for locating the project in forest area giving alternative those were examined and reasons for the rejection.	
	c) Financial and social benefits	
	d) Total population benefited.	
	e) Employment generated.	
2.a	The Geo digital map in 1:10,000 or any suitable scale with geo- reference boundary in shape file prepared by using total stations or differential GPS and also indicate forest land, non-forest land & adjoining land to the proposed for diversion, indifferent colors must be duly signed by the Deputy Conservator of Forests concerned and Project Authority, as per the GOI letter No.F.no.11-9/98-FC, dt.8/7/2011. Compartment boundary on the map should clearly be marked. Satellite imageries to be used to show the density of forest cover to be enclosed	Attachment - <u>40</u> (Geo-digital Map) & Attachment - <u>38</u> (Project Marked on Satellite Image showing density of forest cover)
b	Index Map in 1:50000 scale with Project location: Latitude/ Longitude to be enclosed.	
	1. Proposed area up to 1.00 ha	• Only one co-ordinate to be given Attachment - <u>37</u>
	2. Proposed area up to 1.00 to 5.00 ha	☐ Two co-ordinate diagonally to be given Not Applicable
	3. Proposed area above 5.00 ha.	☐ Four co-ordinates at four comers to be given Not Applicable
c	Map of compensatory Afforestation of forest / Non forest area in 1:50000 scale with location of Latitude & Longitude.	Not Applicable as total area demand is less than 1 ha.
	1. Proposed area up to 1 .00 ha	
	2. Proposed area up to 1.00 to 5.00 ha	
	3. Proposed area above 5 .00 ha.	
d	A comprehensive land use plan of the area required	Attachment -

FD – Forest Department
UA – User Agency

Sanjay Prasad
SANJAY PRASAD
RAIGAD CEMENT LIMITED
RAIGAD

	should be attached if land is required for more than one purpose the building plan and estimate should invariably be attached if the area is required for construction purpose.	
e	The following information must be complied in the construction of State Highway / National Highway / Road / Winding / Exploitation Purpose / Canal / Transmission line & all other linear Project as per GOI guideline vide No.6-MPB-071/2011- BHO-736, Dt.30/04/2012	
i	Map of the alternative alignments or route map examined by Dy.CF/ Project Authority to be enclosed.	
ii	Show proposed diversion of forest / non forest area in the Original, colored or legible topo-sheet and to be enclosed.	Attachment- <u>39</u>
iii	To give the Latitude & Longitude of the proposed area at starting, ending turning point and breaking of the forest area which should be identifiable	Attachment- <u>39</u>
iv	To show the existing Water body / Water channel or road which should be identifiable.	Attachment- <u>39</u>
v	To show the newly proposed bridge/ culvert/ underground pass/ tunnel etc. to be identify clearly.	Attachment- <u>39</u>
vi	To enclose the cross section Plan / Map indicating dimension of (Length / Width / Height / depth etc.) clearly.	Attachment- <u>40</u>
vii	To show the additional impacted area clearly which may be impacted temporarily by the proposed construction.	Not Applicable
viii	To show the diversity of the ecology which is to be impacted by proposed construction.	Attachment- <u>41</u>
f	Map of Eco-Sensitive Zone in 1:2,50,000 or 1" = 4 mile scale by showing the distance of "Protected Area" from proposed forest areas under diversion, in kilometer.	Attachment- <u>39</u>
g	Map of Wind Mill and Wind mast to be enclosed by showing the 10.00 K m radius area from the wind mast site on 1:50,000 or 1:25000 scale topo sheet.	Attachment- <u>39</u>
	Certificate by Dy. CF/ Chief Conservator of Forest and their authenticated documents.	
3	Documents verification Certificate by the Deputy Conservator of Forest	
4	Certificate of Dy. Conservator of Forest for absences of alternative about the Project and minimum demand of forest area.	
5	Certificate by the Deputy Conservator of Forests that no violation done of the FCA - 1980 and their guideline.	
a	If violated, circumstances leading to violation date of commencement of work /quantity of work done and the amount spent Certificate to be furnished by the concerned inspection of the site of violation.	
b	If work started in forest land when and how much amount spent on the project and the works done in the	



	forest land.	
c	Detailed report of the disciplinary action or proposed to be taken against the concerned staff for violation of the provisions of the Act.	
d	Details of clarification for violation, if administrative and technical sanction accorded to the project by project authority / user agency after the promulgation of the Forest (Conservation) Act. 1980	
6	Suitability certificate by the Deputy Conservator of Forests that forest and non-forest land is suitable for raising trees species	
A	The Compensatory Afforestation certificate must be geo-tagged photos of the areas proposed for Compensatory Afforestation	
7	Certificate of Identified Forest and Acquired Forest for Compensatory Afforestation Area by Dy. Conservator of Forests	
8	Certificate of Identified Forest and Acquired Forest for Non Forest area under the project by Dy. Conservator of Forests	
9	Certificate by the Dy. CF whether the proposed project likely to affect any monument site of cultural, historical, religious, archeological or recreational importance including wild life sanctuaries and national parks to be enclosed	
10	Wild life Certificate by the Dy. C.F.	
11	Net Present Value Certificate must be marked with eco-class /category of Forest as per the GOI letter F.N Q.5-3/2007/- FC, Dt.05 / 02/2009 to be enclosed	
12	No cutting and felling of trees Certificate of by the Dy. Conservator of Forests to be enclosed	
13	Certificate about distance of Project from Protected area by Deputy Conservator of Forest	
14	Certificate of Dy. Conservator of Forests regarding alternative examined for liner project (Certificate No-27)	
15	Certificate by the Dy. CF Whether, the required Attachment and the particulars to the proposal furnished in English? If any Govt. orders are in Marathi, English as required by the Government of India to be enclosed.	
16	Zudpi Jungle land offered certificate by the Dy. CF for the compensatory afforestation is in a compact patch and is contingencies of the forest area and is suitable for the management point of view	
17	Site inspection report form Deputy Conservator of Forests if forest area involves is less than 10ha and by Conservator of Forests if forest area involved is more than 10 ha in regard to sensitivity and potential value of the forest area in regard to forest types in catchments	



	and submergence area.	
18	Certificate of the Dy.CF regarding the proposal of the Eco-Tourism Scrutinized vide GOM order No. WLP-1 002/c.r.53/F- I/dated 20 .2.2008 to be enclosed	
19	Compensatory Afforestation scheme prepared by Dy. CF.	
20	Medicinal plantation / road side/ canal side plantation scheme prepared by PA /Dy.cf whether the proposed area is diverted for wind power/ transmission line and other line proposals to be enclosed	
21	Cost benefits analysis. Whether the area is more than 20.00 ha	
22	Item wise break up of forest and non forest area required category wise (Damsear , submergence, quarry, roads, colony, canals etc.) area statement to be enclosed	
23	List of the identified forest from the Deputy Conservator of Forest	
24	List of tree, species wise/girth wise, with local and scientific name to be given. If felling of trees is essential? The estimate of tree felling to be enclosed. As per GOI letter no. 7- 1/89/(For)/Part- VI11/2012- BH0/848, dt. 18/05/2012	
	Certificate by Chief Conservator of Forest and their authenticated documents.	
25	Net Present Value Certificate must be counter signed by Chief Conservator of Forest I with eco-class /category to be shown in the Certificate or Forest as per the GOI letter F. No.5-3/2007/-FC, Dt. 05/02/2009 to be enclosed	
	Certificate by Project Agency and their authenticated documents:-	
26	Chronological of Events	Attachment- <u>Enclosure - A</u>
27	Attempts made to find out Non forest land for the proposal/ reasons for its rejection of the same and minimum demand of forest area.	Attachment- <u>7 B & 36</u>
28	Unqualified commitment from the project authority to bear cost of exploitation of felling of trees and their allied works under project.	Attachment- <u>8</u>
29	Certificate by Project Authority for the cost of Compensatory Afforestation. (Certificate No. 6)	Attachment- <u>9</u>
30	Certificate by the project authority that no violation done of the FCA - 1980 and their guideline.	Attachment- <u>10</u>
31	Certificate by the Project Authority to furnish the Net Present Value as per the ordered by Government of India.	Attachment- <u>11</u>
32	Certificate of project authority (Providing i.e. water supply facilities to)	Attachment- <u>12</u>
33	Certificate of the Project Authority to get the Environmental clearance as per the Environmental Act. 2006 (whenever necessary)	Attachment- <u>13</u>

34	Certificate of Non Indemnity to forest Department (by Project Authority)	Attachment- _ 14
35	Certificate or NOC from the private owner if the area under private forest Act, (Acquisition) Act. 1975 to be enclosed. (By Villagers)	Attachment- _ 15
36	Certificate of the Projects Authority to take up catchments area treatment plan as per the guideline of Government of India.	Attachment- _ 16
37	Catchment area treatment plan.	Attachment- _ 17
38	Command area development plan.	Attachment- _ 18
39	Certificate by Project Authority whether stipulation is made that 5 % of area under command of the project is made available to the Forest Department for planting trees and other vegetation for which necessary irrigation should be provided free of cost by the project authority / user agency. If the forest area involved is less than 2.00 ha and there is no felling to tree growth; it is to be dealt with as per simplified procedure.	Attachment- _ 19
40	Project note by the project authority. With salient features.	Not Applicable
	a) Total catchment area	
	b) Total command area	
	c) Full reservoir level	
	d) High flood level	
	e) Minimum drawl level	
	f) Total catchment area of the dam (In Ha) and its break up forest land, cultivated land. Pasture. Human cultivation and others.	
	g) Details as per item (f) above for the area coming under submergence.	
	h) Total No. of families and population affected, scheduled caste and scheduled tribe families to be displaced should be separately indicated.	Not Applicable
	i) Proposal for the rehabilitation of affected persons (Rehabilitation Plan)	
	j) Comprehensive land use plan for the area required outside the submergence i.e. building roads and other ancillary facilities outside submergence i.e. building roads and other ancillary facilities.	
41	It has been observed that water hardly stands the ear around even up to FRL. Trees can definitely stand in water for one to three months and therefore submergence should be calculated 2 M below FRL for this following should be given for forest areas involved.	Not Applicable
	i) Area of submergence at H .F. L. (High flood level)	
	ii) Area of submergence at F. R. L. (Full Reservoir level)	
	iii) Area of submergence at 2 Meter bel ow F. R. L	

FD – Forest Department

UA – User Agency



	iv) Area of submergence at 4 Meter below F. R. L	
42	List of trees 2 Meter. 4 Meter below F. R. L. in submergence area species wise.	Not Applicable
43	Administrative/Technical approval from the competent authority to be enclosed.	Not Applicable
44	Certificate/ undertaking by the project authority regarding the wind power project as per the GOI letter Dated 14/05/2004 to be enclosed.	Attachment - 20
	Certificate by Other Department:-	
45	In case of proposal related to stone quarries, the recommendation of the Director, Geological and Mines is required.	Attachment- __ 21
46	If any Protected/ Archeological/Heritage site and other important Monument is located in the area. The Certificate by Archeological Department to be enclosed.	Attachment- __ 22
47	Certificate about the distance of Project from Protected area by the Dy.CF Wildlife Department. Whether the Project area within 10.00 K m. should be clearly shown and marked.	Attachment- __ 23
48	No Objection Certificate of M.D. F.D.C.M. for involvement of their area.	Attachment- __ 24
49	Relevant Notification/ 7/12 Extract/ restoration order/Rights of record etc. of the proposed forest land to be enclosed	Attachment- __ 32 & 33
	Certificate by Collector:-	
50	Certificate from the Collector that no alternative suitable non-forest land is available for the project. (In A Form itself)	Attachment- __ 25
51	Certificate of Collector under the FRA -2006 with resolution of Gram Sabha/Gram Panchayat as per GOI letter dated 3/8/2009 to be enclosed	Attachment- __ 35
52	Certificate of Compensatory Afforestation land made available by Collector.	Attachment- __ 26
53	Certificate of non-availability of non-forest area for Compensatory Afforestation by the Collector/Commissioner.	Attachment- __ 27
54	The agency has not given alternative land to the forest Department. If non forest land for C. A. scheme is not available in the entire state the certificate from the Chief Secretary of the State to be enclosed. vide GOI letter dt 13/2/12	Attachment- __ 28
55	As the project, area is within the 10.00 km from the boundary of PA area therefore, the information regarding 16 points check list provided by Principle Chief Conservator of Forest (W.L.) Nagpur which is enclosed herewith to be furnished.	Attachment- __ 29
56	All the certificate and documents must have name of the signatory, designation, station, & date under the signature as per the GOM letter vide, dtd. 01 December 2010.	Complied

57	Resolution of the Gram Sabha may not be required in cases of projects like transmission line, roads, and canals. laying of pipe line/optical fibers where linear diversion of forest land in several villages are involved, unless recognized rights of PTG/ PAC are being affected as per Government of India F.No.1 1-9/98-FC(pt.) dated 05/02/2013	Attachment- <u>30</u>
----	---	-----------------------



 SANJAY PRASAD