

CERTIFICATE OF ROAD FORMED BEFORE 1980

It is to certify that NH 167B from Km.58/500 to 62/963 is passing through Seetharampuram RF (before conversion to NH, this road is a Major District road, No.4809 connecting from Porumamilla to Seetharamapuram i.e Km.15/2 to Km.25/2). Since 1968, it was a Bituminous Surface (Black top road) under jurisdiction of PWD (R&B) Nellore Division. The Road Inspection Note Book of P.W.D (Roads & Buildings) Department, Andhra Pradesh signed by the Executive Engineer, Nellore dated 05.10.74 is herewith attached. Further as per the Road Inspection Note Book, the land width (ROW - Right of Way) was mentioned as 30.0 m. The carriageway width of road is 7.0m (i.e 3.70 m B.T + 1.65m gravel shoulders on both sides). Hence this 7.0m width was not included in the forest diversion proposal. Only additional 13.0m for diversion is proposed to have a total width 20 m for executing the NH work.

**Asst. Executive Engineer (R&B)
N.H. Section, Chirala.**

**Dy. Executive Engineer (R&B)
N.H. Sub-Division, ONGOLE**

**Executive Engineer(R&B)
NH Division, Vijayawada.**

P. W. D. (Roads & Buildings) Department

ANDHRA PRADESH

Road Inspection Note Book

VOL. III FOR M.D.Rs

Designation: EXECUTIVE ENGINEER.....

Headquarters: NELLORE.....

Division: NELLORE District: NELLORE.....

Name of the Road **Ponnammilla Seethavampuram Road**

Traffic Census:-

Post:- Nil

Intensity:- 1/2 Tonne/day

163

LN 24/6 Ponnammilla - Seethavampuram

K. M.	Quarries			Others	1967-68	1968-69	1969-70	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79
	Metal	Gravel	Sand													
0.00 - 0.25	0.00 - 0.25	0.00 - 0.25	0.00 - 0.25	0.00 - 0.25	P	P	P	P	P							
0.25 - 0.50	0.25 - 0.50	0.25 - 0.50	0.25 - 0.50	0.25 - 0.50	P	P	P	P	P							
0.50 - 0.75	0.50 - 0.75	0.50 - 0.75	0.50 - 0.75	0.50 - 0.75	P	P	P	P	P							
0.75 - 1.00	0.75 - 1.00	0.75 - 1.00	0.75 - 1.00	0.75 - 1.00	P	P	P	P	P							
1.00 - 1.25	1.00 - 1.25	1.00 - 1.25	1.00 - 1.25	1.00 - 1.25	P	P	P	P	P							
1.25 - 1.50	1.25 - 1.50	1.25 - 1.50	1.25 - 1.50	1.25 - 1.50	P	P	P	P	P							
1.50 - 1.75	1.50 - 1.75	1.50 - 1.75	1.50 - 1.75	1.50 - 1.75	P	P	P	P	P							
1.75 - 2.00	1.75 - 2.00	1.75 - 2.00	1.75 - 2.00	1.75 - 2.00	P	P	P	P	P							
2.00 - 2.25	2.00 - 2.25	2.00 - 2.25	2.00 - 2.25	2.00 - 2.25	P	P	P	P	P							
2.25 - 2.50	2.25 - 2.50	2.25 - 2.50	2.25 - 2.50	2.25 - 2.50	P	P	P	P	P							
2.50 - 2.75	2.50 - 2.75	2.50 - 2.75	2.50 - 2.75	2.50 - 2.75	P	P	P	P	P							
2.75 - 3.00	2.75 - 3.00	2.75 - 3.00	2.75 - 3.00	2.75 - 3.00	P	P	P	P	P							
3.00 - 3.25	3.00 - 3.25	3.00 - 3.25	3.00 - 3.25	3.00 - 3.25	P	P	P	P	P							
3.25 - 3.50	3.25 - 3.50	3.25 - 3.50	3.25 - 3.50	3.25 - 3.50	P	P	P	P	P							
3.50 - 3.75	3.50 - 3.75	3.50 - 3.75	3.50 - 3.75	3.50 - 3.75	P	P	P	P	P							
3.75 - 4.00	3.75 - 4.00	3.75 - 4.00	3.75 - 4.00	3.75 - 4.00	P	P	P	P	P							
4.00 - 4.25	4.00 - 4.25	4.00 - 4.25	4.00 - 4.25	4.00 - 4.25	P	P	P	P	P							
4.25 - 4.50	4.25 - 4.50	4.25 - 4.50	4.25 - 4.50	4.25 - 4.50	P	P	P	P	P							
4.50 - 4.75	4.50 - 4.75	4.50 - 4.75	4.50 - 4.75	4.50 - 4.75	P	P	P	P	P							
4.75 - 5.00	4.75 - 5.00	4.75 - 5.00	4.75 - 5.00	4.75 - 5.00	P	P	P	P	P							
5.00 - 5.25	5.00 - 5.25	5.00 - 5.25	5.00 - 5.25	5.00 - 5.25	P	P	P	P	P							
5.25 - 5.50	5.25 - 5.50	5.25 - 5.50	5.25 - 5.50	5.25 - 5.50	P	P	P	P	P							
5.50 - 5.75	5.50 - 5.75	5.50 - 5.75	5.50 - 5.75	5.50 - 5.75	P	P	P	P	P							
5.75 - 6.00	5.75 - 6.00	5.75 - 6.00	5.75 - 6.00	5.75 - 6.00	P	P	P	P	P							
6.00 - 6.25	6.00 - 6.25	6.00 - 6.25	6.00 - 6.25	6.00 - 6.25	P	P	P	P	P							
6.25 - 6.50	6.25 - 6.50	6.25 - 6.50	6.25 - 6.50	6.25 - 6.50	P	P	P	P	P							
6.50 - 6.75	6.50 - 6.75	6.50 - 6.75	6.50 - 6.75	6.50 - 6.75	P	P	P	P	P							
6.75 - 7.00	6.75 - 7.00	6.75 - 7.00	6.75 - 7.00	6.75 - 7.00	P	P	P	P	P							
7.00 - 7.25	7.00 - 7.25	7.00 - 7.25	7.00 - 7.25	7.00 - 7.25	P	P	P	P	P							
7.25 - 7.50	7.25 - 7.50	7.25 - 7.50	7.25 - 7.50	7.25 - 7.50	P	P	P	P	P							
7.50 - 7.75	7.50 - 7.75	7.50 - 7.75	7.50 - 7.75	7.50 - 7.75	P	P	P	P	P							
7.75 - 8.00	7.75 - 8.00	7.75 - 8.00	7.75 - 8.00	7.75 - 8.00	P	P	P	P	P							
8.00 - 8.25	8.00 - 8.25	8.00 - 8.25	8.00 - 8.25	8.00 - 8.25	P	P	P	P	P							
8.25 - 8.50	8.25 - 8.50	8.25 - 8.50	8.25 - 8.50	8.25 - 8.50	P	P	P	P	P							
8.50 - 8.75	8.50 - 8.75	8.50 - 8.75	8.50 - 8.75	8.50 - 8.75	P	P	P	P	P							
8.75 - 9.00	8.75 - 9.00	8.75 - 9.00	8.75 - 9.00	8.75 - 9.00	P	P	P	P	P							
9.00 - 9.25	9.00 - 9.25	9.00 - 9.25	9.00 - 9.25	9.00 - 9.25	P	P	P	P	P							
9.25 - 9.50	9.25 - 9.50	9.25 - 9.50	9.25 - 9.50	9.25 - 9.50	P	P	P	P	P							
9.50 - 9.75	9.50 - 9.75	9.50 - 9.75	9.50 - 9.75	9.50 - 9.75	P	P	P	P	P							
9.75 - 10.00	9.75 - 10.00	9.75 - 10.00	9.75 - 10.00	9.75 - 10.00	P	P	P	P	P							

Asst. Executive Engineer (R&E),
N.H. Section, Chirala.

Crust	Type of soil	Cross Drainage works	Land Width	Forma-tion width	Riding surface	Geometrical Features	Particulars of Villages, Towns & Branch Roads	General Remarks	Consoli-dated Remarks	Remarks
6	H.G Soil & SDR		30m	24"	12"	12"				
"	"		"	"	"	"				
"	"	1) Rec. slab culvert 1x35'	"	"	"	"				
"	"	2) Rec. slab culvert 1x50'	"	"	"	"				
"	"	Rec. slab culvert 1x30'	"	"	"	"				
"	"	1) Rec. slab culvert 1x20'	"	"	"	"				
"	"	2) culvert 1x50'	"	"	"	"				

83

Name of the Road Pottumamilla Seetharam Puram

Post:- 144

164

Traffic Census:-

Intensity:- Tonne/day

K.M.	Quarries			1967-68	1968-69	1969-70	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79
	Metal	Gravel	Sand	Others											
10					P	P	P					P	P	P	P
2					P	P	P					P	P	P	P
4					P	P	P					P	P	P	P
6					P	P	P					P	P	P	P
8					P	P	P					P	P	P	P
10					P	P	P					P	P	P	P

Asst. Executive Engineer (R&B)
N.H. Section, Chirala.

Crust	Type of soil	Cross Drainage works	Land Width	Formation Width	Riding surface	Geometrical Features	Particulars of Villages, Towns & Branch Roads	Remarks	General Remarks	Consolidated Remarks
" 6	Hg. soil		30M	24"	12"					
"	"		"	"	"					
"	"	Minor bridge	"	"	"					
"	"	Rice	"	"	"					
"	"	Sidewalk	"	"	"					
"	"	1x30	"	"	"					

85

Name of the Road *Ponnamalla Sathavara Puram Road*

Post:- *Nal*

Traffic Census:-

K. M.	Quarries			1967-68	1968-69	1969-70	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79
	Metal	Gravel	Sand												
2				P	P	P	P								
4				P	P	P	P								
6				P	P	P	P								
8				P	P	P	P								
10				P	P	P	P								

Asst. Executive Engineer (R&B)
N.H. Section, Chirala.

165

Intensity:- Tonne/day

Crust	Type of soil	Cross Drainage works	Land Width	Formation Width	Riding surface	Geometrical Features	Particulars of Villages, Towns & Branch Roads	Remarks	General Remarks	Consolidated Remarks
"	Hg. Soil & SNR		30M	24"	WBM					
"	"	2cc Slab culvert 1x30	"	"	"					
"	"	1/2 culvert 1x30	"	"	"					
"	"	1/2 culvert 1x30	"	"	"					
"	"	culvert 1x30	"	"	"					
"	"	culvert 1x30	"	"	"					

78

Name of the Road **Povumamilla Sathavampavam Road**

Post:- **Nul**

Traffic Census:-

Intensity:- **Tonne/day**

166

K.M.	Quarries			1967-68	1968-69	1969-70	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79
	Metal	Gravel	Sand												
18															
2															
4															
6															
8															
10															

Asst. Executive Engineer (R&B)
N.H. Section, Chirala.

Crust	Type of soil	Cross Drainage works	Land Width	Formation Width	Riding surface	Geometrical Features	Particulars of Villages, Towns & Branch Roads	General Remarks	Consolidated Remarks
"	H-6 Soil	R.C.C Slabs culvert 1x30'	30m	24"	WBM 12"				
"	SDR	culvert 1x30'	"	"	"				
"	"	culvert 1x30'	"	"	"				
"	"	culvert 1x30'	"	"	"				
"	"	culvert 1x30'	"	"	"				
"	"	culvert 1x30'	"	"	"				

68

Name of the Road Porumallu Seetharamapuram Road

Post:- 161

Traffic Census:-

K.M.	Quarries				1967-68	1968-69	1969-70	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79
	Metal	Gravel	Sand	Others												
2	H.B.G. 4.4 Km 9.3/6 (3-9) 0+Kus road	0.5 Km 4.4 to 5.4 (0-2) 0+Kus road	0.5 Km 9.3/2 (0-2) 0+Kus road	0.5 Km 4.4 to 5.4 (0-2) 0+Kus road	P	P	P	P				P	P	P	P	P
4					P	P	P	P				P	P	P	P	P
6					P	P	P	P				P	P	P	P	P
8					P	P	P	P				P	P	P	P	P
10					P	P	P	P				P	P	P	P	P

Asst. Executive Engineer (R&B)
N.H. Section; Chirala.

Crust	Type of soil	Cross Drainage works	Land Width	Forma-tion width	Riding surface	Geometrical Features	Particulars of Villages, Towns & Branch Roads	Remarks	General Remarks	Consoli-dated Remarks
6	Hq Soil SOR		30M	24"	WBM			P		
"	"		"	"	"			P		
"	"		"	"	"			P		
"	"	R.C.C Slabs culvert 1X3.7	"	"	"					
"	"	culvert 1X3.0	"	"	"					

Intensity:- Tonne/day

167

9

Name of the Road Pokomanilla Sathavayampuram road

Post:- Nil

168

Traffic Census:-

Intensity:- - Tonne/day

K.M.	Quarries			1967-68	1968-69	1969-70	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79
	Metal	Gravel	Sand												
2	4.5 km 9.3.6 (3-2) of K.V.S. road.	4.4 km 5.4 (0-2) of H. road.	4.5 km 9 1/2 (0-2) of K.V.S. road.	P P P	P P P	P P P	P P				P	P P	P P	P P	P P
4				P P P	P P P	P P P	P P				P	P P	P P	P P	P P
6				P P P	P P P	P P P	P P				P	P P	P P	P P	P P
8				P P P	P P P	P P P	P P				P	P P	P P	P P	P P
10				P P P	P P P	P P P	P P				P	P P	P P	P P	P P

Crust	Type of soil	Cross Drainage works	Land Width	Forma-tion width	Riding surface	Geometrical Features	Particulars of Villages, Towns & Branch Roads	General Remarks	Consoli-dated Remarks
"	Hy Soil		30M	24.6"	12.5"				
"	"	Minor bridge 4x8.5"	"	"	"				
"	"	Rec Sls	"	"	"				
"	"	culvert 1x3.5"	"	"	"				
"	"		"	"	"				
"	"		"	"	"				

Asst. Executive Engineer (R&B)
N.H. Section; Chirala.

23

Name of the Road Ponnammilli Seethavaram Road

Post:- Nil

169

Traffic Census:-

Intensity:-

Tonne/day

K. M.	Quarries			Others	1967-68	1968-69	1969-70	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79
	Metal	Gravel	Sand													
2	H.B.G. Quarry 12 km 93.6 (3-9) at Kuvavood.	at km 6.24 8.0 (0.2) of the road.	at km 9.2 (0.2) at Kuvavood	Q. metal @ at K.M 6.2 & 8.0 Co. 2) at the road.	P	P P	P P P	P P				P	P	P	P	P
4					P	P P	P P	P P				P	P	P	P	P
6					P	P P	P P	P P				P	P	P	P	P
8					P	P P	P P P	P P				P	P	P	P	P
10					P	P P	P P P	P P				P	P	P	P	P

Asst. Executive Engineer (R&B)
N.H. Section, Chirala.

Crust	Type of soil	Cross Drainage works	Land Width	Forma-tion Width	Riding surface	Geometrical Features	Particulars of Villages, Towns & Branch Roads	Remarks	General Remarks	Consoli-dated Remarks
16	H. G. Soil E. Red 20% M		30M	28"	12"					
"	"		"	"	"					
"	"	Minor buddy 3x7 2) culvert 11x30	"	"	"					
"	"	Culvert 1x50	"	"	"					
"	"	Culvert 1x30	"	"	"					

95

Name of the Road Powmanilla Satharampuram Road

Post:- Nil

170

Traffic Census:-

Intensity:-

Tonne/day

K.M.	Quarries			Others	1967-68	1968-69	1969-70	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79
	Metal	Gravel	Sand													
	H.B.G. @ 11 K.M. 93/6 (3rd) of Kcs road.	@ 11 K.M. 6.2 to 8.0 (Co-2) of Kcs road.	@ 11 K.M. 90/2 (Co-2) of Kcs road.	@ 11 K.M. 6.2 to 8.0 (Co-2) of Kcs road.	P	P P	P P	P								
2					P	P P	P P	P								
4					P	P P	P P	P								
6					P	P P	P P	P								
8					P	P P	P P	P								
10					P	P P	P P	P								

Asst. Executive Engineer (R&B)
N.H. Section, Chirala.

Crust	Type of soil	Cross Drainage works	Land Width	Forma-tion Width	Riding Surface	Geometrical Features	Particulars of Villages, Towns & Branch Roads	Remarks	General Remarks	Consoli-dated Remarks
" 6	gravel & Rd earth		30M	28"	12"					
"	"	R.C.C. slab culvert 1x30"	"	"	"					
"	"		"	"	"					
"	"		"	"	"					
"	"		"	"	"					

9.7

Name of the Road Povumamilla, Saetharampuram Road

Post:- Nil

Traffic Census:-

Intensity:- Tonne/day

171

K.M.	Quarries			1967-68	1968-69	1969-70	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79
	Metal	Gravel	Sand	Others											
2	H.B.G Quarry in K.M 3/6 (3-4) of Kcs road.	G. at K.M 6.2+8.0 (6.2) of M road.	G. at 90% (6.2) of M KCS road.	G. metal (6.2) of K.M 6.2+8.0	P	P P	P							P	
4					P	P P	P							P	
6					P	P P	P							P	
8					P	P P	P							P	
10					P	P P	P							P	

Asst. Executive Engineer (R&B)
N.H. Section, Chirala.

Crust	Type of soil	Cross Drainage works	Land Width	Formation Width	Riding surface	Geometrical Features	Particulars of Villages, Towns & Branch Roads	General Remarks	Consolidated Remarks
" 6"	Gravel & Red earth		30M	280	120				
"	"		"	"	"				
"	"	R.C.C Slab culvert 1x30"	"	"	"				
"	"		"	"	"				
"	"		"	"	"				

99

Name of the Road Ponnaimilla Seethavampuram road.

Traffic Census:-

Post:- Nil

172

Intensity :- Tonnes/day

K.M.	Quarries				1967-68	1968-69	1969-70	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79
	Metal	Gravel	Sand	Others												
	H.B.C. Quarry in K.M. 53.6 (3-5) of K.C.S. road.	at km 9.8 to 9.10 at M. road Co-21	at km 90/2 Co-22 at K.C.S. road.	at km 9.8 to 9.10 at H. road Co-22 at	P	P P	P P	P	W.M. 31' 10" 31' 10" 31' 10"		67.50 + 55.6	P	P	P	P	P
2					P	P P	P P	P				P	P	P	P	P
4					P	P P	P P	P				P	P	P	P	P
6					P	P P	P P	P				P	P	P	P	P
8					P	P P	P P	P				P	P	P	P	P
10					P	P P	P P	P				P	P	P	P	P

Asst. Executive Engineer (R&B)
N.H. Section, Chirala.

Crust	Type of soil	Cross Drainage works	Land Width	Forma- tion Width	Riding surface	Geometrical Features	Particulars of Villages, Towns & Branch Roads	Remarks	General Remarks	Consoli- dated Remarks
"G"	Ground & Red earth		30M	30' 30"	12h			P		
"	"		"	"	"			P		
"	"		"	"	"			P		
"	"	Rcc Slab Culvert 1x3'4"	"	"	"			P		
"	"		"	"	"			P		

Executive Engineer,
P.W.D. (R&B) NELLORE.

101

