



UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010
 Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

Validity Period :07/06/2021 To 06/06/2026

Ref No. - 128506/UPPCB/Unnao(UPPCBRO)/CTE/HARDOI/2021 Dated:- 26/06/2021

To ,

Shri MRS. NEETA BANSAL
 M/s BALAJI FUELS (RETAIL OUTLET RELIANCE BP MOBILITY LTD)
 KHASRA NO. 6887, 6888, VILLAGE-SHAHABAD ANDAR, NEAR BALAJI COLD
 STORAGE, SHAHABAD HARDOI ROAD, SHAHABAD, DISTT-HARDOI.241124
 HARDOI

Sub : Consent to Establish for New Unit/Expansion/Diversification under the provisions of Water (Prevention and control of pollution) Act, 1974 as amended and Air (Prevention and control of Pollution) Act, 1981 as amended.

Please refer to your Application Form No.- 12409042 dated - 03/06/2021. After examining the application with respect to pollution angle, Consent to Establish (CTE) is granted subject to the compliance of following conditions :

1. Consent to Establish is being issued for following specific details :

A- Site along with geo-coordinates :

B- Main Raw Material :

Main Raw Material Details		
Name of Raw Material	Raw Material Unit Name	Raw Material Quantity
M.S.-30 KL & HSD-55 KL	Kilo Liters/Day	

C- Product with capacity :

Product Detail	
Name of Product	Product Quantity
Storage & Distribution of MS-30 KL-01 no.	0
Storage & Distribution of HSD-55 KL-01 no.	0

D- By-Product if any with capacity :

By Product Detail			
Name of By Product	Unit Name	Licence Product Capacity	Install Product Capacity
NA	Kilo Liters/Day	0	0

2. Water Requirement (in KLD) and its Source :

Source of Water Details		
Source Type	Name of Source	Quantity (KL/D)
Ground Water (within premises)	BORE WELL	1.0

3. Quantity of effluent (In KLD) :

For Reliance BP Mobility Limited

Vimal Kumar

Authorized

VIMAL
KUMAR

Digitally signed by
VIMAL KUMAR
Date: 2021.06.26
14:16:16 +05'30'

Effluent Details	
Source Consumption	Quantity (KL/D)
Domestic	1.0

4. Fuel used in the equipment/machinery Name and Quantity (per day) :

Fuel Consumption Details		
Fuel	Consumption(tpd/kld)	Use
Diesel	0.005	FOR DG SET 30 KVA

5. For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.

For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.

2. You are directed to furnish the progress of Establishment of plant and machinery, green belt, Effluent Treatment Plant and Air pollution control devices, by 10th day of completion of subsequent quarter in the Board.
3. Copy of the work order/purchase order, regarding instruction and supply of proposed Effluent Treatment Plant/Sewerage Treatment Plant /Air Pollution control System shall be submitted by the industry till 06/06/2026 to the Board.
4. Industry will not start its operation, unless CTO is obtained under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and control of Pollution) Act, 1981 from the Board.
5. It is mandatory to submit Air and Water consent Application, complete in all respect, four months before start of operation, to the U.P. Pollution Control Board.
6. Legal action under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981 may be initiated against the industry With out any prior information, in case of non compliance of above conditions.

Specific Conditions:

For Reliance BP Mobility Limited



Authorized Signatory

1. The CTE is valid for installation for storage and distribution of petroleum product. According to proposal M.S. constructed underground storage tank (M.S. Tank Capacity 30 KL-01 no. & H.S.D. Tank capacity 55 KL-01 no.) Will be installed for storage of the petroleum product and petrol pump will be installed for distribution of petroleum product at proposed site Khasra no.6887, 6888 Village- Shahabad Andar, Near- Bala ji Cold Storage, Tehsil -Shahabad, District- Hardoi.
2. According to proposal Water will be used for domestic purpose only.
3. Domestic effluent must be discharge through septic tank/soak pit. No any process effluent must be discharged to outside/inside of the petrol pump premises.
4. According to proposal, the DG set (30 KVA 01 no.) will be installed. The DG set must be equipped with acoustic enclosure and adequate air pollution control devices. The emissions/noise level must be confirmed to the prescribed standard of Environment (Protection) act 1986 (as amended).
5. Industry shall develop green belt as per the Protocol attached with Board's office order H 16405 /220/2018/02 dated 16-2-2018, which is available on Board's website- www.uppcb.com.
6. Disaster Management Plan as per guide line of Chief Exclusive, Nagpur must be installed. License from Chief Exclusive, Nagpur for the installation and operation of the petrol pump must be obtained as required and submitted within two month.
7. Proper Safety Devices must be provided to the factory workers.
8. All the effective safety measures must be taken to avoid any contamination/ deterioration in the surrounding environments/ecosystem.
9. The provisions/guidelines notified under the Environment (Protection) act 1986 (as amended) must be strictly complied.
10. NOC/ license/Consent of concerned departments for installation & operation of industry must be obtained and submitted this office within two months.
11. Housekeeping of the industry should be maintained properly.
12. Application for water and air consent must be applied before two month of expected trial production. Trial production must be started after obtaining the valid consent from the Board.
13. Establishment of plant & machinery must be strictly done as per submitted proposal.
14. It is mandatory to submit compliance/progress report monthly in reference to all condition of the CTE.
15. Industry is proposed in side industrial area. In case of the any complaint regarding pollution i.e. water, air, sound, etc against the industry, the issued Consent to Establish (CTE) order will be revoked without prior notice.
16. This CTE is issued as per the provisions of Environmental Acts. NOC/ license/ Consent/ approval of all other concerned department for installation of industry, as per the statutory provisions, must be obtained.

Please note that consent to Establish will be revoked, in case of, non compliance of any of the above mentioned conditions. Board reserves its right for amendment or cancellation of any of the conditions specified above. Industry is directed to submit its first compliance report regarding above mentioned specific and general conditions within two month.


Please note that consent to Establish will be revoked, in case of, non compliance of any of the above mentioned conditions. Board reserves its right for amendment or cancellation of any of the conditions specified above. Industry is directed to submit its first compliance report regarding above mentioned specific and general conditions till 26/07/2021 in this office. Ensure to submit the regular compliance report otherwise this Consent to Establish will be revoked.

VIMAL
KUMAR

Digitally signed by VIMAL
KUMAR
Date: 2021.06.26 14:16:47
+05'30'

Dated:- 26/06/2021

Copy To -

For Reliance BP Mobility Limited

Authorized Signatory