

Date:- 13.-01.2022

To,

The Nodal Officer,  
FCA, Jaipur

Sub.:- Reply for Diversion of 0.6060 hact. of forest land in favor of TELESonic NETWORKS LIMITED for Laying of OFC CABLE BLOWING WORK FOR TELESonic CONNECTIVITY in Samoli, Near Sei Nadi, Tin Sara, Kagwas, Subra Subri, Sawan ka kyara to near Guda and Mamer to Bhoori Dheber Gujrat Border in Udaipur North.

Proposal No. FP/RJ/OFC/150256/2021.

Ref.:- Online Eds Dated : 12.1.2022

महोदय,

उपरोक्त विषयान्तर्गत संदर्भित पत्र के क्रम में लेख है कि हमारे द्वारा ऑन लाईन प्रेषित प्रस्ताव का आप द्वारा परीक्षण करने के उपरान्त जो कमियां बताई गई है जिनकी पूर्ति कर प्रस्ताव आवश्यक कार्यवाही हेतु पुनः प्रस्तुत है :-

Sr. No	Observations	Reply
1	TOPO sheet should be signed with seal from applicant officer	Compliance has been ratified.
2	All corner GPS with seal and sign of applicant officer should be given in digital map	Compliance has been ratified.
3	BAR chart is not signed with seal from applicant officer	Compliance has been ratified.
4	Undertaking for use of forest land is correct.	Compliance has been ratified.

For Telesonic Networks Limited  
  
Authorised Signatory

भवदीय