

GOVERNMENT OF TELANGANA
RURAL WATER SUPPLY AND SANITATION DEPARTMENT

APPENDEX

(See Rule 6)

FORM-'A'

Form for seeking prior approval under section 2 of the proposals by the state
Government and other authorities.

PART-1

(TO BE FILLED BY USER AGENCY)

**1. Project Details : Providing and Laying of Pipe Line and Construction
of Other Structures for safe Drinking Water in
Rangareddy District – Segment - 7.**

- i) Short narrative of the Proposal for Project : The Government of Telangana has decided to improve the drinking water Supply level to all the habitations in the new State to Provide safe Drinking Water to all Households. To avoid Quantitative and Qualitative problems it is proposed to supply surface water from Srisailam Back water. The Raw Water and Treated Water Pipe lines are to be laid to cover all the habitations under Segment – 7 of Rangareddy District. The proposed Pipe line alignment is passing through the Reserve Forest area for which Forest Land Diversion is required to complete the Telangana Drinking Water Supply Project covering all Constituencies of Rangareddy District.

- ii) Map showing the required forest land : Map showing the reserve forest area and adjoining Forest Boundaries on A0 Map in 1:50,000 Scale topo map is enclosed. The land is meant for laying of Pumping mains and Gravity Mains in Rangareddy District under Segment 7.
- iii) Cost of the Project. : Rs. **1800.00** Crores.
- iv) Justification for location of the project in forest area : The proposed Pipe lines and structures of Telangana Drinking Water Supply Project have no other alternative routes in the Forest Area and are essential to cover all the habitations in the Rangareddy District. As per the Hydraulic Designs and Topography of the Area the proposed locations are very much essential and there are no other alternative alignments.
- v) Cost benefit analysis (to be enclosed) : Not applicable, as there is no other alternate to compare the cost.
- vi) Employment likely to be generated : **116284** Mandays.

2. Purpose wise breakup of the total Land required Extent :

After working out various options in execution of the Pipe Line Works in the forest Land , the diversion of forest land to the minimum requirement is worked out. The details of the land requirement are here with enclosed for more clarity.

- The purpose wise land requirement for
1. Pipe lines - 10.7930 Ha.
 2. For Structures - 2.8250 Ha.

 Total - **13.6180** Ha.

3. Details of displacement of people due to the project if any:

- i) Number of families :
- ii) Number of Schedule Caste / Schedule Tribal families. :
- iii) Rehabilitation Plan :

4. Where Clearance under Environment (Protection) Act, 1986 Required? (Yes/No)

No



5. Undertaking to bear the cost of rising and maintenance of compensatory Afforestation and /or penal compensatory afforestation as well as cost are protection and regeneration of Safety zone., etc., as per the Scheme prepared by the state Government (under taking to be enclosed).

Enclosed

6.Details of Certificates / Documents Enclosed as required under the instructions.

Enclosed


Superintending Engineer
RWS&S,TDWSP Circle,
Hyderabad.

"Counter Signed"

Chief Engineer 23/6/15
V&QC, RWS&S, Hyderabad.

28/6/15