



ANNEXURE-II

H.P. STATE POLLUTION CONTROL BOARD
"Him Parivesh Bhawan", Regional Office Dharamshala
Near GSSS, Dari, Tehsil Dharamshala, Distt.-Kangra (H.P.), PIN 176057
Phone No. 01892-222628

Website: <http://hppcb.nic.in>

e-mail: pcbrojassur@gmail.com

No: - PCB/Non Polluting (118) /RO (D/sala)/17-
To

3047

Dated: 18/08/2022

✓ The Additional Commissioner,
Municipal Corporation Dharamshala,
Tehsil Dharamshala, Distt. Kangra, H.P.

Sub: - NOC for purpose of diversion of forest land.
Sir,

With reference to the letter no. 2896, dated 11-08-2022 received on dated 11-08-2022 from Additional Commissioner, Municipal Corporation Dharamshala, Tehsil Dharamshala, Distt. Kangra, H.P. vide, which they have applied for the NOC for diversion of land at Khasra No. 1898/1, 1898/2 and 1900/1, Khata No. 445 min/416 min, area measuring 2.96 Hects situated at Up Mohal Dharamshala, Tehsil Dharamshala, Distt. Kangra, H.P. as per the revenue record provided to be diverted in favour of Urban Development Department, Govt of H.P. for Solid Waste Management Project. The joint inspection of the said land has also been conducted on date 20-12-2019 by the members under the chairmanship of Sub Divisional Magistrate, Dharamshala. The State Pollution Control Board has no objection if the said land is diverted in favour of Urban Development Department, Govt of H.P. subject to the following conditions:

- (i) Prior consent of the State Board shall be obtained before undertaking any steps to establish the project under Water Act, 1974 and/or Air Act, 1981, as the case may be.
- (ii) Transfer of land shall be governed only by the regulations and provisions prescribed by Revenue Department and this NOC alone shall not entitle the applicant to purchase/acquire land.
- (iii) NOC so issued shall not confer any right on the applicant to establish the project unless the Revenue Department has actually allowed the acquisition of land.
- (iv) This NOC is subject to prior forest clearance, if any required.
- (v) The proponent shall maintain noise level equal to or less than the standard prescribed under Env. Protection Rules, 2016 for sensitive areas near its boundary walls.
- (vi) The project proponent shall adhere to the citing criteria as per the SWMR, 2016.
- (vii) During the plot leveling if any muck is generated, the same should be stored/stacked/back filled scientifically alongwith the provision of toe walls, as required.

Yours faithfully,

Er. Varun Gupta
Asstt. Environmental Engineer, HPSPCB