

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF

(For the forest land to be diverted under FCA)

A Proposal has been received by the this office नयारा एजर्जी लि० (पूर्व में एस्सार लि०), नोयडा द्वारा आगरा-मुरादाबाद मार्ग (एन०एच०-९३) पर निकट किमी० स्टोन सं०-१८६ (चैनेज सं०-१८६.१८० किमी०) के दांयी पट्टी पर खसरा संख्या-६८३ ग्राम अफजलपुर डरौली तहसील चन्दौसी जिला सम्मल पर पेट्रोल पम्प/रिटेल आउटलेट पर सम्पर्क मार्ग हेतु संरक्षित वन भूमि का उपयोग एवं ११ बाधक वृक्षों के पातन हेतु diversion (under FCA-1980) of 0.173248 hac. of protected forest land for non-forestry purpose. The project envisage the use of protected forest land for laying. The site inspection of the land involved in the proposal has been done by me on date.....19/9/2018

On inspection of the site, it is found that the land required buy the user agency is a RF/PF/unclassed/Protect forest measuring. PF 0.173248 Hac.


The requirement of forest land as proposed by the user agency in col. 2 of part-I is unavoidable and is barest minimum required for the project. (YES)

Whether any rare/endangered/unique species of flora and fauna in the area. If so, details thereof. (NO)

Whether any protected archaeological/heritage site/defense establishment of any other important monument is located in the area. If so, the details thereof with NOC from competent authority, if required. (NO)

- a. The user agency has not violated the provision of forest (conservantion) act, 1980 and no work has been started without proper sanction. (YES)
- b. It has been found that the the user agency has violated the forest (conservation) Act, 1980 provisions. A detail report as per para 1.9 of chepter-1, para C of handbook of forest (conservation) Act. 1980 is attached. (NO)

Specific recommendation for acceptance or otherwise of the proposal :- **Recommendation for acceptance**



(डी०के० चतुर्वेदी)

प्रभागीय वनाधिकारी

सम्मल वन प्रभाग, सम्मल