

99

Regional Office, Palwal Region
Haryana State Pollution Control Board
Phagna Tower, Ward No. 10, NH-02,
Near Red Rocks Cinema, Palwal
Website - www.hspcb.gov.in
E-mail - hspcbropal@gmail.com

No HSPCB/PAL/2021/ 863

Dated: 17/09/2021

To

The District Magistrate,
Palwal.

Sub:-

No Objection Certificate for proposed Retail outlet (MS/HSD) at Location: "M/s Indian Oil Corporation Limited, Village- Bhanguri, Block- Palwal District- Palwal State Haryana.

Ref:-

DC Office letter no. 1195-1206 PLA on dated 07.09.2021.

In this connection, it is submitted that, Pump (MS/HSD) is not covered under NOC/consent Management being no source of Trade Effluent and Air Emission from the Petrol Pump. Therefore, as per site plan "M/s Indian Oil Corporation Limited, Village- Bhanguri, Block- Palwal District- Palwal State Haryana. Submitted by you, the Board has no objection to install new Pump (MS/HSD) subject to following Conditions:-

- 1 The said company will set up the modern pollution Control checking equipment along with video cameras etc. as per Head Office DO Letter No. HSPCB/2003/9883 dated 27-10-2003.
- 2 The said Pump (MS/HSD) will provide /install adequate safety measures regarding the product which is hazardous in nature.
- 3 Unit will not alter the system and will not start any polluting process without prior permission/NOC of Board.
- 4 Unit shall provide the acoustic chamber on D.G. set and raise the height of D.G. set exhaust pipe as per the norms of the Board, Unit will obtained prior NOC if any change in D.G. sets capacity of 1 MVA or more.
- 5 That unit will obtained clearance from Forest Department & other concerned authorities, if land of project is falls under section 4 & 5 of PLPA, 1900 & other Notifications of Forest Department. That if the land of the unit falls under section 4 & 5 of PLPA, 1900 & is within 500 meters from Aravali Plantation & other Notifications of Forest Department then consent so granted will deemed to be cancelled.
- 6 At any stage, if the Pump (HSD) will cover under consent /NOC management, then said Pump (HSD) will apply to the consent of the Board as per Law/Rule/Act / Direct of Government/Board.
- 7 Unit will obtain all required clearance from concerned authorities before starting construction or any other type activities.
- 8 Unit will comply with all the direction issued by CPCB vide letter no. B-13011/1/2019-20/AQM/10809 on dated January, 07,2020.
- 9 The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.
- 10 The industry shall comply noise pollution (Regulation and control) Rules, 2016.
- 11 The officer/official of the Board shall reserve the right to access for the inspection of the Pump (HSD) in connection with the various process and the APCM. The consent to operate is subject to review by the Board at any time.
- 12 If the unit fails to adhere to any of the conditions of this Letter/NOC, than this Letter/NOC so granted shall automatically lapse.
- 13 Unit will dispose off hazardous waste i.e. used/spent oil will be disposed of to authorized recyclers / Re-refiners of hazardous waste.
- 14 The unit will comply all the provisions of HWM Rules, 2016, E-waste Rules, 2016 and BMW Rules, 2016 and amended time to time.
- 15 The unit will obtain prior NOC/Permission from central Ground Water Authority in case under ground water resource is used.
- 16 Unit will comply the guidelines on Environment Management of Construction & Demolition Waste in March, 2017 issued by CPCB.
- 17 The unit will comply all the directions, guidelines, orders issued time to time by Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT, EPCA, CPCB, HSPCB & other Central and State agencies.
- 18 That in case any additional charges / fees / penalty etc. are found payable towards this NOC as per audit then the same shall be paid by the unit without any objection immediately as and when demanded by this office.
- 19 If at any stage found that unit was involved in any past violation regarding Environment Laws /Rules / Acts then this letter so granted shall be revoked automatically & legal action will be initiate against the project proponent.
- 20 That this Letter/NOC will not provide any immunity from any other Act/Rules/Regulations applicable to the project/land in question.
- 21 The unit will obtain all necessary clearances from the concerned authorities and will adhere to all the applicable Environmental Laws/Acts/Notification regularly. In case of any violation found at any stage, this letter deemed revoked.
- 22 Unit will provide facility for segregation and disposal of solid waste as per Solid Waste Management & Handling Rules, 2016.
- 23 Unit will comply the rules/ notifications of Plastic Waste Management Rules, 2016, E-waste Rules, BMW Rules and battery Rules etc.
- 24 Increase of green belt cover by 40% of the total land area beyond the permissible requirement of 33%, wherever feasible.
- 25 Stipulation of greenbelt outside the project premises such as avenue plantation, plantation in vacant areas, social forestry etc.
- 25 Stipulation of greenbelt outside the project premises such as avenue plantation, plantation in vacant areas, social forestry etc.
- 26 Unit will not generate/ discharge any type of trade effluent without prior approval of the board.
- 27 M/s Indian Oil Corporation Limited, is allowed only for company vehicles and there not allowed in vacant speed diesel to other company vehicles/general consumer vehicles.
- 28 Unit should submitted compliance of above mentions conditions within 90 days.
- 29 NOC will be cancelled or revoked in case the unit fails to comply with any of the conditions imposed in this NOC.
- 30 This letter/NOC will be automatically revoked if area of the purposed project/outlet/petrol pump falls in preview of notified Aravali Area and unit will obtained Aravali Clearance from Deputy Commissioner, Palwal before starting the any type of activity
- 31 The Unit should submitted compliance of above mentions conditions within 90 days.


Regional Officer
Palwal Region