

Filed inspection notes of Sri D.Chandrasekhar Rao, SFS., Divisional Forest Officer,
Kurnool Division, Kurnool in Dhone Range on 30.12.2016.

Inspected the forest land proposed for diversion of 0.14 Ha of forest land for laying of drinking water pipe line with 90mm dia PVC below the ground level from Gosanipalli village to U.Kothapalli village through Compt.No.235, South Dhone Reserved Forest, Chintalapeta Beat, Peapully Section of Dhone Range in Augmentation of PWS scheme along with Forest Range Officer, Dhone and concerned staff on 30.12.2016.

Further, it is observed that, there is no vegetation, valuable flora & fauna in the RF proposed area to be diverted for laying of drinking water pipe line passing through Compt.No.235, South Dhone Reserved Forest, Chintalapeta Beat, Peapully Section of Dhone Range and miscellaneous fuel wood is available and the density of the proposed area is 0.1 under Eco-class-III open forest.

The area proposed diversion of forest land not form the part of National Park, Wildlife Sanctuary and there are no Elephant corridors and does not consists of any Archeological & Monumental structures. Further there are no endangered forest species in the proposed area.


Further, the user agency has not necessary to identify the Compensatory Afforestation area as per para-3.2-viii-No Compensatory afforestation shall be insisted upon in respect of proposals involving diversion of forest land upto **one Hector**.


30-12-16
Divisional Forest Officer,
Kurnool Division, Kurnool

CERTIFICATE


This is certified that, the Reserve Forest area proposed for "laying of drinking water pipe line in compt.no.235, South Dhone RF, Chintalapeta Beat, Peapully Section, Dhone Range of Kurnool Division, Kurnool District in favour of Superintending Engineer, RWS&S Circle, Kurnool is not vulnerable for erosion.


Forest Range Officer
Dhone.


Divisional Forest Officer,
Kurnool Division, Kurnool.

CERTIFICATE


This is certified that, the Reserve Forest area proposed for "laying of drinking water pipe line in compt.no.235, South Dhone RF, Chintalapeta Beat, Peapully Section, Dhone Range of Kurnool Division, Kurnool District in favour of Superintending Engineer, RWS&S Circle, Kurnool does not form a part of National Park, Wildlife Sanctuary, Biosphere reserve, Tiger reserve, Elephant corridor, etc..


Forest Range Officer
Dhone.


Divisional Forest Officer,
Kurnool Division, Kurnool.

CERTIFICATE

This is certified that, there are no rare/endangered/ unique species of flora and fauna found in the proposed area for diversion for "laying of drinking water pipe line in compt.no.235, South Dhone RF, Chintalapeta Beat, Peapully Section, Dhone Range of Kurnool Division, Kurnool District in favour of Superintending Engineer, RWS&S Circle, Kurnool.


Forest Range Officer
Dhone.


Divisional Forest Officer,
Kurnool Division, Kurnool.

CERTIFICATE

This is certified that, there are no protected archaeological /heritage site/ defense establishment or any other important monument is located in the proposed area for "laying of drinking water pipe line in compt.no.235, South Dhone RF, Chintalapeta Beat, Peapully Section, Dhone Range of Kurnool Division, Kurnool District in favour of Superintending Engineer, RWS&S Circle, Kurnool.


Forest Range Officer
Dhone.


Divisional Forest Officer,
Kurnool Division, Kurnool.

CERTIFICATE


It is certified that the user agency proposed RF land for for "laying of drinking water pipe line in compt.no.235, South Dhone RF, Chintalapeta Beat, Peapully Section, Dhone Range of Kurnool Division, Kurnool District in favour of Superintending Engineer, RWS&S Circle, Kurnool is unavoidable and for the project barest minimum.


Forest Range Officer
Dhone.


Divisional Forest Officer,
Kurnool Division, Kurnool.

CERTIFICATE

It is certified that the work was not commenced, hence no violation of the provisions of Forest Conservation Act, 1980.


Forest Range Officer
Dhone.


Divisional Forest Officer,
Kurnool Division, Kurnool.

NET PRESENT VALUE (NPV) CALCULATION SHEET

Area of Forest land under diversion	::	0.14 Ha
Net present value (NPV) rate per Ha.	::	6.26 Lakhs/Ha.
Net present value (NPV) of forest land under diversion	::	0.14 Ha x 6.26 lakhs Rs.87,640/- (Eighty seven thousand six hundred and forty rupees only)


Forest Range Officer,
Dhone


Divisional Forest Officer
Kurnool Division, Kurnool

CERTIFICATE

This is to certify that the proposals for laying of pipe line for drinking water in Compt.No.235 of South Dhone Reserve forest of Chintalapeta Beat of Peapully Section of Dhone Range of Kurnool Division for an area of 0.14 Ha. were put forth before the Grama Sabha of U.Kothapally Village on 22.10.2016 with full details and its implications are discussed in Grama Sabha, which has given written consent stating that there are no forest dwellers eligible under FRA in the locality of South Dhone RF and no objection.


Forest Range Officer,
Dhone


Divisional Forest Officer
Kurnool Division, Kurnool.

CERTIFICATE

This is to certify that, proposals for the proposed for laying of pipe line for drinking water in Compt.No.235 of South Dhone Reserve forest of Chintalapeta Beat of Peapully Section of Dhone Range of Kurnool Division for an area of 0.14 Ha. was thoroughly discussed in the Grama Sabha and decision was taken place in quorum of minimum 50% of members of the Grama Sabha are present.


Forest Range Officer,
Dhone


Divisional Forest Officer
Kurnool Division, Kurnool.

CERTIFICATE

This is to certify that, there are no tribal and pre-agriculture communities which are too specifically safeguarded as per Section (3)(2) of the FRA 2006 in the area proposed for laying of pipe line for drinking water in Compt.No.235 of South Dhone Reserve forest of Chintalapeta Beat of Peapully Section of Dhone Range of Kurnool Division.


Forest Range Officer,
Dhone


Divisional Forest Officer
Kurnool Division, Kurnool.

CERTIFICATE

This is to certify that, there are no cases which will attracts the provisions of FRA 2006 especially under section 3(1)(e), 3(1)(c) and 4(5) at the area of South Dhone Reserve forest, where the area for diversion is applied for.


Forest Range Officer,
Dhone


Divisional Forest Officer
Kurnool Division, Kurnool.

CERTIFICATE

This is to certify that, there are no cases for which facilities to be managed by the Government which involves felling of trees not exceeding 75 trees per Ha. under section 3(2) of FR Act.


Forest Range Officer,
Dhone


Divisional Forest Officer
Kurnool Division, Kurnool.