



(4)

UTTAR PRADESH POLLUTION CONTROL BOARD
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010
Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

CONSENT ORDER

Dated : 10/08/2021

Ref No. -
133710/UPPCB/Bareilly(UPPCBRO)/CTO/water/
PILIBHIT/2021

To ,

Shri AVADH NARESH
M/s SHRI NARESH FILLING STATION
SHRI NARESH FILLING STATION OPP. CHC BILSANDA, PILIBHIT, 262202
PILIBHIT

Sub : Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974
(as amended) for discharge of effluent to M/s. SHRI NARESH FILLING STATION

Reference Application No :13074210

Dated :10/08/2021

1. For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act, 1974 as amended (here in after referred as the act) M/s. SHRI NARESH FILLING STATION is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tank/soak pit subject to general and special conditions mentioned in the annexure ,in refrence to their foresaid application .
2. This consent is valid for the period from 09/08/2021 to 31/03/2022 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Previntion and Controt of Pollution) Act, 1974 as amended .

This consent is being issued with the permission of competent authority .

ROHIT
SINGH

Digitally signed
by ROHIT SINGH
Date: 2021.08.10
15:17:28 +05'30'

For and on behalf of U.P. Pollution Control Board

REGIONAL OFFICER
U.P.P.C.B. BAREILLY

Enclosed : As above
(condition of consent):

Copy to: CHIEF ENVIRONMENT OFFICER, (CIRCLE-7), U.P. POLLUTION CONTROL BOARD,
LUCKNOW FOR KIND INFORMATION.

REGIONAL OFFICER
U.P.P.C.B. BAREILLY

U.P. POLLUTION CONTROL BOARD, LUCKNOW

Consent to Consent issued to M/s.SHRI NARESH FILLING STATION vide

Dated : 10/08/2021

Consent Order No. 13074210/ Water

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of RETAIL OUTLET STORAGE & DISTRIBUTION H.S.D. (DIESEL)-TANK STORAGE CAPACITY 20, KL, M.S. (PETROL)-TANK STORAGE CAPACITY 20 KL ONLY.
2. The quantity of maximum daily effluent discharge should not be more than the following :

Effluent Discharge Details			
S.No	Kind of Effluent	Maximum daily discharge, KL/day	Treatment facility and discharge point
1	Domestic	SEPTIC TANK	Soak Pit

3. Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain .

- 4(a) The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent .

Domestic Effluent		
S.No	Parameter	Standard
1	Quantity of Discharge	01 KLD

- 4(b). The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms. .

Industrial Effluent		
S.No	Parameter	Standard
1	Quantity of Discharge	NIL

5. Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act, 1986 or otherwise mandatory .
6. The other pollutant for which norms have not been prescribed, the same should not be more than the norms prescribed for the water used in manufacturing process of the industry .
7. The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.
8. The treated domestic and industrial effluent be mixed (as per the provisions of Condition No. 2) and disposed of on one disposal point. This common effluent disposal point should have arrangement for flow meter/V Notch for measuring effluent and its log book be maintained .
9. The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

Specific Conditions:

43

strict compliance of points as described below are to be ensured and the compliance report should be submitted within a month.

2. Retail Outlet should be installed water meter at different points of water supply source.
3. This consent is valid for production capacity of RETAIL OUTLET STORAGE & DISTRIBUTION H.S.D. (DIESEL)-TANK STORAGE CAPACITY 20, KL, M.S. (PETROL)-TANK STORAGE CAPACITY 20 KL ONLY.
4. Audited industrial balance sheet or C.A. certificate of total investment (Net fixed assets current asset-current liabilities) should be submitted within a month.
5. Environment statement should be submitted within time frame.
6. Rain Water harvesting system for conservation of ground water should be installed and submit the compliance report within two month time.
7. This consent is issued purely from environmental angle and the Board shall not be responsible for any claim, counter claim, ownership, partnership etc of the unit.
8. This consent is valid for only domestic discharge of 01 KLD.
9. Retail Outlet shall obtain a No Objection Certificate from State Ground Water Authority Lucknow /DGWMA, PILIBHIT, Immediately/ as early as possible/ as applicable.
10. Retail Outlet should obtain valid land use from the Competent Authority CTO in only valid with proper land use from the Competent Authority.
11. Retail Outlet should be comply the provisions of Water (Prevention and Control of Pollution) Act 1974 as Amended and Environment (Protection) Act, 1986, and direction issued by Hon'ble National Green Tribunal, New Delhi.
12. Retail Outlet should be complied the Solid Waste Management Rules, 2016.
13. Retail Outlet should be properly disposed the solid waste.
14. The Retail Outlet shall develop Green Belt in minimum 33 % area of Industrial premises as per the provisions laid down in office order no. H16404/220/2018/02 dated 16.02.2018 of U.P. Pollution Control Board. The copy of said office order is available on the website of U.P. Pollution control Board www.uppcb.com.
15. The Board has the right to modify any condition & when required in compliance with any change in environmental guidelines and Hon'ble courts orders passed from time to time.
16. Retail Outlet should be submitted desired NOC/Licenses/Permission of other Govt. Department within one month.
17. If Retail Outlet carry out any expansion then Unit must be submit online CTE application for expansion.

Issued with the permission of competent authority .

ROHIT Digitally signed
by ROHIT SINGH
Date: 2021.08.10
15:17:47 +05'30'
SINGH

For and on behalf of U.P. Pollution Control Board .

REGIONAL OFFICER
U.P.P.C.B. BAREILLY

(44)



UTTAR PRADESH POLLUTION CONTROL BOARD

Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

CONSENT ORDER

**Ref No. -
133710/UPPCB/Bareilly(UPPCBRO)/CTO/water/
PILIBHIT/2021**

Dated : 10/08/2021

To ,

**Shri AVADH NARESH
M/s SHRI NARESH FILLING STATION
SHRI NARESH FILLING SATTION OPP. CHC BILSANDA,PILIBHIT,262202
PILIBHIT**

**Sub : Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974
(as amended) for discharge of effluent to M/s. SHRI NARESH FILLING STATION**

Reference Application No :13074210

Dated :10/08/2021

1. For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act,1974 as amended (here in after referred as the act) M/s. SHRI NARESH FILLING STATION is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tant/soak pit subject to general and special conditions mentioned in the annexure ,in refrence to their foresaid application .
2. This consent is valid for the period from 09/08/2021 to 31/03/2022 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Previntion and Controt of Pollution) Act, 1974 as amended .

This consent is being issued with the permission of competent authority .

ROHIT SINGH
Digitally signed
by ROHIT SINGH
Date: 2021.08.10
15:17:28 +05'30'

For and on behalf of U.P. Pollution Control Board

**REGIONAL OFFICER
U.P.P.C.B. BAREILLY**

**Enclosed : As above
(condition of consent):**

**Copy to: CHIEF ENVIRONMENT OFFICER, (CIRCLE-7), U.P. POLLUTION CONTROL BOARD,
LUCKNOW FOR KIND INFORMATION.**

**REGIONAL OFFICER
U.P.P.C.B. BAREILLY**

45

U.P. POLLUTION CONTROL BOARD, LUCKNOW

Annexure to Consent issued to M/s.SHRI NARESH FILLING STATION vide

Consent Order No. 13074210/ Water

Dated : 10/08/2021

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of RETAIL OUTLET STORAGE & DISTRIBUTION H.S.D. (DIESEL)-TANK STORAGE CAPACITY 20, KL, M.S. (PETROL)-TANK STORAGE CAPACITY 20 KL ONLY.

2. The quantity of maximum daily effluent discharge should not be more than the following :

Effluent Discharge Details			
S.No	Kind of Effluent	Maximum daily discharge, KL/day	Treatment facility and discharge point
1	Domestic	SEPTIC TANK	Soak Pit

3. Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain .

- 4(a) The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent .

Domestic Effluent		
S.No	Parameter	Standard
1	Quantity of Discharge	01 KLD

- 4(b). The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms. .

Industrial Effluent		
S.No	Parameter	Standard
1	Quantity of Discharge	NIL

5. Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act, 1986 or otherwise mandatory .
6. The other pollutant for which norms have not been prescribed, the same should not be more than the norms prescribed for the water used in manufacturing process of the industry .
7. The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.
8. The treated domestic and industrial effluent be mixed (as per the provisions of Condition No. 2) and disposed of on one disposal point. This common effluent disposal point should have arrangement for flow meter/V Notch for measuring effluent and its log book be maintained .
9. The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

Specific Conditions:

- (45A)
1. Strict compliance of points as described below are to be ensured and the compliance report should be submitted within a month.
 2. Retail Outlet should be installed water meter at different points of water supply source.
 3. This consent is valid for production capacity of RETAIL OUTLET STORAGE & DISTRIBUTION H.S.D. (DIESEL)-TANK STORAGE CAPACITY 20, KL, M.S. (PETROL)-TANK STORAGE CAPACITY 20 KL ONLY.
 4. Audited industrial balance sheet or C.A. certificate of total investment (Net fixed assets current asset-current liabilities) should be submitted within a month.
 5. Environment statement should be submitted within time frame.
 6. Rain Water harvesting system for conservation of ground water should be installed and submit the compliance report within two month time.
 7. This consent is issued purely from environmental angle and the Board shall not be responsible for any claim, counter claim, ownership, partnership etc of the unit.
 8. This consent is valid for only domestic discharge of 01 KLD.
 9. Retail Outlet shall obtain a No Objection Certificate from State Ground Water Authority Lucknow /DGWMA, PILIBHIT, Immediately/ as early as possible/ as applicable.
 10. Retail Outlet should often valid land use from the Competent Authority CTO in only valid with proper land use from the Competent Authority.
 11. Retail Outlet should be comply the provisions of Water (Prevention and Control of Pollution) Act 1974 as Amended and Environment (Protection) Act, 1986, and direction issued by Hon'ble National Green Tribunal, New Delhi.
 12. Retail Outlet should be complied the Solid Waste Management Rules, 2016.
 13. Retail Outlet should be properly disposed the solid waste.
 14. The Retail Outlet shall develop Green Belt in minimum 33 % area of Industrial premises as per the provisions laid down in office order no. H16404/220/2018/02 dated 16.02.2018 of U.P. Pollution Control Board. The copy of said office order is available on the website of U.P. Pollution control Board www.uppcb.com.
 15. The Board has the right to modify any condition & when required in compliance with any change in environmental guidelines and Hon'ble courts orders passed from time to time.
 16. Retail Outlet should be submitted desired NOC/Licenses/Permission of other Govt. Department within one month.
 17. If Retail Outlet carry out any expansion then Unit must be submit online CTE application for expansion.

Issued with the permission of competent authority .

ROHIT SINGH
Digitally signed
by ROHIT SINGH
Date: 2021.08.10
15:17:47 +05'30'

For and on behalf of U.P. Pollution Control Board .

REGIONAL OFFICER
U.P.P.C.B. BAREILLY