

## JOINT INSPECTION REPORT

Joint inspection of this site for diversion of 0.25-20 Hect. of forest land for **C/o** Solid waste Management Plant at MC Rohru, Distt. Shimla, HP


Joint Inspection was conducted on Dated 14/11/2019. The total forest land proposed is **0.25-20 hect.** All efforts were made to minimize the use of forest land and diversion of **0.25-20Hect.** of forest land is bare minimum and cannot be escaped.


Joint Inspection Committee therefore recommends that **0.25-20 Hect.** of forest land details of which is given below may be diverted under section 2 forest conservation Act, 1980.


**Details of Government Land are given below:**

Sr. No	District	Mohal	Khasra No.	Forest area for Diversion in hect.
1	Shimla	Barara	1129/1	0.25-20
Total area in project				0.25-20


The Joint Inspection team has examined the entire alternative with a view to avoid/minimize the use of land, we have come to the conclusion that the above Khasra No. of land are the minimum requirement of the proposed project and so is absolutely essential. There is no natural water resource, cremation ground, common purpose infrastructure in the proposed alignment/project.


  
**Sub-Divisional Magistrate**  
Rohru Distt. Shimla HP

  
**Executive Officer**  
Municipal Council Rohru  
Distt Shimla HP

  
**Executive Engineer,**  
I&PH Department  
Rohru Distt. Shimla HP

  
**Divisional Forest Officer**  
Rohru Distt. Shimla HP

  
**Executive Engineer,**  
H.P. R.W.D. Department  
Rohru Distt. Shimla HP

  
**Executive Engineer,**  
H.P.S.E.B.E. Department  
Rohru Distt Shimla HP