

- 281 -

PART - III

(To be filled by the concerned Conservator of Forests)

14. Whether site, where the forest land involved is located has been Inspected by concerned Conservator of Forests (Yes/No). If yes, the date of inspection & observations made in form of inspection note to be enclosed.

Yes, inspected on dt.28.09.2016 and inspection notes is enclosed


15. Whether the concerned Conservator of Forests agree with the information given in Part-II and the recommendations of Deputy Conservator of Forests.

Yes, I agree with the information given in the proposals and recommendations made by the Divisional Forest Officer, WLM Paloncha.

16. Specific recommendation of concerned Conservator of Forests for acceptance or otherwise of the proposal with detailed reasons.

Recommended subject to the condition that, to close the RF entry and exit points to avoid biotic interference from the view line of power line and keeping in view of the recommendation made by the Divisional Forest Officer, WLM Paloncha as the power line is required to supply the power to the remote areas which improves the tribal living standards.

Date : 22-11-2016.
Place: Khammam.


Conservator of Forests,
Khammam Circle, Khammam.

88
29/11/2016

-931- 131-

PART - III

(To be filled by the concerned Conservator of Forests)

14. Whether site, where the forest land involved is located has been Inspected by concerned Conservator of Forests (Yes/No). If yes, the date of inspection & observations made in form of inspection note to be enclosed.

Yes, inspected on dt.05.08.2016 and inspection notes is enclosed


15. Whether the concerned Conservator of Forests agree with the information given in Part-II and the recommendations of Deputy Conservator of Forests.

Yes, I agree with the information given in the proposals and recommendations made by the Divisional Forest Officer, Kothagudem.

16. Specific recommendation of concerned Conservator of Forests for acceptance or otherwise of the proposal with detailed reasons.

Recommended subject to the condition that, to close the RF entry and exit points to avoid biotic interference from the view line of power line and keeping in view of the recommendation made by the Divisional Forest Officer, Kothagudem as the power line is required to supply the power to the remote areas which improves the tribal living standards.

Date : 22-11-2016.
Place: Khammam.


Conservator of Forests,
Khammam Circle, Khammam.
SH
22/11/2016

-935-

PART - III

(To be filled by the concerned Conservator of Forests)

14. Whether site, where the forest land involved is located has been Inspected by concerned Conservator of Forests (Yes/No). If yes, the date of inspection & observations made in form of inspection note to be enclosed.

Yes, inspected on dt.05.08.2016 and inspection notes is enclosed


15. Whether the concerned Conservator of Forests agree with the information given in Part-II and the recommendations of Deputy Conservator of Forests.

Yes, I agree with the information given in the proposals and recommendations made by the Divisional Forest Officer, Paloncha.

16. Specific recommendation of concerned Conservator of Forests for acceptance or otherwise of the proposal with detailed reasons.

Recommended subject to the condition that, to close the RF entry and exit points to avoid biotic interference from the view line of power line and keeping in view of the recommendation made by the Divisional Forest Officer, Paloncha as the power line is required to supply the power to the remote areas which improves the tribal living standards.

Date : 22-11-2016.
Place: Khammam.


Conservator of Forests,
Khammam Circle, Khammam.

P
22/11/2016