

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF
(for the forest land to be diverted under FCA)

A proposal has been received by this office from C.D.P.W.D. SALT (Almora)
for diversion under FCA-1980 of 4.286 ha. of forest land non-forestry purpose. The Project
envisages the use of forest land for construction of पीएमजी. स्कूल बिल्डिंग अन्तर्गत
सरना से अगिल्ली मोटा मार्ग
The site inspection of the land involved in the proposal has done by me on dated 08-01-2019

On inspection of the site, it is found that the land required by the user agency is a RF / PF /
un-classed/Protect forest measuring 4.286 ha.

The requirement of forest land as proposed by the user agency in Col.2 part-1 is unavoidable and is
barest minimum required for the project.

Whether any rare/endangered/unique species of flora and fauna found in the area. If, so the details
there of. NO

Whether any protected archeological/heritage site/defense establishment or any other important
monuments is located in the area, if, so the details there of with NOC from competent authority, if
required. NO

- a) ☒ The user agency has not violated the provisions of forest (Conservation), Act 1980 and no
work has been started without proper sanction.
- b) ☒ It has been found that the user agency has violated the forest (Conservation), Act, 1980
provisions. A details report as per para 1.9 of chapter 1, Para C of Handbook of forest
(Conservation) Act, 1980 is attached.

Specific recommendation for acceptance or otherwise of the proposal.

प्रस्ताव स्वीकृति संस्तुति की जाती है

(Signature)

Place कठगोड़ा
Date 11-01-2019

Name - (प्रवीण कुमार)
Designation - बतामीय वनाधिकारी,
Office Seal बल्मोडा वन बंगला, बल्मोडा

- N.B. ☒ state the purpose for which the forest land is proposed to be diverted.
☒ out of (a) and (b) tick the option which is applicable and cross the option which is not
applicable.

As per letter number 2-2/2000 FC dated 16-10-2000 from Ministry of Environment & Forests,
Government of India for proposal involving less than 40 hectares of forest land, the site inspection
report from DCF is required and for proposal involving more than 40 hectares of forest land site
inspection report from the conservation of forests is required.