

### Site Inspection Report

(Prescribed vide PCCF (HoFF) No Desk-17-4. Dated.05/11/2015)

Items	Observation and remarks	
Name of the project and location	Proposal for diversion of 3.064 ha. (Brahmpuri - 2.998 ha. & Nagpur - 0.066 ha.) forest land for construction of 220 KV D/C Transmission Line from Umred to Nagbhid, under Forest Conservation Act, 1980.	
Village	Kalandri	Sonegaon
Range	South Umred	South Umred
Round	Umred	Bhiwapur
Beat	Mangrul	Mokhala
Forest Comptt. No.	Survey No.70 (0.021 ha.)	Survey No.45 (0.045 ha.)
Name of the User Agency.	EHV Project Division-I MSETCL, Nagpur.	
Date of site inspection.	11/08/2021	
Extent (ha.) and legal status of forest land proposed for diversion.	Zudpi Jungle.	
a) Details of forest land proposed for diversion and activity-wise break-up of forest land.	Transmission line. Enclosed	
b) Density and Eco-value class.	Density: below 0.4 (Open Forests). ECO Value Class III comes under southern tropical Dry deciduous forests.	
Whether the requirement of forest land as proposed by the User Agency in col.2 of part-I is unavoidable and barest minimum for the project. If no, recommended area item-wise with details of alternative examined.	Yes.	
Whether the proposal involves any construction of building (including residential) or not? If yes, details thereof.	No.	
a) Whether forest area proposed for diversion is important from wildlife point of view or not.	No.	
b) Details of any rare or endangered or unique species of flora and fauna found in proposed forest land. If so, the details thereof.	No.	
c) Aerial distance from the nearest boundary of any Protected Area (km).	2.3 kms from Umred-Karhandla WLS & 9.2 Kms from Muniya Conservation Reserve Approximately.	
d) Remarks about sensitivity of the forest area likely to be affected due to project.	Yes, Wildlife corridor affected due to this project.	
e) Whether wildlife mitigation plan is required? If yes, reasons therefore:	Yes, Wildlife mitigation measures plan is required because of wildlife corridor.	
Details of vegetation:		
a) Total number of trees to be felled:	10	
b) Number of trees to be felled of girth below 60 cm:	2	
c) Number of trees to be felled of girth above 60 cm:	8	
d) Effect of removal of trees on the general eco-system in the area.	NA.	
Background note on the proposal (short summary).	Enclosed	
Whether the proposal involves any violation of Forest (Conservation) Act 1980? If yes, a detailed report on violation including action taken against the concerned officials to be attached.	No.	

Whether the proposal involves rehabilitation of displaced person. If yes, whether rehabilitation plan has been approved by the State Government?	No.
Details on catchment and culturable command area under the project (if applicable).	NA.
Status of catchment area treatment plan to prevent siltation of reservoir (if applicable).	NA.
Utility of the project.	Transmission line
Whether land being diverted has any socio-cultural/religious values? Whether any scared grove or very old growth trees/forests exist in the areas proposed for diversion?	No.
Any other important information related to the project (Separate note may be attached, if required).	No
Details of documents and photographs enclosed:	Enclosed.
Recommendations of the Inspecting Officer	Recommended for approval with mitigation measures in corridor area.

Place: Nagpur  
Dated: 01/10/2021

(Signature)   
Name of Inspecting Officer: Dr. Bharat Singh Hada.,  
Designation: Deputy Conservator of Forests,  
Nagpur Division, Nagpur