

DETAIL OF QUANTITY**Name of work :-** C/O Road Kiari Khinna Km 0/0 to 7/705**SH :-** Formation Cutting 5/7 mtr Wide

Sr No	Km/RD	Existing Width	Length
1	0/000	3.00	-
2	0/015	2.80	15.00
3	0/030	2.60	15.00
4	0/045	2.35	15.00
5	0/060	2.40	15.00
6	0/075	2.60	15.00
7	0/090	2.50	15.00
8	0/105	2.45	15.00
9	0/120	2.35	15.00
10	0/135	2.40	15.00
11	0/150	2.50	15.00
12	0/165	2.45	15.00
13	0/180	2.35	15.00
14	0/195	2.50	15.00
15	0/210	2.40	15.00
16	0/225	2.35	15.00
17	0/240	2.30	15.00
18	0/255	2.30	15.00
19	0/270	2.50	15.00
20	0/285	2.60	15.00
21	0/300	2.55	15.00
22	0/315	2.45	15.00
23	0/330	2.40	15.00
24	0/345	2.45	15.00
25	0/360	2.30	15.00
26	0/375	2.35	15.00
27	0/390	3.00	15.00
28	0/405	2.60	15.00
29	0/420	2.50	15.00
30	0/435	2.45	15.00
31	0/450	2.35	15.00
32	0/465	2.40	15.00
33	0/480	2.50	15.00
34	0/495	2.45	15.00
35	0/510	2.35	15.00
36	0/525	2.50	15.00
37	0/540	2.40	15.00
38	0/555	2.35	15.00
39	0/570	2.30	15.00
40	0/585	2.30	15.00
41	0/600	2.50	15.00
42	0/615	2.60	15.00
43	0/630	2.55	15.00
44	0/645	2.45	15.00

Sr No	Km/RD	Existing Width	Length
45	0/660	2.40	15.00
46	0/675	2.45	15.00
47	0/690	2.30	15.00
48	0/705	2.35	15.00
49	0/720	2.35	15.00
50	0/735	2.40	15.00
51	0/750	2.35	15.00
52	0/765	2.30	15.00
53	0/780	2.35	15.00
54	0/795	2.60	15.00
55	0/810	2.50	15.00
56	0/825	2.45	15.00
57	0/840	2.35	15.00
58	0/855	2.40	15.00
59	0/870	2.50	15.00
60	0/885	2.45	15.00
61	0/900	2.35	15.00
62	0/915	2.50	15.00
63	0/930	2.40	15.00
64	0/945	2.35	15.00
65	0/960	2.30	15.00
66	0/975	2.30	15.00
67	0/990	2.50	15.00
68	1/000	2.60	10.00
69	1/015	2.55	15.00
70	1/030	2.45	15.00
71	1/045	2.40	15.00
72	1/060	2.45	15.00
73	1/075	2.30	15.00
74	1/090	2.35	15.00
75	1/105	2.40	15.00
76	1/120	3.00	15.00
77	1/135	2.40	15.00
78	1/150	2.60	15.00
79	1/165	2.50	15.00
80	1/180	2.45	15.00
82	1/195	2.35	15.00
83	1/210	2.40	15.00
84	1/225	2.50	15.00
85	1/240	2.45	15.00
86	1/255	2.35	15.00
87	1/270	2.50	15.00
88	1/285	2.40	15.00
89	1/300	2.35	15.00
90	1/315	2.60	15.00
91	1/330	2.50	15.00
92	1/345	2.45	15.00
93	1/360	2.35	15.00

Sr No	Km/RD	Existing Width	Length
94	1/375	2.40	15.00
95	1/390	2.50	15.00
96	1/405	2.45	15.00
97	1/420	2.35	15.00
98	1/435	2.50	15.00
99	1/450	2.40	15.00
100	1/465	2.35	15.00
101	1/480	2.35	15.00
102	1/495	2.30	15.00
103	1/510	2.35	15.00
104	1/525	2.40	15.00
105	1/540	2.35	15.00
106	1/555	2.40	15.00
107	1/570	2.60	15.00
108	1/585	2.50	15.00
109	1/600	2.45	15.00
110	1/615	2.35	15.00
111	1/630	2.40	15.00
112	1/645	2.50	15.00
113	1/660	2.45	15.00
114	1/675	2.35	15.00
115	1/690	2.50	15.00
116	1/705	2.40	15.00
117	1/720	2.35	15.00
118	1/735	2.35	15.00
119	1/750	2.30	15.00
120	1/765	2.60	15.00
121	1/780	2.50	15.00
122	1/795	2.45	15.00
123	1/810	2.35	15.00
124	1/825	2.40	15.00
125	1/840	2.50	15.00
126	1/855	2.45	15.00
127	1/870	2.35	15.00
128	1/885	2.50	15.00
129	1/900	2.40	15.00
130	1/915	2.35	15.00
131	1/930	2.30	15.00
132	1/945	2.30	15.00
133	1/960	2.50	15.00
134	1/975	2.60	15.00
135	1/990	2.55	15.00
136	2/000	2.45	10.00
137	2/015	2.40	15.00
138	2/030	2.45	15.00
139	2/045	2.30	15.00
140	2/060	2.35	15.00
141	2/075	2.45	15.00

Sr No	Km/RD	Existing Width	Length
142	2/090	2.35	15.00
143	2/105	2.25	15.00
144	2/120	2.40	15.00
145	2/135	2.20	15.00
146	2/150	2.15	15.00
147	2/165	2.30	15.00
148	2/180	2.35	15.00
149	2/195	2.40	15.00
150	2/210	2.35	15.00
151	2/225	2.30	15.00
152	2/240	2.35	15.00
153	2/255	2.40	15.00
154	2/270	2.35	15.00
155	2/285	2.40	15.00
156	2/300	2.20	15.00
157	2/315	2.25	15.00
158	2/330	2.45	15.00
159	2/345	2.40	15.00
160	2/360	2.35	15.00
161	2/375	2.60	15.00
162	2/390	2.50	15.00
163	2/405	2.45	15.00
164	2/420	2.35	15.00
165	2/435	2.40	15.00
166	2/450	2.50	15.00
167	2/465	2.45	15.00
168	2/480	2.35	15.00
169	2/495	2.50	15.00
170	2/510	2.40	15.00
171	2/525	2.35	15.00
172	2/540	2.30	15.00
173	2/555	2.30	15.00
174	2/570	2.50	15.00
175	2/585	2.60	15.00
176	2/600	2.55	15.00
177	2/615	2.45	15.00
178	2/630	2.40	15.00
179	2/645	2.45	15.00
180	2/660	2.30	15.00
181	2/675	2.35	15.00
182	2/690	2.35	15.00
183	2/705	2.20	15.00
184	2/720	2.25	15.00
185	2/735	2.35	15.00
186	2/750	2.40	15.00
187	2/765	2.20	15.00
188	2/780	2.45	15.00
189	2/795	2.35	15.00

Sr No	Km/RD	Existing Width	Length
190	2/810	2.60	15.00
191	2/825	2.50	15.00
192	2/840	2.45	15.00
193	2/855	2.35	15.00
194	2/870	2.40	15.00
195	2/885	2.50	15.00
196	2/900	2.45	15.00
197	2/915	2.35	15.00
198	2/930	2.50	15.00
199	2/945	2.40	15.00
200	2/960	2.35	15.00
201	2/975	2.30	15.00
202	2/990	2.30	15.00
203	3/000	2.50	10.00
204	3/015	2.60	15.00
205	3/030	2.55	15.00
206	3/045	2.45	15.00
207	3/060	2.40	15.00
208	3/075	2.45	15.00
209	3/090	2.30	15.00
210	3/105	2.35	15.00
211	3/120	2.40	15.00
212	3/135	2.45	15.00
213	3/150	2.50	15.00
214	3/165	2.40	15.00
215	3/180	2.30	15.00
216	3/195	2.35	15.00
217	3/210	2.30	15.00
218	3/225	2.20	15.00
219	3/240	2.25	15.00
220	3/255	2.30	15.00
221	3/270	2.60	15.00
222	3/285	2.50	15.00
223	3/300	2.45	15.00
224	3/315	2.35	15.00
225	3/330	2.40	15.00
226	3/345	2.50	15.00
227	3/360	2.45	15.00
228	3/375	2.35	15.00
229	3/390	2.50	15.00
230	3/405	2.40	15.00
231	3/420	2.35	15.00
232	3/435	2.30	15.00
233	3/450	2.30	15.00
234	3/465	2.50	15.00
235	3/480	2.60	15.00
236	3/495	2.55	15.00
237	3/510	2.45	15.00

Sr No	Km/RD	Existing Width	Length
238	3/525	2.40	15.00
239	3/540	2.45	15.00
240	3/555	2.30	15.00
241	3/570	2.35	15.00
242	3/585	2.40	15.00
243	3/600	2.20	15.00
244	3/615	2.15	15.00
245	3/630	2.30	15.00
246	3/645	2.35	15.00
247	3/660	2.40	15.00
248	3/675	2.35	15.00
249	3/690	2.30	15.00
250	3/705	2.35	15.00
251	3/720	2.40	15.00
252	3/735	2.35	15.00
253	3/750	2.40	15.00
254	3/765	2.20	15.00
255	3/780	2.25	15.00
256	3/795	2.45	15.00
257	3/810	2.40	15.00
258	3/825	2.35	15.00
259	3/840	2.30	15.00
260	3/855	2.40	15.00
261	3/870	2.45	15.00
262	3/885	2.50	15.00
263	3/900	2.40	15.00
264	3/915	2.30	15.00
265	3/930	2.35	15.00
266	3/945	2.30	15.00
267	3/960	2.20	15.00
268	3/975	2.25	15.00
269	3/990	2.30	15.00
270	4/000	2.35	10.00
271	4/015	2.35	15.00
272	4/030	2.40	15.00
273	4/045	3.00	15.00
274	4/060	2.40	15.00
275	4/075	2.35	15.00
276	4/090	2.35	15.00
277	4/105	2.30	15.00
278	4/120	2.45	15.00
279	4/135	2.30	15.00
280	4/150	2.35	15.00
281	4/165	2.20	15.00
282	4/180	2.25	15.00
283	4/195	2.35	15.00
284	4/210	2.40	15.00
285	4/225	2.20	15.00

Sr No	Km/RD	Existing Width	Length
286	4/240	2.45	15.00
287	4/255	2.60	15.00
288	4/270	2.50	15.00
289	4/285	2.45	15.00
290	4/300	2.35	15.00
291	4/315	2.40	15.00
292	4/330	2.50	15.00
293	4/345	2.45	15.00
294	4/360	2.35	15.00
295	4/375	2.50	15.00
296	4/390	2.40	15.00
297	4/405	2.35	15.00
298	4/420	2.30	15.00
299	4/435	2.30	15.00
300	4/450	2.50	15.00
301	4/465	2.60	15.00
302	4/480	2.55	15.00
303	4/495	2.45	15.00
304	4/510	2.40	15.00
305	4/525	2.45	15.00
306	4/540	2.30	15.00
307	4/555	2.35	15.00
308	4/570	2.30	15.00
309	4/585	2.40	15.00
310	4/600	2.45	15.00
311	4/615	2.50	15.00
312	4/630	2.40	15.00
313	4/645	2.30	15.00
314	4/660	2.35	15.00
315	4/675	2.30	15.00
316	4/690	2.20	15.00
317	4/705	2.25	15.00
318	4/720	2.30	15.00
319	4/735	2.35	15.00
320	4/750	2.35	15.00
321	4/765	2.40	15.00
322	4/780	3.00	15.00
323	4/795	2.40	15.00
324	4/810	2.35	15.00
325	4/825	2.35	15.00
326	4/840	2.30	15.00
327	4/855	2.45	15.00
328	4/870	2.30	15.00
329	4/885	2.35	15.00
330	4/900	2.20	15.00
331	4/915	2.25	15.00
332	4/930	2.35	15.00
333	4/945	2.40	15.00


Sr No	Km/RD	Existing Width	Length
334	4/960	2.20	15.00
335	4/975	2.45	15.00
336	4/990	2.35	15.00
337	5/000	2.50	10.00
338	5/015	2.35	15.00
339	5/030	2.25	15.00
340	5/045	2.40	15.00
341	5/060	2.50	15.00
342	5/075	2.40	15.00
343	5/090	2.30	15.00
344	5/105	2.35	15.00
345	5/120	2.40	15.00
346	5/135	2.35	15.00
347	5/150	2.30	15.00
348	5/165	2.35	15.00
349	5/180	2.40	15.00
350	5/195	2.35	15.00
351	5/210	2.60	15.00
352	5/225	2.50	15.00
353	5/240	2.45	15.00
354	5/255	2.35	15.00
355	5/270	2.40	15.00
356	5/285	2.50	15.00
357	5/300	2.45	15.00
358	5/315	2.35	15.00
359	5/330	2.50	15.00
360	5/345	2.40	15.00
361	5/360	2.35	15.00
362	5/375	2.30	15.00
363	5/390	2.30	15.00
364	5/405	2.50	15.00
365	5/420	2.60	15.00
366	5/435	2.55	15.00
367	5/450	2.45	15.00
368	5/465	2.40	15.00
369	5/480	2.45	15.00
370	5/495	2.30	15.00
371	5/510	2.35	15.00
372	5/525	2.40	15.00
373	5/540	2.35	15.00
374	5/555	2.35	15.00
375	5/570	2.30	15.00
376	5/585	2.45	15.00
377	5/600	2.30	15.00
378	5/615	2.35	15.00
379	5/630	2.20	15.00
380	5/645	2.25	15.00
381	5/660	2.35	15.00


Sr No	Km/RD	Existing Width	Length
382	5/675	2.40	15.00
383	5/690	2.20	15.00
384	5/705	2.45	15.00
385	5/720	2.35	15.00
386	5/735	2.30	15.00
387	5/750	2.35	15.00
388	5/765	2.25	15.00
389	5/780	2.40	15.00
390	5/795	2.60	15.00
391	5/810	2.50	15.00
392	5/825	2.45	15.00
393	5/840	2.35	15.00
394	5/855	2.40	15.00
395	5/870	2.50	15.00
396	5/885	2.45	15.00
397	5/900	2.35	15.00
398	5/915	2.50	15.00
399	5/930	2.40	15.00
400	5/945	2.35	15.00
401	5/960	2.30	15.00
402	5/975	2.30	15.00
403	5/990	2.50	15.00
404	6/000	2.60	10.00
405	6/015	2.55	15.00
406	6/030	2.45	15.00
407	6/045	2.40	15.00
408	6/060	2.45	15.00
409	6/075	2.30	15.00
410	6/090	2.35	15.00
411	6/105	2.30	15.00
412	6/120	2.35	15.00
413	6/135	2.30	15.00
414	6/150	2.20	15.00
415	6/165	2.25	15.00
416	6/180	2.30	15.00
417	6/195	2.35	15.00
418	6/210	2.35	15.00
419	6/225	2.40	15.00
420	6/240	3.00	15.00
421	6/255	2.40	15.00
422	6/270	2.35	15.00
423	6/285	2.35	15.00
424	6/300	2.30	15.00
425	6/315	2.45	15.00
426	6/330	2.30	15.00
427	6/345	2.35	15.00
428	6/360	2.20	15.00
429	6/375	2.25	15.00

Sr No	Km/RD	Existing Width	Length
430	6/390	2.35	15.00
431	6/405	2.40	15.00
432	6/420	2.20	15.00
433	6/435	2.45	15.00
434	6/450	2.35	15.00
435	6/465	2.30	15.00
436	6/480	2.35	15.00
437	6/495	2.25	15.00
438	6/510	2.40	15.00
439	6/525	2.60	15.00
440	6/540	2.50	15.00
441	6/555	2.45	15.00
442	6/570	2.35	15.00
443	6/585	2.40	15.00
444	6/600	2.50	15.00
445	6/615	2.45	15.00
446	6/630	2.35	15.00
447	6/645	2.50	15.00
448	6/660	2.40	15.00
449	6/675	2.35	15.00
450	6/690	2.30	15.00
451	6/705	2.30	15.00
452	6/720	2.50	15.00
453	6/735	2.60	15.00
454	6/750	2.50	15.00
455	6/765	2.45	15.00
456	6/780	2.35	15.00
457	6/795	2.40	15.00
458	6/810	2.50	15.00
459	6/825	2.45	15.00
460	6/840	2.35	15.00
461	6/855	2.50	15.00
462	6/870	2.40	15.00
463	6/885	2.35	15.00
464	6/900	2.30	15.00
465	6/915	2.30	15.00
466	6/930	2.50	15.00
467	6/945	2.60	15.00
468	6/960	2.55	15.00
469	6/975	2.45	15.00
470	6/990	2.40	15.00
471	7/000	2.45	10.00
472	7/015	2.30	15.00
473	7/030	2.35	15.00
474	7/045	2.45	15.00
475	7/060	2.30	15.00
476	7/075	2.60	15.00
477	7/090	2.50	15.00

Sr No	Km/RD	Existing Width	Length
478	7/105	2.45	15.00
479	7/120	2.35	15.00
480	7/135	2.40	15.00
481	7/150	2.50	15.00
482	7/165	2.45	15.00
483	7/180	2.35	15.00
484	7/195	2.50	15.00
485	7/210	2.40	15.00
486	7/225	2.35	15.00
487	7/240	2.30	15.00
488	7/255	2.30	15.00
489	7/270	2.50	15.00
490	7/285	2.60	15.00
491	7/300	2.55	15.00
492	7/315	2.45	15.00
493	7/330	2.40	15.00
494	7/345	2.45	15.00
495	7/360	2.30	15.00
496	7/375	2.35	15.00
497	7/390	2.35	15.00
498	7/405	2.60	15.00
499	7/420	2.50	15.00
500	7/435	2.45	15.00
501	7/450	2.35	15.00
502	7/465	2.40	15.00
503	7/480	2.50	15.00
504	7/495	2.45	15.00
505	7/510	2.35	15.00
506	7/525	2.50	15.00
507	7/540	2.40	15.00
508	7/555	2.35	15.00
509	7/570	2.40	15.00
510	7/585	2.30	15.00
511	7/600	2.50	15.00
512	7/615	2.60	15.00
513	7/630	2.55	15.00
514	7/645	2.45	15.00
515	7/660	2.40	15.00
516	7/675	2.45	15.00
517	7/690	2.30	15.00
518	7/705	2.35	15.00

Total =	1243.77	7705.00
Average Width =	2.40	
Area =	7705*2.40	
	18500	
	= 1.85 hect.	


 Assistant Engineer
 H.P.P.W.D. (B&R)
 Kandaghat-173219


 Executive Engineer
 H.P.P.W.D. Solan
 Solan (H.P.)