

APPENDIX  
(See rule 6)

Form for seeking prior approval under section 2 of the proposals by the  
State Government and other authorities.

**PART - I**

(to be filled by user agency)

\*\*\*


1) **Project Details: -**

- i) Short narrative of the proposal and project/scheme for which the forest land is required :: U.Kothapalli (V) of Dhone (M) of Kurnool District is facing with water problem since 4 years. To mitigate the water problem in U.Kothapalli (V), it is proposed for formation of water pipeline with 90mm dia PVC below the ground level from Gosanipalli (V) to U.Kothapalli (V) through Compt.No. 235 of South Dhone Reserve forests, Chintalapeta Beat of Peapully Section of Dhone Range of Kurnool Division over a length of 2.00 Kms with an average width of 0.70 mts. The forest land required is 0.14 Ha. The Collector & District Magistrate, Kurnool has accorded administrative sanction for Augmentation of PWS Scheme at U.Kothapalli (V) of Dhone (M) to mitigate drinking water problem for an amount of Rs.22.00 lakhs.
- ii) Map showing the required forest land, boundary of adjoining forest on a 1:50,000 scale map. :: A map showing the Augmentation of PWS scheme at U.Kothapally (V), Dhone (M) is enclosed.
- iii) Cost of the Project :: Rs.22.000 lakhs (as estimated).

- iv) Justification for locating the project in forest area :: The habitation U.Kothapally is not having sustainable water sources in an around the village. No. of bore wells drilled, but no water. Present the peoples of U.Kothapally (V) purchasing the water Rs.2/- per 10 litres. Hence there are no alternative water facilities in and around the U.Kothapally (V). It is inevitable to provide the pipe line through forest land in Compt.No.235 of South Dhone Reserve forests, Chintalapeta Beat, Peapully Section of Dhone Range of Kurnool Division and an area 0.14 Ha. is minimum land required.
- v) Cost-benefit analysis (to be enclosed) :: Does not arise
- vi) Employment likely to be generated :: The existing population of U.Kothapalli (V) is around 2006 members as per 2011 census. The proposed laying of pipe line for water source to U.Kothapally (V) is most essential and it will be taken up under Augmentation of PWS scheme by EE, RWS & S(P) Division, Kurnool and it is likely to generate employment to the locals nearly 500 Nos.
- 2) Purpose-wise break-up of the total land required; :: 0.14 Ha. for laying of pipeline.
- 3) Details of displacement of people due to the project, if any: ::
- i) Number of families :: Does not arise.
- ii) Number of scheduled castes/ scheduled tribe families :: Does not arise.
- iii) Rehabilitation plan (to be enclosed) :: Does not arise.

- 4) Whether clearance under Environment (Protection) Act. 1986 required? (Yes/No) :: No
- 5) Undertaking to bear the cost of raising and maintenance of compensatory afforestation and/or penal compensatory afforestation as well as cost are protection and regeneration of safety zone/as per the scheme prepared by the State Government (undertaking to be enclosed) :: Does not arise.
- 6) Details of certificates/ documents enclosed as required under the instructions. :: The relevant documents/certificates and maps are enclosed.

Signature  
(Name in Block Letters)  
Designation  
Address (of user agency)

  
**Superintending Engineer,  
R, W.S. & Sanitation  
KURNOOL.**  
9.12.16

Date: .12.2016.  
Place: Kurnool.

State Serial No. of proposal .....  
(To be filled up by the Nodal Officer with date of receipt)