

परियोजना का नाम— कुनारा—पासा नहर निर्माण कार्य

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF

(For the forest land to be diverted under FCA)

A proposal has been received by this office from Ex.En. Irrigation Construction Division Purota (U.K.) for diversion under FCA-1980) of 0:6900 ha. of forest land non-forestry purpose. The Project envisages the use of forest land for construction of Kunara-Pasa Canal the site inspection of the land involved in the proposal has done by me on dated 05/06/2013.

On inspection of the site, it is found that the land required by the user agency is a RF/PF/un-classed/Protect forest measuring 0:6900 ha.

The requirement of forest land as proposed by the user agency in Col.2 part-1 is unavoidable and is barest minimum required for the project.

Whether any rare/endangered/unique species of flora and fauna found in the area. if so the details there of. — N/O —

Whether any protected archaeological/heritage site/defense establishment or any other important monuments is located in the area, if, so the details there of with NOC from competent authority, if required. — N/O —

- a) The user agency has not violated the provisions of forest (Conservation), Act 1980 and no work has been started without proper sanction. ✓
- b) It has been found that the user agency has violated the forest (Conservation) Act, 1980 provisions. A detail report as per para 1.9 of chapter 1, Para C of Hand book of forest (Conservation) Act, 1980 is attached. X

Specific recommendation for acceptance or other wise of the proposal.

Recommended

Place: Purota
Date: 05/6/2013

(Signature) [Signature]
Name: ब्रह्मगोय वनाधिकारी
Designation: होम वन प्रभाग
Office Seal: पुरोता (उत्तराखण्ड)

- N.B X State the purpose for which the forest land is proposed to be diverted.
- XX Out of (a) and (b) tick the option which is applicable and cross the option which is not applicable.

As per letter number 2-2/2000 FC dated 16-10-2000 from Ministry of Environment & Forests, Government of India for proposal involving less than 40 hectares of forest land, the site inspection report from DCF is required and for proposal involving more than 40 hectares of forest land site inspection report from the conservation of forests is required.