SITE INSPCTION REPORT NOT BELOW THE RANK OF DCF

(for the forest land to be diverted, under FCA)

A proposal has been received by this office from Executive Engineer R.E.S. (P.M.G.S.Y) P.W.D. Division Karanprayag for diversion under FCA-1980 of 4.970 ha. of forest land non-forestry purpose. The Project envisages of forest land for construction of Gouchar -Dua- Damdama Motor Road The site inspection of the land involved in the proposal has done by me on dated 13 - 08 -2014

On inspection of the site, it is found that the land required by the user agency is a. RF 1.33 ha. /Civil forest 3.64 ha/ Van Panchayat forest- Nil ha.. total measuring 4.970 ha.

The requirement of forest land as proposed by the user agency in Col.2 part-1 is unavoidable and is barest minimum required for the project.

Whether any rare/endangered/unique species 0f flora and fauna in the area. If, so the details there of. _ 74

Whether any protected archeological/ heritage site/defense establishment or any other important monuments is located in the area, if so the details there of with NOC from competent authority, if required. - NA

- The user agency has not violated the provisions of forest (Conservation). 201 Act 1980 and no work has been started without proper sanction.
- It has been found that the user agency has violated the forest (Conservation), Act 1980 provisions. A detail report as per Para 1.9 of chapter-1, Para C of Handbook of forest (Conservation), Act 1980 is attached.

Specific recommendation for acceptance or otherwise of the proposal.

The Proposal is recommended.

Name- Akash Kumar Verma

Place..Gopeshwar Date 13 - 08 -2014

Designation.D.F.O.kedarnath

WLD

Office Seal

N.B. x

state the purpose for which the forest land is proposed to be diverted out of (a) and (b) tick the option which is applicable and cross the option which is not applicable.

As per letter number-2-2/2000 FC dated 16-10-2000 from Ministry of Environment & Forest, Government of India for proposed involving less then 40 hectares of forest land, the site inspection report from DCF is required and for proposal involving more then 40 hectares of forest land site inspection report from the conservation of forest is required.)