



WEST COAST PAPER MILLS LTD.,

Registered & Works Office : Post Box No. 5, Bangur Nagar, Dandeli-581 325

Dist Uttar Kannada (Karnataka) - India

CORPORATE IDENTITY NO : L02101KA1955PLC001936 website : www.westcoastpaper.com
Ph : (08284) 231391 - 395 (5 lines) Fax : 08284-231225 (Admn. Office) 230443 (Works Office)



ZZQ:05:PRO:2023: 1898

10.11.2023

Principal Chief Conservator of Forests
(Forest Conservation) and Nodal Officer
Karnataka Forest Department,
Aranya Bhavan, Malleshwaram,
BENGALURU - 560 003

Sir,

Sub : Authorisation for correspondence for Lease Renewal
of our Effluent Treatment Plant Stage II. Haliyal Division.

Ref: (1) Your office File No. A5 (2) GFL / CR- 3117 /2006-07-E - 66669
(2) E-Office File No. KFD/HOFF/A5 2K (GFL) / 5412018-FC- KFD

We authorize the following executives of our company to correspond with your office and with the Ministry of Environment, Forests and Climate Change, Government of India in respect of processing of our application for the renewal of lease of our Effluent Treatment Plant Stage II in Kerwad Village, Dandeli Range of Haliyal Division in Kanara Circle. Their Signatures are attested herewith.

SL NO	OUR EXECUTIVE	SIGNATURE
1	MR ASHOK KUMAR SHARMA	
2	MR K G GIRIRAJ	
3	MR RAGHAVENDRA J R	

Thanking You,

Yours Faithfully,
For WEST COAST PAPER MILLS Ltd

RAJENDRA JAIN
EXECUTIVE DIRECTOR



Corporate Office : 31, Chowringhee Road, Kolkata - 700 016
Phone : (033) 2265 6271-78 (8 lines), Fax : (033) 2226 5242, Email : wcpm.sale@westcoastpaper.com



WEST COAST PAPER MILLS LTD.,

Registered & Works Office : Post Box No. 5, Bangur Nagar, Dandeli-581 325

Dist Uttar Kannada (Karnataka) - India

CORPORATE IDENTITY NO : L02101KA1955PLC001936 website : www.westcoastpaper.com

Ph : (08284) 231391 - 395 (5 lines) Fax : 08284-231225 (Admn. Office) 230443 (Works Office)



ZZN:05:PRO:2020

18th November 2020

The Principal Chief Conservator of
Forests (Forest Conservation) and Nodal Officer(FCA)
Karnataka Forest Department,
Aranya Bhavan, Malleshwaram,
BENGALURU - 560 003

Sir,

Sub : Authorisation for correspondence for Lease Renewal
of our Effluent Treatment Plant Stage II. Haliyal Division.


Ref: 1. Your office file No. A5(2) GFL / CR- 3117 /2006-07.
2. Proposal Number FP/KA/26920/2017

We authorize Shri K G GIRIRAJ of our company to correspond with your office
and with the Ministry of Environment, Forests and Climate Change,
Government of India in respect of processing of our application for the renewal
of lease of our Effluent Treatment Plant Stage II in Kerwad Village, Dandeli
Range of Haliyal Division in Kanara Circle.

Thanking You,

Yours Faithfully,
For WEST COAST PAPER MILLS Ltd

RAJENDRA JAIN
EXECUTIVE DIRECTOR.



Corporate Office : 31, Chowringhee Road, Kolkata - 700 016
Phone : (033) 2265 6271-78 (8 lines), Fax : (033) 2226 5242,
Email : wcpm.sale@westcoastpaper.com



THE WEST COAST PAPER MILLS LTD.,

Registered & Works Office : Post Box No. 5, Bangur Nagar, Dandeli-581 325

Dist Uttar Kannada (Karnataka) - India

CORPORATE IDENTITY NO : L02101KA1955PLC001936 website : www.westcoastpaper.com

Ph : (08284) 231391 - 395 (5 lines) Fax : 08284 - 231225 (Admn. Office) 230443 (Works Office)



ZZK:05:2017

02.02.2017

The Additional Principal Chief Conservator of
Forests (Forest Conservation) and Nodal Officer,
Karnataka Forest Department,
Aranya Bhavan, Malleshwaram,
BENGALURU – 560 003

Sir,


Sub : Undertaking for Payment of Cost of Compensatory Afforestation
for Lease Renewal of our Effluent Treatment Plant Stage II.

Ref: Your office file No. A5(2) GFL / CR- 3117 /2006-07.

UNDERTAKING

We West Coast Paper Mills Limited, Bangurnagar Dandeli – 581325, do hereby undertake to pay to the Forest Department, Government of Karnataka, the Compensatory Afforestation Amount as specified to us in respect of the renewal of lease of our Effluent Treatment Plant Stage II in Kerwad Village, Dandeli Range of Haliyal Division in Kanara Circle.

For WEST COAST PAPER MILLS Ltd.,


RAJENDRA JAIN

EXECUTIVE DIRECTOR





Corporate Office : 31, Chowringhee Road, Kolkata - 700 016
Phone : (033) 2265 6271-78 (8 lines), Fax : (033) 2226 5242,
E-mail : wcpm.sale@westcoastpaper.com



THE WEST COAST PAPER MILLS LTD.,

Registered & Works Office : Post Box No. 5, Bangur Nagar, Dandeli-581 325

Dist Uttar Kannada (Karnataka) - India

CORPORATE IDENTITY NO : L02101KA1955PLC001936 website : www.westcoastpaper.com

Ph : (08284) 231391 - 395 (5 lines) Fax : 08284 - 231225 (Admn. Office) 230443 (Works Office)



ZZK:05:2017

02.02.2017

The Additional Principal Chief Conservator of
Forests (Forest Conservation) and Nodal Officer,
Karnataka Forest Department,
Aranya Bhavan, Malleshwaram,
BENGALURU – 560 003

Sir,

Sub : Undertaking for Payment of Cost of Compensatory Afforestation
for Lease Renewal of our Effluent Treatment Plant Stage II.

Ref: Your office file No. A5(2) GFL / CR- 3117 /2006-07.

UNDERTAKING

We West Coast Paper Mills Limited, Bangurnagar Dandeli – 581325, do hereby undertake to pay to the Forest Department, Government of Karnataka, the **Nett Present Value** Amount as specified to us in respect of the renewal of lease of our Effluent Treatment Plant Stage II in Kerwad Village, Dandeli Range of Haliyal Division in Kanara Circle.

For WEST COAST PAPER MILLS Ltd.,


RAJENDRA JAIN

EXECUTIVE DIRECTOR



Corporate Office : 31, Chowringhee Road, Kolkata - 700 016
Phone : (033) 2265 6271-78 (8 lines), Fax : (033) 2226 5242,
E-mail : wcpm.sale@westcoastpaper.com



THE WEST COAST PAPER MILLS LTD.,

Registered & Works Office : Post Box No. 5, Bangur Nagar, Dandeli-581 325

Dist Uttar Kannada (Karnataka) - India

CORPORATE IDENTITY NO : L02101KA1955PLC001936 website : www.westcoastpaper.com

Ph : (08284) 231391 - 395 (5 lines) Fax : 08284 - 231225 (Admn. Office) 230443 (Works Office)



ZZK:05:2017

02.02.2017

The Additional Principal Chief Conservator of
Forests (Forest Conservation) and Nodal Officer,
Karnataka Forest Department,
Aranya Bhavan, Malleshwaram,
BENGALURU – 560 003

Sir,

Sub : Undertaking for Payment of Cost of Compensatory Afforestation
for Lease Renewal of our Effluent Treatment Plant Stage II.

Ref: Your office file No. A5(2) GFL / CR- 3117 /2006-07.

UNDERTAKING

We West Coast Paper Mills Limited, Bangurnagar Dandeli – 581325, do hereby undertake to pay to the Forest Department, Government of Karnataka, the **Additional Nett Present Value** Amount as may be specified by the Hon'ble Supreme Court of India in respect of the renewal of lease of our Effluent Treatment Plant Stage II in Kerwad Village, Dandeli Range of Haliyal Division in Kanara Circle, to us.

For WEST COAST PAPER MILLS Ltd.,

RAJENDRA JAIN
EXECUTIVE DIRECTOR



Corporate Office : 31, Chowringhee Road, Kolkata - 700 016

Phone : (033) 2265 6271-78 (8 lines), Fax : (033) 2226 5242,

E-mail : wcpm.sale@westcoastpaper.com

FORM -II

(for projects other than linear Projects)

Government of Karnataka

Office of the District Collector, Uttara Kannada, Karwar.

No/RB/FOR/CR-56/2016-17

Dated: 27-01-2017

TO WHOMSOEVER IT MAY CONCERN

In compliance of the ministry of Environment and Forests(MOEF)Government of India's letter No.11-9/98-FC(pt)dated 3rd august 2009 wherein the MOEF issued guidelines on submission of evidence for having initiated & completed the process of settlement of rights under the Scheduled Tribes & other Traditional dwellers(Recognition of Forest Rights)Act 2006('FRA',for short)on the Forest land proposed to be diverted for non-forest purposes read with MoEF issued certain relaxation in respect of linear projects, it is certified that **20 Hectares of Forest land proposed to be diverted in favour of DEPUTY GENERAL MANAGER -LIASION, West-Coast Paper Mills Ltd, Dandeli for Lease Renewal of establishment of Effluent Treatment Plant Stage-II of forest land (Sy No 22) in Karwar (Uttara Kannada) district falls within jurisdiction of Kerawada village of Haliyal Tehsils.**

It is further certified that :

(A)The complete process for identification & settlement of Rights under the FRA has been carried for the entire **20 hectares** of Forest land proposed for diversion. A copy of Records of all consultation & meeting of the Forest Rights Committee(s),gram sabha (s), Sub-Division Committee(s), and the District Level Committee are enclosed as annexure- 'A' to 'B' and annexure-'E'

(B)The proposal for such diversion (with full detail of the project & its implications in vernacular/local languages) have been placed before each concerned Gram Sabha forest dwellers who are eligible under the FRA.


(C) The each of concerned Gram Sabha (s) has certified that all formalities/processes under the FRA have been carried out , and that they have given their consent to be proposed diversion and the compensation and ameliorative measures, if any, having understood the purpose & details of proposed diversion . **A copy of certificate issued by the Kerawada Gramasabha are enclosed as annexure 'C' to annexure 'D' and 'E'.**

(D)The discussion & the decisions on such proposals had taken place only when there was quorum of minimum 50% of the member of Gram Sabha present.

(E)The diversion of forest land for facilities managed by the government as required under section 3(2) of the FRA have been completed and the Gram Sabha have given their consent to it.

(F)The rights of primitive Tribals Groups & Pre-Agricultural communities where applicable have been specifically safeguarded as per section 31(e)of the FRA.

Encl: As above


Deputy Commissioner,
Uttara Kannada, Karwar.



ಜಿಲ್ಲಾಧಿಕಾರಿಗಳ ಕಾರ್ಯಾಲಯ, ಉತ್ತರಕನ್ನಡ, ಕಾರವಾರ-581 301

ದೂರವಾಣಿ : }
Telephone: }

OFFICE OF THE DEPUTY COMMISSIONER, UTTARA KANNADA DISTRICT, KARWAR, -581 301

08382 226406, 226471

08382 226603 (Fax)

Email: dckarwar@gmail.com

Website: <http://uttara.kannada.nic.in>

No.RB/FOR/CR- 56/2016-17

Date: 27-01-2017.

4/2/17

CERTIFICATE

This is to certify that, no suitable non-forest land is available in Kerawada Village of Haliyal Taluka of Uttarkannada District to grant land for the purpose of establishment of Effluent Treatment Plant Stage-II Construction .

This certificate has been issued to DEPUTY GENERAL MANAGER -LIASION, West-Coast Paper Mills Ltd, Dandeli to get 20 Hectares of forest land in Sy.No 22 of Kerawada Village of Haliyal Taluka from the Forest department.

This certificate is issued as per the report of the Assistant Commissioner Karwar and Tahsildar Haliyal.

Israkul
Deputy Commissioner,
Uttarkannada, Karwar.

To,

DEPUTY GENERAL MANAGER -LIASION,
West-Coast Paper Mills Ltd, Dandeli

40277/2017/UK-MPLADS

ಕರ್ನಾಟಕ ಸರ್ಕಾರ

ಸಹಾಯಕ ಕರ್ಮಿಷಾಸ್ತರ ರವರ ಕಾರ್ಯಾಲಯ ಕಾರ್ವಾರ ಉಪ ವಿಭಾಗ ಕಾರ್ವಾರ 581301

OFFICE OF THE ASSISTANT COMMISSIONER, KARWAR SUB-DIVISION KARWAR 581301

ದೂರವಾಣಿ ಸಂಖ್ಯೆ: 08382-226360

ಪ್ರತ್ಯಕ್ಷ ಸಂಖ್ಯೆ: 08382-226360

Telephone No: 08382-226360

Email: ackarwar@gmail.com

ಸಂ.ಅರಣ್ಯ-ವಿನಿದಿ-05/15-16

ದಿನಾಂಕ: 27-1-2017

ಮಾನ್ಯ ಜಿಲ್ಲಾ ದಿಕಾರಿಗಳು
ಉತ್ತರ ಕನ್ನಡ ಕಾರ್ವಾರ.
ಮಾನ್ಯರೇ,

ವಿಷಯ: ದಿ ವೆಸ್ಟ್ ಕೋಸ್ಟ್ ಪೇಪರ್ ಮಿಲ್ ಲಿ. ದಾಂಡೇಲಿ ಇವರಿಗೆ ಪರಿಹಾರಾತ್ಮಕ ನೆಡುತ್ತೋಣಿಗಾಗಿ
ಸಿ & ಡಿ ಜಮೀನು ನೀಡುವ ಕುರಿತು ಹಾಗೂ FRA ಪ್ರಮಾಣ ಪತ್ರ ನೀಡುವ ಕುರಿತು.
ಉಲ್ಲೇಖ: 1) ಮಾನ್ಯ ಜಿಲ್ಲಾ ದಿಕಾರಿಗಳು ಉ.ಕ ಕಾರ್ವಾರ ರವರ ಪತ್ರ, ಕಂಳಾ/ಅರಣ್ಯ/ವಿವ-
56/16-17 ದಿನಾಂಕ: 1-8-2016.


2) ತಹಕೀಲಾರ ಹಳಿಯಾಳ ರವರ ಪತ್ರ ಸಂ.ಅರಣ್ಯ-ವಿವ-19/16-17
ದಿನಾಂಕ: 25-1-2017

ಮೇಲ್ಮೆ ವಿಷಯಕ್ಕೆ ನಂಬಂದಿಸಿದಂತೆ, ಉಲ್ಲೇಖ 1 ರನ್ನು ದಿ ವೆಸ್ಟ್ ಕೋಸ್ಟ್ ಪೇಪರ್ ಮಿಲ್ ಲಿ. ದಾಂಡೇಲಿ ರವರ ಹಳಿಯಾಳ ತಾಲುಕಿನ ಕೇರವಾಡ ಗ್ರಾಮದ ನಂ. 22 ರಲ್ಲಿ 20 ಹೆಕ್ಟೇರ್ ಜಾಗದ ಲೀನ್ ನವೀಕರಿಸಲು FRA ಪ್ರಮಾಣ ಪತ್ರ ನೀಡುವ ಬಗ್ಗೆ ಪರಿಶೀಲಿಸಿ ನದರಿ ಜಮೀನಿಗೆ ಯಾರಾದರೂ ಅರಣ್ಯ ಹಕ್ಕು ನಮಿತಿಯಲ್ಲಿ ಅಜ್ಞ ಸಲ್ಲಿಸಿದ್ದಾರೆಯೇ ಎಂಬ ಬಗ್ಗೆ ವರದಿ ನೀಡಲು ಹಾಗೂ ನೀಯಮಾನುಸಾರ ಸೂಕ್ತ ಕ್ರಮ ಕ್ಷೇತ್ರದಲ್ಲಿ ಅಜ್ಞದಾರರಿಗೆ ಹಿಂಬರವನ್ನು ನೀಡಲು ಸೂಚಿಸಿರುತ್ತಿರು.

ನದರಿ ವಿಷಯದ ಬಗ್ಗೆ ಪರಿಶೀಲಿಸಿ, ಉಲ್ಲೇಖ 2) ರನ್ನು ತಹಕೀಲಾರ ಹಳಿಯಾಳ ರವರಿಂದ ವರದಿ ಪಡೆಯಲಾಗಿ, ಸದರಿ ವರದಿಯಲ್ಲಿ ಕೇರವಾಡ ಗ್ರಾಮದ ಅ.ನ.ನಂ 22 ರಲ್ಲಿ ಯಾರು ಅರಣ್ಯ ಹಕ್ಕು ನಮಿತಿಯಲ್ಲಿ ಮಂಜೂರಿ ಕೋರಿ ಅಜ್ಞ ಸಲ್ಲಿಸಿರುವುದಿಲ್ಲವಾಗಿ ಹಾಗೂ ಅರಣ್ಯ ಜಮೀನಿಗೆ ಬದಲಾಗಿ ಪರಿಹಾರಾತ್ಮಕ ನೇಡಿತೋಮು ಬೇಳೆಸಲು ಸಿಡಿ ಜಮೀನು ಲಭ್ಯವಿರುವುದಿಲ್ಲವಾಗಿ ತಿಳಿಸಿರುತ್ತಾರೆ.

ಕಾರಣ ಸದರಿ ವಿಷಯವನ್ನು ಮಾನ್ಯರಿಗೆ ಆದರ ಮೂರ್ಕವಾಗಿ ಸಲ್ಲಿಸಿದೆ.

ತಮ್ಮ ವಿಶ್ವಾಸಿ,


ಸಹಾಯಕ ಕರ್ಮಿಷಾಸ್ತರ
ಕಾರ್ವಾರ ಉಪ ವಿಭಾಗ ಕಾರ್ವಾರ



ತಹसಿಲ್‌ಹಾಲಿಯಾಲ ಹಾಸ್ತ ಆಯುಕ್ತ ದಂಡಾಧಿಕಾರಿಗಳ ಕಾರ್ಯಾಲಯ ಹಾಲಿಯಾಲ (ಉ.ಕ) 581329
OFFICE OF THE TAHASILDAR & TALUKA MAGISTRATE HALIYAL (U.K) 581329
ದಂಡಾಧಿಕಾರಿ } 08284-220134, (Fax) 08284-220134
Telephone: } 08284-220134 email: tah.haliyal@gmail.com

ಕ್ರಮಾಂಕ. ಅರಣ್ಯ.ವಿವ. 19 /2016-17

- ଦିନାଂକ 25-01-2017

ಸಹಾಯಕ ಆಯುಕ್ತರು ಕಾರ್ವಾರ
ಉಪ ವಿಭಾಗ ಕಾರ್ವಾರ (ಲು.ಕೆ)

ಮಾನವರೇ

విషయః- ది.పేస్ కోస్ట వేవర్ మిల్స్ లి దాండేలి ఇవరీస్ పరిహారాత్మక నేడుతోపిగాగి సి.ఎ ది జమీను నేడువ కురితు. కూగూ ఎఫ్సెటర్స్ ఎ ప్రమాణ పత్ర నేడువ కురితు.

ಉಲ್ಲೇಖ:-1. ತಮ್ಮ ಕಚೇರಿ ಪತ್ತೆ ನಂ ಅರಣ್ಯಕ ವಿನಿದಿ. 5/2015-16 ದಿನಾಂಕ 26-8-2016
 2. ಕಂದಾಯ ನಿರೀಕ್ಷಕರು ದಾಂಡೆಲಿ ರವರ ಪರದಿ ಕ೦,ನಿದಾಂ/ಜಾನಂ/836/2016-17
 ದಿನಾಂಕ 25-01-2017
 3. ಸಹಾಯಕ ನೀಡೇರಕರು (ಗ್ರೇ-2) ಸಮಾಜ ಕಲ್ಯಾಣ ಇಲಾಖೆ ಹೆಚ್ಚಿಯಾಳ ರವರ ಪರದಿ ಕ್ರ.
 ಯೂ. ನ್ಯೂ. 1/6 ಸ್ಟೇ. 1/2016-17 + 25.1.2017

ਮੇਲ੍ਹੂਣੀਂਦ ਵਿਚ ਯੋਕੀ ਸੱਭਿਆਚਾਰੇ ਦੀ ਵੇਖ੍ਹ ਕੋਣ੍ਹ ਵੇਖਰੀ ਮਿਲਾ ਲੀ ਦਾਂਤੇਲੀ ਰਵਰੁ
ਕਾਲੀਂ ਤਾਲੀਂ ਨੇ ਰਵਾਦ ਗ੍ਰਾਮ ਦ ਸੱਨ 22 ਰਲੀ 20 ਲੰਕੀਂਰੀ ਜਾਗਾਦ ਲੰਨੀ ਨਵੀਂਕਰਿਨਲੁ ਵਫ਼ਾਅਰੀ ਵ
ਤੁਮਾਂ ਪੜ੍ਹੇ ਨੀਂਦੁਵ ਬਨ੍ਹੇ ਪਰਿਆਲੀਂ ਪਰਦਿਨਲੁ ਸੋਹਿੰਦ ਕਾਰੋ ਕੇ ਕੋਣ੍ਹ ਕਾਂਡੀਂਦੁਤੇ ਪਰਦਿਨੀਂ

ಹೆಚ್.ಯಾಳ ತಾಲುಕು ಕೇರಳಾದ ಗ್ರಾಮ ನಂ 22 ರಲ್ಲಿ ಅರಣ್ಯ ಹಕ್ಕು ಹೇರಿ ಯಾವುದೇ ಅರ್ಜಿಗಳು ಸ್ವೀಕ್ಷಣೀಯದ್ದು ಇರುವುದಿಲ್ಲ. ಈ ಬಗ್ಗೆ ನರಾಯಕ ನಿರ್ದೇಶಕರು (ಗ್ರೇ-2) ಸಮಾಜ ಕಲ್ಯಾಣ ಇಲಾಂ ಹೆಚ್.ಯಾಳ ರವರು ಉಳ್ಳೇವ (3) ರಂತೆ ಸಲ್ಲಿಸಿದ ವರದಿ ಕರತ ಮುಟ್ಟ ನಂ () ರಲ್ಲಿ ಲಗ್ಗಿಸಿದ್ದೆ.

ఈ అరణ్య జమీను బదలాగి వరిహారాత్క నేడుతోమ బేళిసలు సి & ది లార్యం లభ్యమిరువుదిల్లపాగి కందాయ నిర్మిశుకు దాండెలి రపరు వరదిసిరుత్తారె. హలీయాళ తాలుకు వ్యాపియల్లి సి & ది లార్యం లభ్యమిరువుదిల్లపోబ మాటిలియన్స్ కెమ్మ అవగాహనాగి ఆదర పూవుక పల్సియ్

ತಮ್ಮ ವಿಶ್ವಾಸಿ,
ತಯಕ್ತಿ ಲಭ್ಯ ಹಾರ್ಡ್‌ಯಾಲ



ನಕಾಯಕ ನಿರ್ದೇಶಿತರು (ಪ್ರೀಂಡ್-೨) ನಮಾಜ್ ಕಳ್ಳಾಣ ಇಲಾಖೆ ಕೆಳವೊಂದಿನ
ರವರ ಕಾಯಾಲಲಯ
ಬಾರವಾರೆ ಪ್ರಸ್ತುತಿ ಕೆಳವೊಂದಿನ-೨೦೧೩೨೪

phone: 08284-220416
ಹೆಂಪ್ಲೋಕ್/ನಿರ್ನಿತ್ಯ/ಉ.ಕೆ/ನಿರ್ಮಾ-೧/೨೦೧೬-೧೭

E-Mail : eswohaliyal.03@gmail.com

ದಿನಾಂಕ: ೨೫-೦೧-೨೦೧೭

ಗ.

ಮಾನ್ಯ ತಪಕಿಭ್ರಾತ್ರಾರ್ಥ
ಹಾಜರಾಳ

ಮಾನ್ಯಲೇ.

ವಿಧಯ: ಅರ್ಥ ಮತ್ತು ಅರ್ಥ ಸ್ವರೂಪದ ಮಾಹಿತಿ ನೀಡುವ ಕುರತು.

ಉತ್ತೇಷಿ: 1) ತಮ್ಮ ಕಾರ್ಯಕ್ರಮ ಪತ್ರ ಸಂಖ್ಯೆ: ಆ.ಎ. ೨೦೧೬-೧೭

2) ಪಂಚಾಯತ ಅಡಳಿತ್ತ ಅಧಿಕಾರಿಗಳು ಆಧಾರ ರವರ ಪತ್ರ ಸಂಖ್ಯೆ:

ದಿನಾಂಕ: ೨೫-೦೧-೨೦೧೭

ಈ ಮೇಲಿನ ವಿಧಯ ಯಾಗ್ರಣ ಉತ್ಸವದಲ್ಲಿ ಸಂಭಾಂತಿಸಿದೆ. ಉತ್ಸವ (2) ರಾತ್ರಿ ಗ್ರಾಮ ಪಂಚಾಯತ ಅಧಿಕಾರಿಗಳು ಆಧಾರರವರು ತಮ್ಮ ಪಂಚಾಯತ ವ್ಯಕ್ತಿಗಳ ಕೇರವಾಡ ಗ್ರಾಮದ ಭಾರತ್ಯ ಸರ್ಕಾರ ನಂ 22 ರಾತ್ರಿ ಕೇರವಾಡ ಗ್ರಾಮದ ಯಾವುದೇ ಅಭಿರೂಪ ಗ್ರಾಮ ಪಂಚಾಯತಿಗೆ ಬಂಧಿಸುವಿಲ್ಲದೆಂದು ತಿಳಿಸುತ್ತಾರೆ. ಸದರ ವಿಧಯದನ್ನು ಮಾನ್ಯ ಅವಾರಾತನೆಗೆ ಯಾಗ್ರಣ ಮುಂದಿನ ಸೂಕ್ತ ಕ್ರಿಯೆ ಸ್ಥಾಪಿಸಿ, ಹಾಗೂ ಉತ್ಸವ ಕ್ರಿಯೆ ಸ್ಥಾಪಿಸಿ.

ತಮ್ಮ ವಿಶ್ವಾಸ

ನಕಾಯಕ ನಿರ್ದೇಶಿತರು (ಪ್ರೀಂಡ್-೨)
ಸರ್ವಾಧಿಕಾರಿ ಮತ್ತು ಸಾರ್ವಾಧಿಕಾರಿ
ಕಾರ್ಯಾಲಯ (ಭಾರತ)

**Consent For Operation
(CFO-Air,Water)****Consent No. AW-327998
Valid upto: 30/06/2026**

Industry Colour: RED

Industry Scale: LARGE

**Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church
Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax: 080-25586321
email id: ho@kspcb.gov.in**

(This document contains 6 pages including annexure & excluding additional conditions)

Combined Consent Order No. AW-327998**PCB ID:****11383****Date: 12/11/2021****Combined consent for discharge of effluents under the Water (Prevention and Control of Pollution) Act , 1974 and emission under the Air (Prevention and Control of Pollution)Act , 1981**

Ref: 1. Application filed by the applicant/organization on 22/09/2021

2. Inspection of the
Industry/organization/by RO,
on 14/09/2021

3. Proceedings of the ECM dated 06/11/2021 ,held on 30/10/2021

Consent is hereby granted to the Occupier under Section 25(4) of the Water (Prevention & Control of Pollution) Act, 1974 (herein referred to as the Water Act) & Section 21 of Air (Prevention & Control of Pollution) Act, 1981, (herein referred to as the Air Act) and the Rules and Orders made there under and authorized the Occupier to operate /carryout industry/activity & to make discharge of the effluents & emissions confirming to the stipulated standards from the premises mentioned below and subject to the terms and conditions as detailed in the Schedule Annexed to this order.

Location:

Name of the Industry: The West Coast Paper Mills Ltd

Address: 122, Bangur Nagar

Industrial Area: Not In Ind area, Dandeli,

Taluk: Haliyal, District: Uttara Kannada

CONDITIONS:**a) Discharge of effluents under the Water Act:**

Sr	Water Code	WC(KLD)	WWG(KLD)	Remark
1	Domestic Purpose	7500.000	6200.000	Water consumption is for domestic purpose and the waste water generation is being treated in ETP.
2	Manufacturing Processes	92500.000	79685.000	Water consumption is for complete process activity (i.e, 92500 M3/d) and the waste water generation is being treated in ETP.

b) Discharge of Air emissions under the Air Act from the following stacks etc.**Sl. No. Description of chimney/outlet Limits specified refer schedule**

The details of Sources, control equipments and its specification, type of fuel, constituents to be controlled in emissions etc. are detailed in Annexure-II.

The consent for operation is granted considering the following activities/Products;

Sr	Product Name	Applied Qty/Month	Unit
1	paper, paper board & Duplex Boards	26666.0000	M.T

This consent is valid for the period from 01/07/2021 to 30/06/2026

To,

The West Coast Paper Mills Ltd

COPY TO:

The Environmental Officer, KSPCB, Regional Office Karwar for information and necessary action.

2. Master Register.
3. Case file.

Consent Fee paid : Rs. 2000000



**Consent For Operation
(CFO-Air,Water)**

**Consent No. AW-327998
Valid upto: 30/06/2026**

Industry Colour: RED

Industry Scale: LARGE

**Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church
Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax: 080-25586321
email id: ho@kspcb.gov.in**

(This document contains 6 pages including annexure & excluding additional conditions)

SCHEDULE

TERMS AND CONDITIONS

A. TREATMENT AND DISPOSAL OF EFFLUENTS UNDER THE WATER ACT.

1. The discharge from the premises of the occupier shall pass through the terminal manhole/manholes where from the Board shall be free to collect samples in accordance with the provisions of the Act/Rules made there under.

2(a). The sewage/domestic effluent shall be treated in septic tank and with soak pit. No overflow from the soak pit is allowed. The septic tank and soak pit shall be as per IS 2470 Part-I & Part-II.

2(b). The treated sewage effluent discharged shall conform to the standards specified in Annexure-I.

3(a). The trade effluent generated in the industry shall be treated in the ETP and treated effluent shall conform to the standards stipulated by the Board in Annexure-I

3(b). The trade effluent shall be handed over to CETP and maintain logbook of effluent generated & sent every day.

4. The applicant shall install flow measuring/recording devices to record the discharge quantity and maintain the record.

5. The applicant shall not change or alter either the quality or the quantity or the place of discharge or temperature or the point of discharge without the previous consent/ permission of the Board.

6. The applicant shall not allow the discharge from the other premises to mix with the discharge from his premises. Storm water shall not be allowed to mix with the effluents on the upstream of the terminal manhole where the flow measuring devices are installed.

7. The daily quantity of domestic effluent and trade effluent from the industry shall not exceed the limits as indicated in this consent order:

8. The applicant shall discharge the effluents only to the place mentioned in the Consent order and discharge of treated/untreated outside the premises is not permitted.

B. EMISSIONS:

1. The discharge of emissions from the premises of the applicant shall pass through the air pollution control equipment and discharged through stacks/chimneys mentioned in **Annexure-II** where from the Board shall be free to collect the samples at any time in accordance with the provisions of the Act and Rules made there under. The tolerance limits of the constituents forming the emissions in each of the stacks shall not exceed the limits laid down in Annexure-II.

2. The applicant shall provide port holes for sampling of emission, access platforms for carrying out stack sampling, electrical points and all other necessary arrangements including ladder as indicated in Annexure-II.

3. The applicant shall upgrade/modify/replace the control equipment with prior permission of the Board.

C. MONITORING & REPORTING:

1. The applicant shall get the samples of effluents & emissions collected and get them analyzed once a month/either by in house monitoring laboratory or through EP approved laboratories for the parameters as Indicated in Annexure I & II.

2. The applicant shall maintain log books to reflect the working condition of pollution control systems and also self monitoring results and keep it open for inspection.

D. SOLID WASTE (OTHER THAN HAZARDOUS WASTE) DISPOSAL:

1. The applicant shall segregate solid waste from Hazardous Waste, Municipal Solid Waste and store it properly till treatment/disposal without causing pollution to the surrounding Environment.

2. The solid waste generated shall be handled & disposed by scientific method without causing eye sore to the general public and to the surrounding environment.



**Consent For Operation
(CFO-Air,Water)**

**Consent No. AW-327998
Valid upto: 30/06/2026**

Industry Colour: RED Industry Scale: LARGE

**Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church
Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax: 080-25586321
email id: ho@kspcb.gov.in**

(This document contains 6 pages including annexure & excluding additional conditions)

E. NOISE POLLUTION CONTROL:

The applicant shall ensure that the ambient noise levels within its premises during construction and during operational period shall not exceed w.r.t Area/Zone as per Noise Pollution (Regulation and Control) Rules, 2000 as mentioned below:-

- a) In Industrial Area 75 dB(A) Leq during day time and 70 dB(A) Leq during night time.
- b) In Commercial Area 65 dB(A) Leq during day time and 55 dB(A) Leq during night time.
- c) In Residential Area 55 dB(A) Leq during day time and 45 dB(A) Leq during night time.
- d) In Silence Zone 50 dB(A) Leq during day time and 40 dB(A) Leq during night time.

Note: - * Day time shall mean 6 am to 10 pm and Night time shall mean 10 pm to 6 am.

* dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.

* A "decibel" is a unit in which noise is measured.

* "A", in dB(A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.

* Leq: It is an energy mean of the noise level over a specified period.

F. HAZARDOUS AND OTHER WASTES (MANAGEMENT & TRANSBOUDARY MOVEMENT)Rules 2016:

The applicant shall comply with the provisions of the Hazardous and other Wastes (Management & Transboundry Movement) Rules 2016.

G. GENERAL CONDITIONS:

1. The applicant shall not allow the discharge from the other premises to mix with the discharge from his premises.
2. The applicant shall promptly comply with all orders and instructions issued by the Board from time to time or any other officers of the Board duly authorized in this behalf.
3. The applicant shall set-up Environmental Cell comprising of qualified and competent personnel for complying with the conditions specified.
4. The Board reserves the right to review, impose additional conditions, revoke, change or alter terms and conditions of this consent.
5. The applicant shall forthwith keep the Board informed of any accidental discharge of emissions/effluents into the atmosphere in excess of the standards laid down by the Board. The applicant shall also take corrective steps to mitigate the impact.
6. The applicant shall provide alternate power supply sufficient to operate all Pollution control equipments.
7. The entire premises shall always be kept clean. The effluent holding area, inspection chambers, outlets, flow measuring points should made easily approachable.
8. The applicant shall display the consent granted in a prominent place for perusal of the inspecting officers of the Board.
9. The applicant his heirs, legal representatives or assignee shall have no claims what so ever to the continuation or renewal of this consent after expiry of the validity of consent.



**Consent For Operation
(CFO-Air,Water)**

**Consent No. AW-327998
Valid upto: 30/06/2026**

Industry Colour: RED

Industry Scale: LARGE

Karnataka State Pollution Control Board

Parisara Bhavana, No.49, Church

Street, Bengaluru-560001

Tele : 080-25589112/3, 25581383

Fax:080-25586321

email id: ho@kspcb.gov.in

(This document contains 6 pages including annexure & excluding additional conditions)

10. The applicant shall make an application for consent for subsequent period at least 45 days before expiry of this consent.
11. The applicant shall develop and maintain adequate green belt all around the periphery.
12. The applicant shall provide rain water harvesting system and shall provide proper storm water management system.
13. This consent is issued without prejudice to any Court Cases pending in any Hon'ble Court
14. The applicant shall furnish the Environmental statement for every financial year ending with 31st March in Form-V as per Environment (Protection) Rules, 1986. The statement shall be furnished before the end of September.
15. The applicant shall display flow diagram of the pollution control system near the pollution control system/s.

NOTE:

The Conditions Nil mentioned in the schedule are not applicable.

Additional Conditions:

- 1) Industry shall explore the possibility of further improvements in controlling the odour from the Chemical recovery section.
- 2) Industry shall adopt additional measures to reusing the maximum portion of treated effluent for various secondary purposes within the premises and record shall be submitted periodically.
- 3) Left over unused tanks shall be closed or else same shall be utilized for rain water harvesting.
- 4) Authority shall dispose the municipal solid waste in a scientific manner.



**Consent For Operation
(CFO-Air,Water)**

Consent No. AW-327998
Valid upto: 30/06/2026

Industry Colour: RED

Industry Scale: LARGE

Karnataka State Pollution Control Board

Parisara Bhavana, No.49, Church

Street, Bengaluru-560001

Tele : 080-25589112/3, 25581383

Fax: 080-25586321

email id: ho@kspcb.gov.in

(This document contains

6 pages including annexure & excluding additional
conditions)

For and on behalf of the
Karnataka State Pollution Control Board

Validity unknown

Digitally signed by
Date: 2021.11.12 15:54:51
+05:30

Annexure-I
Additional Conditions

1. This consent for Operation is valid for a period from 01.07.2021 to 30.06.2026.
2. This CFO is issued for production of Paper and Paper Board of Capacity 26,666 MT /Month (3,20,000 MTPA) and Captive Power Generation using FBC Boiler of Capacity 74.8 MW.
3. The authorities have paid Rs. 20,00,000/- as Consent fee for 5 years based on the CI of 2347 Crores. The applicant shall pay the balance fee, if any, after the final notification of revised consent fee and as per the affidavit submitted by the industry.
4. The industry has to comply with the conditions stipulated in the Environmental Clearance issued by MoEF.
5. The water consumption and the waste water generation for both domestic and industrial activity shall be as below:

Purpose	Water consumption (KLD)	Waste water Generation (KLD)	Mode of treatment	Mode of Final disposal
Domestic	7,500	6,200	Shall be treated in Effluent Treatment Plant (ETP)	Treated water shall be discharged into Halmaddi Nallah leading to Kali River after confirming to the Standard stipulated in Annexure-A and small portion shall be used for secondary purpose such as gardening, floor washing and dust suppression.
Industrial	92,500	79,685		

6. The process trade effluent and domestic sewage shall be treated in combined ETP and final treated effluent shall be discharged in to Halamaddi nallah leading to Kali River after confirming to the Standard stipulated in **Annexure-A**.
7. The applicant shall not dig the new Bore wells within the premises.
8. The applicant shall take suitable steps so that there will be reduction of the fresh water consumption as well as waste water generation from the industry.
9. The applicant shall improve the arrangement made for treating surface runoff from the coal handling area in the ETP to prevent the surface runoff reaching the near by water body. The detailed action plan shall be submitted to the Board.
10. The industry shall explore the possibility of reducing the pollution load by adopting advanced waste water treatment technology to reuse/recycle the treated trade effluent to the maximum extent.
11. The applicant shall take up structural stability test to all the civil structures in a phased manner, and based on the report, the applicant shall take up repair/restoration work.
12. The applicant shall take action to periodically clean/remove the solid deposits if any near the confluence point and downstream in the river.
13. The analysis of treated trade effluent shall never exceed the stipulated standard and in any case the treated effluent is exceeding the standard, the applicant shall take appropriate step to maintain the ETP units to ensure treated water always complies with the stipulated standard.

B. DISCHARGE OF EMISSIONS UNDER THE AIR ACT:-

1. The discharge of emissions from the premises of the applicant shall pass through the air pollution control equipment and discharged through stacks/chimneys mentioned in

Annexure-B where from the Board shall be free to collect the samples at any time in accordance with the provisions of the Act and Rules made there under.

- 2 If there is going to be any new air pollution sources in future, the project authorities can apply and obtain consent for establishment for the same from the Board.
- 3 The coal shall be stored in a closed Shed and not be stored in open area/land without any cover.
- 4 Fugitive emissions in coal handling area, lime kiln area and truck movement area shall be controlled by adopting suitable measures and required control measures shall be taken.
- 5 Industry shall explore the possibility of further improvements in controlling the odour from the Chemical recovery section.
- 6 The applicant is hereby permitted to operate DG Set of capacity 4.04 MW, which was operational till 2013-14, after ensuring the working condition of the same and obtaining required statutory NOC/Licences (if required) from other concerned Departments. These D. Sets have been provided with 52 m Chimney with Acoustic enclosures.
- 7 The analysis of stack monitoring shall never exceed the stipulated standard and in any case the stack analysis is exceeding the standard the applicant shall take appropriate step to maintain the air pollution control equipment to ensure stack emission always complies with the stipulated standard.

C. HAZARDOUS WASTES (MANAGEMENT, HANDLING & TRANSPORATORY MOVEMENT) RULES 2016:

1. The industry shall apply and obtain authorization under Hazardous Wastes (Management, Handling & Transboundary Movement) Rules 2016, and comply with the conditions of the authorization. The applicant shall comply with the terms and conditions stipulated in authorization.
2. The applicant shall dispose the empty raw material cans back to the supplier and shall maintain the manifesto to this process. The details shall be submitted to the Board.
3. The applicant can sell the boiler ash to the farmers, if farmers are interested, along with press mud and ETP sludge to use as manure in their lands for irrigation.

D. GENERAL CONDITIONS

1. The applicant shall not allow the discharge from the other premises to mix with the discharge from his premises.
2. The Noise generated in the factory shall be within the prescribed limits of 75 dB (A) leq. During day time and 70 dB (A) leq during night time.
3. There shall not be any complaint against the industry on water, air, noise pollution from the surrounding general public.
4. The applicant shall carryout intensive plantation/ thick vegetation all round, especially towards residential apartment to minimize air & noise pollution. The action taken report shall be submitted to the Board immediately.
5. The applicant shall comply with the noise standards for work zone exposure for industrial workers as per the Factories Act/Noise Pollution (Regulation and Control) Rules, 2000.
6. The Storm water shall not be allowed to mix with the effluents on the upstream of the terminal manhole where the flow measuring devices are installed.
7. The applicant shall submit storm water management plan & shall implement the same and submit the action taken report to the Board.
8. The industry shall provide metalled road for transportation of raw materials and finished goods along with metalling of lateral roads.
9. The applicant shall improve the house keeping within the industrial area.
10. The industry shall provide rain water harvesting system within the premises to conserve the Water Source.

11. The applicant shall store the metal scrap, plastic waste, glass wool and other solid waste scientifically in a designated separate shed within the industrial premises and the same shall be handed over to authorized recycler/agency with proper approval from the Board.
12. The applicant shall store the used containers scientifically in a designated separate shed within the industrial premises and the same shall be handed over to authorized recycler/agency with proper approval from the Board.
13. The industry shall provide online emission monitoring system, effluent monitoring system and the data shall be connected to CPCB and SPCB server as per CPCB directions.
14. The industry shall provide separate energy meter to the ETP and flow meter to inlet and outlet of ETP.
15. Left over unused tanks shall be closed or else same shall be utilized for rain water harvesting.
16. The applicant shall dispose the municipal solid waste in a scientific manner as per Solid Waste Management Rules, 2016 and maintain the log book of solid waste generation and disposal details.

For and on behalf of the KSPCB

Abdul
SENIOR ENVIRONMENTAL OFFICER

ANNEXURE -A

**Standards for Discharging The Treated Combined Effluent To Halmaddi Nallah
Leading To Kali River.**

Sl. No.	Parameters	Tolerance limits not to exceed
1	Colour and Odour.	See Note.
2	pH value.	7 to 8.5
3	Bio-chemical Oxygen Demand, mg/l. (3 days at 27°C) max.	30
4	Chemical Oxygen Demand, mg/l Max.	250
5	Suspended Solids mg/l Max.	50
6	Oil and Grease mg/l. Max.	10
7	Chloride (as Cl.) Mg/l. Max.	350
8	Sulphate (as SO ₄) mg/l. max.	1000
9	Sulphide, mg/l Max.	2
10	Total Residual Chlorine mg/l Max.	1
11	Ammonical Nitrogen.mg/l, Max.	50
12	Total Kjeldal Nitrogen, mg/l Max.	100
13	Free Ammonia, mg/l Max.	5.0
14	Dissolved Phosphate, mg/l Max.	5.0
15	Total Dissolved Solids (Inorganic) mg/l. Max.	2100
16	AOx, kg/ton of product	< 1.0

Note: All efforts should be made to remove colour & unpleasant odour.

The industry shall ensure that the treated effluent BOD is kept 10% less than the already stipulated limits.

SDPL
SENIOR ENVIRONMENTAL OFFICER

The Air pollution sources, Chimney height and the control equipments provided by the industry shall be as below and the Air pollution sources mentioned in the main consent at Page No: 4 shall be replaced with this Annexure-B

Sl. No.	Chimney Attached to	Minimum Chimney Height Provided	Constituents to be controlled in the emission	Tolerance limits Mg/NM3	Air Pollution equipment to be installed, in addition to Chimney height as per Col (3)	Control to be provided to achieve the stipulated tolerance limits and chimney heights conforming to stipulated heights.	Date of which air pollution control equipments shall be provided to achieve the stipulated tolerance limits
1	Chemical Recovery Boiler -500 TPD	60 m AGL	PM / H ₂ S	150 / 10	With ESP	At All Times	
2	Chemical Recovery Boiler -1100 TPD	85 m AGL	PM / H ₂ S	150 / 10	With ESP	At All Times	
3	Rotary lime kiln - 135 TPD	51 m AGL	PM	150	With ESP	At All Times	
4	Rotary lime kiln - 230 TPD	55 m AGL	PM	150	With ESP	At All Times	
5	F.B.C. Boiler- 60TPH	55 m AGL	PM	150	With ESP	At All Times	
6	F.B.C. Boiler- 65 TPH	68 m AGL	PM	150	With ESP	At All Times	
7	F.B.C. Boiler-80 TPH	85 m AGL	PM	150	With ESP	At All Times	
8	F.B.C. Boiler-125 TPH	85 m AGL	PM	150	With ESP	At All Times	
9	Smelt Dissolving vent-I	43 m AGL	---	---	---	At All Times	
10	Smelt Dissolving vent-II	63.11 m AGL	---	---	---	At All Times	
11	PCC Carbonator Vent	20 m AGL	-----	-----	With Demister	At All Times	

				At All Times
12	Lime unload vent	20 m AGL	---	---
13	4.04 MW D.G Set *	52m Chimney	SO ₂ ---	With acoustic enclosure At All Times

- * Industry authorities have submitted letter stating that, they had DG Set of 4.04 MW which was operational till 2013-14 and now it is kept idle. For more reliability in power supply and to avoid production loss they want to start the operation of 4.04 MW DG set. They have provided 52 m Chimney with Acoustic enclosures to this DG Set.

QW
SENIOR ENVIRONMENTAL OFFICER