

परियोजना का नाम :- जनपद पिथौरागढ़ में प्रधान मन्त्री ग्रामीण सड़क योजना के अन्तर्गत प्रस्तावित, रीठाखानी कटपतिया से दौबांस मोटर मार्ग (11.000 कि०मी०) नव निर्माण हेतु वन भूमि हस्तान्तरण प्रस्ताव।

### संयुक्त निरीक्षण रिपोर्ट (प्रमाण-पत्र)

प्रमाणित किया जाता है कि आज दिनांक 23/05/2014 को प्रश्नगत परियोजना के लिये वन भूमि प्रत्यावर्तन प्रस्ताव तैयार करने हेतु संयुक्त निरीक्षण किया गया। संयुक्त निरीक्षण के समय वन विभाग की ओर से श्री हेम चन्द्र जोशी वन क्षेत्र पिथौरागढ़, राजस्व विभाग की ओर से श्री चन्द्री चन्द राजस्व उपनिरीक्षक, प्रस्तावक विभाग की ओर से श्री पवन कुमार टोलिया कनिष्ठ अभियन्ता द्वारा संयुक्त निरीक्षण कार्य में भाग लिया गया। संयुक्त निरीक्षण के समय पाया गया कि उपरोक्त प्रयोजन हेतु निम्नानुसार वन भूमि/नाप भूमि प्रभावित हो रही है।

आरक्षित वन भूमि शून्य है०, सिविल सोयम वन भूमि 4.935 है०, वन पंचायत वन भूमि शून्य है०, एवं नाप भूमि 5.761 है० प्रभावित हो रही है। परियोजना के निर्माण हेतु आवेदित वन भूमि के अतिरिक्त अन्य वैकल्पिक भूमि उपलब्ध नहीं है तथा आवेदित वन भूमि की मांग न्यूनतम है। परियोजना के निर्माण हेतु प्रस्तावक विभाग द्वारा सुझाये गये अन्य विकल्पों पर भी विचार किया गया व वर्तमान विकल्प /संरक्षण को सर्वदा उपयुक्त पाया गया। प्रश्नगत कार्य जनहित में किया जाना है व इस परियोजना के निर्माण से दौबांस गाँव, की 586 जनसंख्या लाभान्वित होगी।

आवेदित वन भूमि में 100 वृक्षों व नाप भूमि पर 0.00 वृक्षों का पातन निहित है, जिनकी प्रजाति वार/व्यास वार सूची प्रस्ताव में संलग्न है।

(अन्य आवश्यक कोई विवरण जो दिया जाना अपेक्षित हो) मोटर मार्ग वन भूमि हस्तान्तरण 9.00मी० चौड़ाई में किया गया है। एवं वृक्षों की गणना 7.00मी० चौड़ाई में की गयी है।.....

ह०/-  
(प्रयोक्ता एजेन्सी)

ह०/-  
(राजस्व उपनिरीक्षक)  
जिला-  
पिथौरागढ़

ह०/-  
(वन दरोगा)

ह०/-  
ग्राम पंचायत दौबांस  
पिथौरागढ़-  
(ग्राम प्रधान/ वन पंचायत सरपंच)

ह०/-

(अमीन)

प्रभागीय वन अधिकारी  
पिथौरागढ़ वन विभाग  
पिथौरागढ़

## SITE INSPECTION REPORT NOT BELOW THE RANK DCF (For the forest land to be diverted under FCA)

A proposal has been received by this office from Executive Engineer, Irrigation Division P.W.D PIU- I PMGSY Pithoragarh, for diversion under FCA-1980) of 4.935 ha of forest land non-forestry purpose. The project envisages the use of forest land for construction of Rithakhani katpatiya to Dobans Motor Road under PMGSY 11.00 kms. The site inspection of the land involved in the proposal has been done by me on dated 23-09-2014.....

On inspection of the site, it is found that the land required by the user agency is a RE/PF/un-classed/Protect forest measuring 4.935 ha.

The requirement of forest land as proposed by the user agency in Col 2 part-1 is unavoidable and is minimum required for the project Yes.

Whether any rare/ endangered/unique species of flora and fauna found in the area, if, so the detail there of:- No.

Whether any protected archeological/ heritage site/ defense establishment or any other important monuments is located in the area, if so the details there of with NOC form competent authority, if required. Not required.  
The user agency has not violated the provisions of forest (Conservation), Act 1980 and no work has been started without proper sanction. ✓

It has been found that the user agency has violated the forest (Conservation), Act, 1980 provisions. A detail report as per Para 19 of chapter 1, Para C of Handbook of forest (Conservation) Act, 1980 is attached No.  
Specific recommendation for acceptance or otherwise of the proposal Hence, The Proposal is recommended acceptance

Signature

Place: 23-9-2014  
Date: Pithoragarh.

Name: CDR. I.P. Singh  
Designation: ब्रह्मगीय वन अधिकारी  
Office Seal: पिथौरागढ़ वन प्रभाग  
पिथौरागढ़

- NB x. state the purpose for which the forest land is proposed to be diverted  
xx. Out of (a) and (b) tick the option which is applicable and cross the option which is not Applicable

As per letter 2-2/2000 FC dated 16102000 from Ministry of Environment & Forest, Government of India for proposal involving leases then 40 hectares of forest land, the site inspection report from DCF is required and for proposal involving more than 40 hectares of forest land site inspection report from the conservation forests is required