



# H.P.STATE POLLUTION CONTROL BOARD

HIM PARIVESH, PHASE-III, NEW SHIMLA-171009.

Website:- <http://hppcb.nic.in>

HPSPCB No : 24

Date: 06/08/2019

Industry Registration ID: 10447

Application No : 425873

To,

Kashang h e p  
0/0 of gm, kinfed bulding near itbp gate r peo kinnaur-pangi  
Reckong peo  
Kinnaur  
172107

Subject: Renewal of 'Consent to Establish' u/s 25/26 of Water (Prevention & Control of Pollution) Act, 1974 and u/s 21 of Air (Prevention & Control of Pollution) Act, 1981.

With reference to your application for obtaining Renewal of 'Consent to Establish' u/s 25/26 of Water (Prevention & Control of Pollution) Act, 1974 and u/s 21 of Air (Prevention & Control of Pollution) Act, 1981, you are hereby authorized to Establish an industrial unit subject to the Terms and Conditions as mentioned in this Consent letter.

## 1. Particulars of Consent to Establish under Water Act, 1974 and Air Act, 1981 granted to the industry

Consent No.	CTE/BOTH/RENEW/RO/2019/425873
Date of issue :	01/04/2019
Date of expiry :	31/03/2020
Certificate Type :	RENEW
Previous CTE No. & Validity :	

## 2. Particulars of the Industry

Name & Designation of the Applicant	Integrated Kashang HEP HPPCL . (GM)	
Address of Industrial premises	Kashang h e p, 0/0 of gm, kinfed bulding near itbp gate r peo kinnaur-pangi, Reckong peo .Kinnaur-172107	
Category of Industry	Red	
Type of Industry	Ind Type-1	
Scale of the Industry		
Office District	Kinnaur	
Capacity		
Raw Materials (Name with quantity per day)		
Raw Materials	Quantiry	Unit
Kerang KHad	22 cum/s(2592000)	K.L./Month
Products (Name with quantity per day)		

"This is computer generated document from OCMMS by HPSPCB"

Kashang h e p,0/0 of gm, kinfed bulding near itbp gate r peo kinnaur-pangi.Reckong peo .Kinnaur,172107

Page1

Name of Products	Unit	Quantity	Intermediate Product	Principal Use
Electricity	Millions/Year	470	Electricity	To Grid Supply

**Details of the Effluent Treatment Plant**

Type of Effluent	Capacity(KLD)	Quantity(KLD)
ETP	NA	Na

**Mode of Disposal**

Description	Quantity(in KLD)	Method of Treatment	Method of Disposal
Domestic	7	Soak Pit/Septic Tank	CETP

**Quantity of fuel required (in TPD) and capacity of boilers/ Furnace/Thermo heater etc.**

Type	No. of Boiler/'Heater/ Evaporator/Incinerator/DG Set/Other	Capacity	Type of Boiler/'Heaters /Evaporators/Incinerator/DG Sets/Others	Type of Fuel	Fuel consumption rate in MT/hour or KL/hour or M3 /hour
DG Sets	NA	NA	NA	NA	NA
Boilers	NA	NA	NA	NA	NA

ADITYA  
NEGI

Digitally signed by  
ADITYA NEGI  
Date: 2019.08.06  
17:08:48 +05'30'

**Aditya Negi, IAS**  
**Member Secretary**  
**For & on behalf of**  
**( H. P. State Pollution Control Board)**

Endst. No.:

Copy To:-

"This is computer generated document from OCMMS by HPSPCB"

Kashang h e p,0/0 of gm, kinjed bulding near itbp gate r peo kinmaur-pangi,Reckong peo .Kinmaur.172107

Page 2

## TERMS AND CONDITIONS

### A. SPECIFIC CONDITIONS

1. This Consent to Establish is only for the purpose and under the provision of Water Act, 1974 and Air Act, 1981 as the case may be, and will not construed as substitute for mandatory clearances required for the project under any other law/regulation/direction/order and the applicant shall obtain any such mandatory clearance before taking any steps to establish industry/ industrial plant, operation or process or any treatment and disposal system or an extension or addition thereto.
2. Nothing in this Consent shall be deemed to neither preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected to under this or any other Act.
3. The unit shall apply for further extension in the validity of the Consent to Establish, at least two months before the expiry of this 'Consent to Establish', if applicable.  
or  
The unit shall obtain prior Consent to Operate from the State Board, before starting operational activity and gets its completion plan approved by the Competent Authority (As applicable).
4.
  - i) The unit shall made provisions for the compliance of Waste Management Rules i.e. Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016/ Plastic Waste Management Rules, 2016/ E-Waste (Management) Rules, 2016/Construction & Demolition Waste Management Rules, 2016 and Manufacture, Storage & Import of Hazardous Chemical Rules, 1989 and provisions made thereunder, as amended from time to time, without any adverse effect on the environment, in any manner (As Applicable)
  - ii) The unit shall made provisions for the compliance Solid Waste Management Rules, 2016 and provisions made thereunder and unit shall also not practice burning activity of solid waste/waste generated from fuel within/outside premises, to avoid public nuisance.
5. This 'Consent to Establish' is for:-
  - i) The emissions from all sources conforming to the norms as prescribed in Schedule-I of Environment (Protection) Rules, 1986 as amended from time to time.
  - ii) Noise and Ambient Air Quality shall be maintained within Ambient Air Quality Standards for noise as specified in Schedule-III of Environment (Protection) Rules, 1986 and Noise Pollution (Regulation and Control) Rules, 2000, as amended from time to time.
  - iii) The effluent (Domestic/Industrial) shall conform to the limits as prescribed in Schedule-I or Schedule-VI or Industry specific standards of Environment (Protection) Rules, 1986 as amended from time to time.
  - iv) Sewage and sullage generated from the unit to be disposed-off in a properly designed septic tank system/Sewage Treatment Plant/ Public Sewer System (as applicable).
6. The unit shall install adequate pollution control devices and provide the separate energy meter and flow meter. The unit shall maintain the logbook/ record with respect to operation of pollution control devices (As applicable). The achievement of the adequacy and efficiency of the effluent treatment plant/pollution control devices/re-circulation system installed shall be the entire responsibility of the unit.
7. **CONDITIONS UNDER WATER (PREVENTION & CONTROL OF POLLUTION) ACT, 1974.**
  - a) The unit shall provide terminal manhole(s) at the end of each collection system and a manhole upstream of final outlet (s) out of the premises of the industry for measurement of flow and for taking samples.
  - b) The unit shall install flow meter and maintain the record regarding the daily water consumption.

*"This is computer generated document from OCMMS by HPSPCB"*

*Kashang h e p,0/0 of gm, kinfed bulding near itbp gate r peo kinnaur-pangi.Reckong peo Kinnaur.172107*

*Page-1*

- c) The pollution control devices shall be interlocked with the manufacturing process of the industry (if applicable) and the authorized outlet and mode of disposal shall not be changed without the prior written permission of the Board. Unit shall not use any unauthorized outlet(s) for discharging effluents from its premises.
- d) Solids, sludge, filter backwash or other pollutant removed from or resulting from treatment or control of waste waters shall be disposed-off in scientific manner.
- e) The unit shall submit a detailed plan showing therein, the distribution system for conveying wastewaters.

8. **CONDITIONS UNDER AIR (PREVENTION & CONTROL OF POLLUTION) ACT, 1981.**

- a) The unit shall provide canopy and stack of adequate height of the D.G sets so as to control the noise & air pollution in order to comply with the provision of notification No GSR-371 E dated 17-5-2002 or direction as issued by MOEF from time to time, under Environment (Protection) Act, 1986.
- b) The unit shall ensure disposal of boiler ash/fuel ash through authorized person or within premises in a scientific manner (as the case may be) and shall maintain proper record for the same, if applicable.
- c) The unit shall provide proper and adequate air pollution control arrangements for control emission from its coal/fuel handling area and emissions from handling, transportation and processing of raw material & product of the industry, as applicable.
- d) The unit shall provide port-holes, platforms and/or other necessary facilities as may be required for collecting samples of emissions from any chimney, flue or duct or any other outlets as per the specifications.

**Specifications of the port-holes shall be as under:-**

- i) The sampling ports shall be provided atleast 8 times chimney diameter downstream and 2 times upstream from the flow disturbance. For a rectangular cross section the equivalent diameter (De) shall be calculated from the following equation to determine upstream, downstream distance:-  

$$De = 2 LW / (L+W)$$
 Where L= length in mts. W= Width in mts.
- ii) The sampling port shall be 7 to 10 cm in diameter
- e) The unit shall submit a detailed plan showing therein, the distribution system for conveying wastewaters.

**(i) Stack height for boiler plants**

S.NO.	Boiler with Steam Generating Capacity	Stack heights
1.	Less than 2 ton/hr.	9 meters or 2.5 times the height of neighboring building which ever is more
2.	More than 2 ton/hr. to 5 ton/hr.	12 meters
3.	More than 5 ton/hr. to 10 ton/hr	15 meters
4.	More than 10 ton/hr. to 15 ton/hr	18 meters

5.	More than 15 ton/hr. to 20 ton/hr	21 meters
6.	More than 20 ton/hr. to 25 ton/hr.	24 meters
7.	More than 25 ton/hr. to 30 ton/hr.	27 meters
8.	More than 30 ton/hr.	30 meters or using the formula $H = 14 Q_g^{0.3}$ or $H = 74 (Q_p)^{0.24}$ Where $Q_g$ = Quantity of SO <sub>2</sub> in Kg/hr. $Q_p$ = Quantity of particulate matter in Ton/day.

**Note : Minimum Stack height in all cases shall be 9.0 mtr. or as calculated from relevant formula whichever is more.**

**(ii) For industrial furnaces and kilns, the criteria for selection of stack height would be based on fuel used for the corresponding steam generation.**

**(iii) Stack height for diesel generating sets:**

Capacity of diesel generating set	Height of the Stack	
	Height of the building	
0-50 KVA		+ 1.5 mt
50-100 KVA	-do-	+ 2.0 mt.
100-150 KVA	-do-	+ 2.5 mt.
150-200 KVA	-do-	+ 3.0 mt.
200-250 KVA	-do-	+ 3.5 mt.
250-300 KVA	-do-	+ 3.5 mt.

**For higher KVA rating stack height H (in meter) shall be worked out according to the formula:**

$$H = h + 0.2 (KVA)^{0.5}$$

where h = height of the building in meters where the generator set is installed.

9. The unit shall submit on-site and off-site emergency plan approved by the Chief Inspector of Factories, Himachal Pradesh (If applicable)
10. The unit shall provide real time online monitoring equipment's and provisions for the uninterrupted transfer of data as per guidelines of CPCB (if applicable).
11. The unit shall provide adequate arrangements for fighting the accidental leakages/ discharge of any air pollutant/gas/liquids from the vessels, mechanical equipment's etc. which are likely to cause environmental pollution.
12. The unit shall plant minimum three layer of trees so far possible as per plantation guide (may be download from the website <http://hppcb.nic.in/plantationguide.pdf>) all along the boundary of the industrial premises and check air/water/noise pollution at source.
13. Any guidelines issued by the Central Government/State Government/MoEF/CPCB/SPCB/any other authority concerned, shall be binding.
14. This 'Consent to Establish' is subject to orders on any litigation pending in any Court of Law. Any direction/order issued by any court shall be binding (if any).
15. The Board reserves the right to revoke the 'Consent to Establish' granted to the industry at any time, in case the industry is found violating the provisions of Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981 as amended from time to time.
16. The unit shall comply with any other conditions laid down or directions issued in due course by the Board under the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981.

**B. OTHER CONDITIONS**

*"This is computer generated document from OCMMS by HPSPCB"*

*Kashang h e p,0/0 of gm, kinfed bulding near itbp gate r peo kinnaur-pangi.Reckong peo, Kinnaur.17210'*

*Page6*

1. The unit shall comply with the conditions imposed by the MoEF/State Level Environment Impact Assessment Authority/ District Level Environment Impact Assessment Authority in the environmental clearance granted to it as required under EIA notification dated 14-9-06, if applicable.
2. The issuance of this consent does not convey any property right in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of Central, State or Local Laws or Regulations.
3. Stone Crusher units shall comply with the provisions of guidelines notified by the State Government vide Notification No. STE-E(3)-11/2012, dated 29-05-2014 (If Applicable).
4. Brick Kiln units shall comply with the provisions of guidelines notified by the MoEF vide Notification No. G.S.R.233.(E), dated-15-03-2018 and by the State Government vide Notification No. STE-E(5)-6/2013, dated-07-03-2014 (If Applicable).
5. Hydroelectric Projects shall install Online Real Time Monitoring System for the measurement of 15% of minimum discharge in lean season as per orders of Court/Government. The unit shall also ensure provisions for the regular and uninterrupted transfer of data from the real time online monitoring system for 15% of minimum discharge of flow to SPCB, failing which unit shall be liable for action on account of violation of the directions issued by Court/Government/SPCB in this regard (If Applicable).
6. Unit shall strictly adhere to the capacity approved by the Industries Department/ Department of Tourism & Civil Aviation/any other concerned Authority (As Applicable).
7. The unit shall not cause any nuisance/traffic hazard in vicinity of the area.
8. The unit shall ensure that there will not be significant visible dust emissions beyond the property line.
9. The unit shall obtain and submit Insurance cover as required under the Public Liability Insurance Act, 1991.
10. The unit shall put display Board indicating environmental data in the prescribed format at the main entrance gate.
11. The unit shall maintain record regarding the operation of effluent treatment plant i.e. record of quantity of chemicals and energy utilized for treatment and sludge generated from treatment so as to satisfy the Board regarding regular and proper operation of pollution control equipment.
12. Any amendments/revisions made by the Board/CPCB/MOEF in the emission/stack height standards shall be applicable to the industry from the date of such amendments/revisions.

Digitally signed by  
ADITYA NEGI  
Date: 2019.08.06  
17:09:19 +05:30

**Aditya Negi, IAS**  
**Member Secretary**  
**For & on behalf of**  
**( H. P. State Pollution Control Board)**

*"This is computer generated document from OCMMS by HPSPCB"*

*Kashang h e p.0/0 of gm. kinfed bulding near itbp gate r peo kinnaur-pangi.Reclong peo Kinnaur.172107*

*Page 7*



## Himachal Pradesh State Pollution Control Board

'Him Parivesh', Phase -III, New Shimla-171009, HP.

Form-XIII  
(See Rule 22)

Application for Consent to Industry /Operate/Renewal the industrial plant/plants under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 .

Application for Consent to Establish or take any step to establish any Industry , operation processes or any treatment and disposal system for discharge,under Section-25 or continuation or discharge under Section -26 of the Water (Prevention and Control of Pollution) Act, 1974.

**RCTE for the period(01/04/2020-31/03/2021)**

From

Kashang H E P, 0/0 of GM, Kinfed Bulding near ITBP Gate R PEO  
Kinnaur-Pangi  
City:Reckong Peo  
Block:Kalpa  
District:Kinnaur

Date:05/10/2020.

Industry ID: 10447

Application No.: 1864011

To

The Member Secretary,  
Himachal Pradesh Pollution Control Board,  
Him Parivesh, Phase-III, New Shimla,  
Shimla- 171009, HP.

Sir,

I / we hereby apply for Consent/ Renewal of Consent under Section-25 of Water (Prevention and Control of Pollution) Act, 1974 (6 of 1974) to establish or take any step to establish any Health Care Facility/CBWTF/Research Lab or operation or process or a treatment and disposal system or any extension or addition to bring into use any new altered outlet for discharge of sewage / trade effluent\* to continue to discharge sewage /trade effluent \* from land/ premises owned byKashang H E P

The other relevant details are below:

1.	Full name of the Industry	Kashang H E P
2.	Nationality of the applicant	Indian

*"This is computer generated document from OCMMS by HPSPCB"*

3.	Type of Industry	State Government			
4.	Full Address of the Industry with PIN Code:	Name of applicant: Er.S. P Rattan Address:Kinfed Building District:Kinnaur Block:Kalpa			
5.	Details of Establishment etc.:				
	(a)Approximate date of proposed Establishment. :	Month :November Year :2010			
	(b)Expected date of commencement of date of Operation :	Month :March Year :March			
6.	Total number of employee expected to be Employed	: 72			
7.	Details of license/registrations, if any obtained under the provisions of Industrial Development Regulation Act, 1951.	Registration No. : U40101HP2006SGC030591 Registration Add. : U40101HP2006SGC030591 Registration Date : 2010			
8.	Name of the person authorised to sign this form (the original authorization except in the case of individual proprietor concern is to be enclosed)	Er. T N Negi			
9.	List of raw materials with monthly consumption rate (MT/month)				
	<b>Raw Materials</b>	<b>Quantity</b>	<b>Unit</b>		
	Disilted water from Kashsng and Kerang Streams	sor Stage I ,9 Cum (283824000)and Stage II &III 18 Cum(567648000)	K.L./Year		
10.	List of products with monthly production rate (MT/month)				
	<b>Name of Products</b>	<b>Quantity</b>	<b>Unit</b>	<b>Intermediate Product</b>	<b>Principal Use</b>
	Hydro Electricity	735.0	Millions/Year	no intermediate product is generated except electricity	To feed the Northern Grid for further distribution of electricity
11.	List of By Product Details				
	<b>Name of By Products</b>	<b>Unit</b>	<b>Installed Capacity</b>	<b>Average Production</b>	
	No by product is generated except Hydro electricity	Millions/Year	Stage i 65 MW, Stage II &III 130 MW and stage IV 48 MW total of 243 MW		
	(c)License/Registration of Annual Capacity of the Industry, Operation or process etc. :	47802.0			
	Expansion Cost				
12.	Source of Water and Consumption Detail :				
	<b>Usage</b>				
	Domestic	one a day			

13.	Whether permission for water abstraction has been taken from the Competent Authority (enclose copy).	Yes
14	(a)Effluent Currently Discharged or Expected	
	<b>Type of Effluent</b>	<b>Capacity(KLD)</b>
	Domestic	2.1
	(c)What monitoring arrangement is currently existing or proposed to be created?	Continuous E-flow monitoring device is installed at diversion trench weir
15.	Process of treatment (if industry has any treatment plant for industrial, domestic or combined effluent).	
	<b>Description</b>	<b>Quantity(in KLD)</b>
	<b>Method of Treatment</b>	<b>Method of Disposal</b>
16.	Water Emission Discharge	
	<b>Installed</b>	<b>Capacity</b>
	Septic Tank	10MLD
	<b>Method of Disposal</b>	<b>Unit</b>
	0.75	KLD
17	Please indicate whether storm water drains are kept separate from industrial/domestic effluent drains.	Yes
18	Please indicate expected composition of the effluent. In case of operational Industry actual composition of the effluent is to be indicated and latest analysis report to be attached.	De-silted water from the TRT is feed back to the main river course no change in the composition
19	(a)Are facilities available with the applicant for carrying out the test of waste water	
	<b>Test of Waste Water</b>	<b>Existing</b>
		<b>Proposed</b>
20.	I/we further declare that the information furnished above is correct to the best of my/ our knowledge.	
	I/we hereby submit that in case of change either of the point of discharge or the quantity of discharge or its quantity, a fresh application for CONSENT shall be made and until such CONSENT is granted no change shall be brought into use.	
	I/we hereby agree to submit to the Himachal Pradesh State Pollution Control Board an application for Renewal of Consent one month in advance of the date of expiry of the consented period for outlet/ discharge if, to be continued thereafter.	
	I / we undertake to furnish any other information within one month of its being called for by the Himachal Pradesh State Pollution Control Board.	
	I/we, enclose herewith Bank Draft No. 00000000247 Date 11/06/2020 for Rs 20000.0 ( Rupees ) in favour of the Environmental Engineer/ Assistant Environmental Engineer / Regional Officer , Himachal Pradesh State Pollution Control Board,..... payable at under section-25 of the Act as per the Fee Schedule attached.	

**Yours faithfully,  
Signature :**

**Name of the application :**

**Designation :**  
**Address :**

*"This is computer generated document from OCMMS by HPSPCB"*

## Form-I

[See Rule 27]



Application for Consent to Establish/Operate/Renewal the Industry under section-21 of the Air (Prevention & Control of Pollution) Act, 1981

**RCTE for the period(01/04/2020-31/03/2021)**

From

Kashang H E P, 0/0 of GM, Kinfed Bulding near ITBP Gate R PEO  
Kinnaur-Pangi  
City:Reckong Peo  
Block:Kalpa  
District:Kinnaur

Date:05/10/2020

Industry ID: 10447

Application No.: 1864011

To

The Member Secretary,  
Himachal Pradesh Pollution Control Board,  
Him Parivesh, Phase-III, New Shimla,  
Shimla- 171009, HP.

Sir,

I/We hereby apply for Consent/Renewal of Consent under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 to Establish/Operate the Industry owned by Kashang H E P to be located at U40101HP2006SGC030591

The relevant details are as under:

1.	Full name of the Industry	Kashang H E P
2.	Full address with PIN Code of the Industry with telephone numbers (Give Revenue/City Survey No. for which application is made, 1 stating District, Taluka/Village).	AddressKinfed Building Pin :172107 Telephone No. :9418938507
3.	Names of full time directors/partners/ owners with addresses and telephone numbers. (Use separate sheet if space provided is not sufficient)	Sh. Rakesh Kanwar Himfed Building , BCS, New Shimla-9 md@hppcl.in
4.	Total capital cost of the project (Rs. In Lakhs).	47802.0
	Expansion Cost.	

"This is computer generated document from OCMMS by HPSPCB"

5.	Specify scale	Large			
6	State whether the proposed Industry. is proposed to be located in the prohibited area. If yes, state the name of the authority and furnish the certified copy of the order under which the area has been declared prohibited. Yes/No	No			
7.	Date of commission of Industry or proposed date of Establishment/operation :				
a	Approximate date of proposed Establishment of HCF/CBWTF . :	Month :November Year :2010			
b	Expected date of commencement of date of Operation :	Month :March Year :2023			
8.	Total number of employee expected to be Employed	: 72			
9	List of raw materials with monthly consumption rate (MT/month)				
	<b>Raw Materials</b>	<b>Quantity</b>	<b>Unit</b>		
	Disilted water from Kashsng and Kerang Streams	sor Stage I ,9 Cum (283824000)and Stage II &III 18 Cum(567648000)	K.L./Year		
10	List of products with monthly production rate (MT/month)				
	<b>Name of Products</b>	<b>Quantity</b>	<b>Unit</b>	<b>Intermediate Product</b>	<b>Principal Use</b>
	Hydro Electricity	735.0	Millions/Year	no intermediate product is genrated except electricity	To feed the Northern Grid for further distribution of electricity
11	List of By Product Details				
	<b>Name of By Products</b>	<b>Unit</b>	<b>Installed Capacity</b>	<b>Average Production</b>	
	No by product is generated except Hydro electricity	Millions/Year	Stage i 65 MW, Stage II &III 130 MW and stage IV 48 MW total of 243 MW		
12.	Brief description of the manufacturing process together with a flow diagram and layout plan showing location o all vents, stacks and any other emission points.				
13.	Capacity Details of boilers/heaters/ furnaces/ DG sets				
(a)	Boilers				
	<b>Boiler No.</b>	<b>Type of Boiler</b>	<b>Capacity</b>	<b>Type of fuel</b>	<b>Fuel consumption rate in MT/hour or KL/hour or M3 /hour</b>
(b)	Heaters/Evaporators.				

Heater No.	Type of Heater	Capacity	Fuel	Fuel consumption rate in MT/hour or KL/hour M3 hour.
------------	----------------	----------	------	--

(c) Incinerator

Incinerator No.	Type of Incinerator	Capacity	Fuel	Fuel consumption rate in MT/hour or KL/hour M3 hour.
-----------------	---------------------	----------	------	--

(d) DG Sets

DG Sets No.	Type of DG Sets	Capacity	Fuel	Fuel consumption rate in MT/hour or KL/hour M3 hour.
6	Silent Acoustic Enclosure Type	10 KV, 250 KV, 100, 160, KV, 1010, 1010KV	Deisal	2.5 l/h, 25L/H, 10L/H, 7L/H & 80l/H
1	Silent Acoustic Enclosure Type	10 KV	Deisel	7 L/H

(e) Others

No.	Type	Capacity	Fuel	Fuel consumption rate in MT/hour or KL/hour M3 hour.
-----	------	----------	------	--

14 Emission details: Emission from boilers/heaters/furnaces and other processes involving fuel combustion :

Emission Details	Stack Identification	Concentration of pollutants	Rate of emission in Kg/hr.	Height of stack from ground level.
DG Sets	NA	NA	NA	NA

(b) Process emissions

Name and location of the process vessel to which the stack/vent is attached	Rate of emission in Kg./hr	Concentration of pollution like SO 2 , NOX, H 2 S, Cl, HCl etc. in mg/NM 3	Height of Vent/outlet/stack from ground level in meters
NA	NA	NA	NA

15 Details of air Pollution control equipment for the control of pollution resulting from emission of pollutants from process plant and combustion equipment.

(a) Boilers

Name of equipment	Attached to	Date/proposed date of installation	Efficiency(%reduction)	Final concentration of pollution being emitted
-------------------	-------------	------------------------------------	------------------------	--

(b)	Heaters/Evaporators				
	<b>Name of equipment</b>	<b>Attached to</b>	<b>Date/proposed date of installation</b>	<b>Efficiency(%reduction)</b>	<b>Final concentration of pollution being emitted</b>
(c)	Incinerator				
	<b>Name of equipment</b>	<b>Attached to</b>	<b>Date/proposed date of installation</b>	<b>Efficiency(%reduction)</b>	<b>Final concentration of pollution being emitted</b>
(d)	DG Sets				
	<b>Name of equipment</b>	<b>Attached to</b>	<b>Date/proposed date of installation</b>	<b>Efficiency(%reduction)</b>	<b>Final concentration of pollution being emitted</b>
(e)	Others				
	<b>Name of equipment</b>	<b>Attached to</b>	<b>Date/proposed date of installation</b>	<b>Efficiency(%reduction)</b>	<b>Final concentration of pollution being emitted</b>
16	<b>Declaration:</b>				
	(i)I/We hereby submit that in case of any change relating to manufacturing process/product, fuel, emission rate, pollution control equipment, capacity of the plant etc., fresh application for consent shall be made until such Consent is granted, no change will be implemented.				
	(ii)I/We hereby agree to submit to the Board, application for renewal of Consent at least one month prior to the date expiry of the present consent period.				
	(iii)/We further declare that information furnished through this application is correct to the best of my/our knowledge.				
	(iv)I/We undertake to furnish any other information within one month of such intimation received from the Board.				
	I/we, enclose herewith Bank Draft No. 000000000247 .Date 11/06/2020 for Rs 200000.0 ( Rupees ) in favour of the Environmental Engineer/ Assistant Environmental Engineer / Regional Member Secretary/Pr. Scientific Officer/Sr. Scientific Officer/Scientific Officer , Himachal Pradesh State Pollution Control Board,..... payable at under section-25 of the Act as per the Fee Schedule attached.				

**Yours faithfully,  
Signature :**

**Name of the application :  
Designation :  
Address :**