

GOVERNMENT OF TELANGANA
RURAL WATER SUPPLY AND SANITATION DEPARTMENT
TELANGANA DRINKING WATER SUPPLY PROJECT

APPENDEX

(See Rule 6)

FORM-'A'

Form for seeking prior approval under section 2 of the proposals by the state
Government and other authorities.

PART-1

(TO BE FILLED BY USER AGENCY)

1. Project Details : Providing and Laying of Pipe Line and Construction of Structures to provide safe Drinking Water in Khammam District – Segment – 26/1 in Sathupalli Constituency.

i) Short narrative of the Proposal for Project :The Government of Telangana has decided to improve the drinking water Supply level to all the habitations in the new State to Provide safe Drinking Water to all in the State. To avoid Quantitative and Qualitative problems it is proposed to supply surface water. In this work the Raw Water Pipe line is to be laid upto WTP in the Segment –26/1 from Wyrā Intakewell to Proposed Water Treatment Plant at Kanakagiri Hills. Then the treated water will be distributed through gravity pipelines to cover Sathupalli Constituency habitations from this location. The proposed Pipe line alignment and Construction of Structure is passing through the Reserve Forest for which Forest Land Diversion is required.

ii) Map showing the required forest land and Boundary of adjoining Forest on a 1 in 50,000 Scale topo map.

: Map showing the reserve forest boundary is enclosed.
The land is meant for laying of raw water pumping main, clear water gravity main and Construction of Structure in Segment 26/1.

iii) Cost of the Project.

: Rs. 155.00 Crores vide administrative sanction GoRt No.82 of PR&RD dated: 07-02-2015 copy enclosed.

iv) Justification for location the project forest area :

i The proposed Raw water Pipe line in Segment 26/1 have no other alternative route to minimize the cost and shorten the length. The proposed Structure in the Forest Area are essential to treat the raw water & cover all the habitations in Sathupalli Constituency in this part. As per the Hydraulic Designs and Topography of the Area the proposed locations are very much essential and there is no other alternative alignment.

v) Cost benefit analysis (to be enclosed) :

Enclosed

vi) Employment likely to be generated :

50 Man days.

2. Purpose wise breakup of the total Land required Extent :

After working out various options in execution of the Pipe Line Works in the forest Land, the diversion of forest land to the minimum requirement is worked out. The details of the land requirement are here with enclosed for more clarity.

The purpose wise land requirement for
1. Pipe line Portion - 0.232 Hect.
2. For Structures - 3.791 Hect.

Total - 4.023 Hect.

3. Details of displacement of people due

to the project if any:

- i) Number of families :
ii) Number of Schedule Caste / Schedule Tribal families. :
iii) Rehabilitation Plan :

No

4. Where Clearance under Environment (Protection) Act, 1986 Required? (Yes/No)


No

5. Undertaking to bear the cost of rising and maintenance of compensatory Afforestation and /or penal ompensatory afforestation as well as cost are protection and regeneration of Safety zone., etc., as perthe Scheme prepared by the state Government (under taking to be enclosed).


: Enclosed

6. Details of Certificates / Documents Enclosed as required under the instructions.

: Enclosed


Superintending Engineer
TDWSP Circle,
Khammam (Dist).

"Counter signed"


Chief Engineer
TDWSP, Hyderabad