## Site Inspection Report of the D.C.F

- (1) The Proposed Petrol Pump Site is Protected Forest.
- (2) No any rare/endangered /unique Species of flora and fauna are found in that area.
- (3) No any Protected Archaeological/Heritage site/Defence establishment or any other important Monument is located in that area.
- (4) Actual requirement of Forest Land should be 0.0285 Ha.
- (5) Next Petrol Pump from the Proposed Petrol Pump Site is 28 km(Approx) in East and 30 km (Approx) in West direction.
- (6) G.P.S Reading is as follows:-

(i) N-26°18.667'

(iii) N-26º18.670'

E-086º15.268'

E-086°52.236'

(ii)N-26°18.696'

(iv) N-26º18.700'

E-086°52.272'

E-086°52.246'

(7) This Petrol Pump will help the people of surroundings and passing through NH-57(Road).

Divisional Forest Officer,

Supaul Forest Division, Supaul

## PART-II

(To be filled by the concerned Deputy Conservator of Forests)
State Serial No. of proposed

7. Location of the project/Scheme:	
------------------------------------	--

(i) State/Union Territory : Bihar (ii) District : Supaul

(iii) Forest Division : Supaul Forest Division

(iv) Area of forest land proposed for :
Diversion (in ha.) 0.0285 Ha.

(v) Legal Status of forest : Protected Forest

(vi) Density of Vegatation : Nil (Zero)

(vii) Species-wise (scientific names) and:
diameter class-wise enumeration of
trees(to be enclosed. In case of
irrigation/hydel projects enumeration:
N.A.

at FRL, FRL-2 meter & FRL -4 meter also to be enclosed.)

(viii) Brief note on vulnerability of the : N.A. forest area to erosion.

(xi) Approximate distance of proposed Site for diversion from boundary of :

forest.

(x) Whether forms part of National Park:
Wildlife sanctuary, biosphere reserve,
Tiger reserve, elephant corridor, etc.
(if so, the details of the area and comments of the Chief Wildlife

Warden to be annexed).

(xi) Whether any rare/endangered/unique: Species of flora and fauna found in the

area -if so details thereof.

(xii) whether any protected archaeological: heritage site defence establishments of any other important monument is located in the area. If so, the details thereof with NOC from competent authority, if required.

8. Whether the requirement of forest land: as proposed by the user agency in col. 2 of Part-I is unavoidable and bares minimum for the project. If no recommended area item-wise with details of alternatives examined.

9. Whether any work in violation of the Act: has been carried out(yes/No). If, yes, details of the same incuding period of work done, action taken on erring officials. Whether

NO

NO

NO

The requirement of forest land is unavoidable. But the requirement of Forest Land should be 0.0285 Ha.

NO

10. Details of compensatory afforestation: Scheme.

Detail of non forest area/degraded forest area identified for compen-(i) satory afforestation. Its distance from adjoining forest, number of patches. Size of each patch.

Map showing non-forest/degraded forest area identified for compensatory (ii) afforestation and adjoining forest boundaries.

Detailed compensatory afforestation scheme including species to be planted, (iii) implementing agency, time schedule, cost structure etc.

Total financial outlay for compen-(iv) satory afforestation scheme.

Certificates from competent authority: regarding suitability of area identified (v) for compensatory afforestation and from management point of view.(To be signed by the concerned Deputy Conservator of Forests).

Site inspection report of the DCF (to be enclosed ) especially highlighting facts 11. asked in col. 7 (xi, xii), 8 and 9 above.

Division/District profile: 12.

(i) Geographical area of the district

(ii) Forest area of the district

(iii) Total forest area diverted since 1980 With number of cases.

Total compensatory afforestation stipulated in the district/division since (iv) 1980 on

forest land including penal (a) compensatory afforestation.

Non-forest land. (b)

progress of compensatory afforestation: as on (date)

(a) forest land

(b) non-forest land.

Specific recommendations of the DCF for acceptance or otherwise of the proposed with reasons.

Scheme for 50(Fifty) In Gabion Plantation with 7(seven) years mainten enclosed.

14.

Enclosed.

2432 sq. kms. 136 sq. kms.

: This Petrol Pump will help the people of surroundings and passing through NH57.

( SANDA