

## SITE INSPECTION REPORT. NOT BELOW THE RANK OF DCF

(For the forest land to be diverted under FCA)

A Proposal has been received by the this office from भारत पेट्रोलियम कॉर्पोरेशन लिमिटेड, रिटेल बरेली द्वारा सम्मल-बहजोई मार्ग (एस0एच0-51) के किमी0 स्टोन सं0-79 की बांयी पट्टी पर खसरा संख्या-325, ग्राम पवांसा, तहसील सम्मल, जिला सम्मल पर रिटेल आउटलेट (पेट्रोल पम्प) के सम्पर्क मार्ग निर्माण हेतु संरक्षित वन भूमि का उपयोग एवं 02 बाधक वृक्षों के पातन हेतु diversion (under FCA-1980) of 0.1041 hac. Of Protected forest land for non-forestry purpose. The project envisage the use of forest land for laying. The site inspection of the land involved in the proposal has been done by me on date... 20/05/2023

On inspection of the site, it is found that the land required buy the user agency is a RF/PF/unclassified/Protect forest measuring. PF 0.1041 Hac.

The requirement of forest land as proposed by the user agency in col. 2 of part-I is unavoidable and is barest minimum required for the project. (YES)

Whether any rare/endangered/unique species of flora and fauna in the area. If so, details thereof. (NO)

Whether any protected archaeological/heritage site/defense establishment or any other important monument is located in the area. If so, the details thereof with NOC from competent authority, if required. (NO)

a. The user agency has not violated the provision of forest (conservation) act, 1980 and no work has been started without proper sanction. (YES)

b. it has been found that the user agency has violated the forest (conservation) Act, 1980 provisions. A detail report as per para 1.9 of chepter-1, para C of handbook of forest (conservation) Act. 1980 is attached. (NO)

Specific recommendation for acceptance or otherwise of the proposal :- **Recommendation for acceptance**

(अरविन्द कुमार)  
प्रभागीय वनाधिकारी,  
सम्मल वन प्रभाग, सम्मल।