

## TAMIL NADU FOREST DEPARTMENT

From

Thiru. Dinkar Kumar, I.F.S.,  
Chief Conservator of Forests,  
Tirunelveli Circle,  
Tirunelveli – 7.

To

The Principal Chief Conservator of  
Forests, (Head of Department),  
Chennai - 15.

Phone No : 0462 - 2902612  
Fax.No. : 0462 - 2901132  
e.mail id. : cftni@yahoo.co.in

**C.No. D / 10678/ 2019, dated 12.03.2020.**

Sir,

**Sub :** Forests – Forest (Conservation) Act, 1980 –  
Tirunelveli Circle / Tirunelveli Division – proposal for  
(FP/TN/WATER/41577/2019) diversion of  
0.1196 Ha for Muthur – Sivanthipatti Road Water  
Supply to Reddiarpatti and other 63 Rural  
habitations in Tirunelveli District – Online proposal  
submission by the User Agency in TWAD Board,  
Tirunelveli – report submission of - Regarding.

**Ref :**

1. Principal Chief Conservator of Forests,  
Chennai Ref.No.TS5/42954/2019 dated  
05.12.2019.
2. District Forest Officer, Tirunelveli Division  
Ref.No.D/9479/2019 dated 25.01.2020
3. Chief Conservator of Forests, Tirunelveli  
Circle Ref.No.D/10678/2019 dated  
12.02.2020.
4. District Forest Officer, Tirunelveli Division  
Ref.No.D/9479/2019 dated 09.03.2020.

<<<<>>>>

With reference mentioned, I submit that, in the reference 1<sup>st</sup> cited, the Principal  
Chief Conservator of Forests has informed that the User Agency in TWAD Board,  
proposal for diversion of 0.1196 Ha in Wolf Hill RF (Muthur – Sivanthipatti Road) for  
Water Supply to Reddiarpatti and other 63 Rural habitations in Palayamkottai union of  
Tirunelveli District was forwarded to the District Forest Officer, Tirunelveli Division with a

request to scrutinize the above proposal thoroughly and upload Part II of Form A proposal along with site inspection report and forward the same through online early. Accordingly, the District Forest Officer has submitted the Part II along with his site inspection report and also uploaded the same on online portal vide his reference 2<sup>nd</sup> cited.

Based on that, I have inspected the said area on 10.02.2020 along with District Forest Officer Tirunelveli Division and the concerned Forest Range Officer and the user agency. At the time no demarcation was made on the ground regarding the proposed area and also no GPS reading etc., was available for verification. Hence essential details have called for vide this office reference 3<sup>rd</sup> cited.

Meanwhile, the District Forest Officer, Tirunelveli have been transferred and hence the newly joined District Forest Officer has also inspected the said area on 07.03.2020 and submitted his site inspection report after rectifying the defects pointed out vide his reference 4<sup>th</sup> cited.

Hence, I am submitting herewith the Part III and site inspection report for necessary further action. The same has also been uploaded online.

This is for kind submission and necessary action.

**Encl: 1**

Yours faithfully  
Sd/- Dinkar Kumar  
Chief Conservator of Forests.

/t.c.b.o/

*Sd/- G. S. S. S. S.*  
Senior Draughting Officer  
12/3/2020





### PART - III

(To be filled by the concerned Chief Conservator of Forests)

14. Whether site, where the forest land involved is located has been inspected by concerned Conservator of Forests (Yes / No).  
If yes, the date of inspection and observation made in form of inspection note to be enclosed. : Yes.  
Date of inspection: 10.02.2020.  
Inspection report enclosed
15. Whether the concerned Conservator of Forests agree with the information given in Part – B and the recommendations of Deputy Conservator of Forests. : I agree with the recommendations of the District Forest Officer, Tirunelveli.
16. Specific recommendation of concerned Conservator of Forests for acceptance or otherwise of the proposal with detailed reasons. : The proposal submitted may be considered subject to the stipulated conditions

Date: 12.03.2019.  
Place: Tirunelveli

  
Chief Conservator of Forests  
Chief Conservator of Forests  
Tirunelveli Circle,  
Tirunelveli-627 007.

  
12/3/2020

10678/19

**TAMILNADU FOREST DEPARTMENT**

**From,**

**Dr. N.Senthil Kumar I.F.S.,**  
District Forest Officer and  
Wildlife Warden,  
Tirunelveli Division,  
Tirunelveli.

**To**

The Chief Conservator of Forests  
Tirunelveli Circle  
Tirunelveli.

**C.No. D/9479/2019 dated: 09.03.2020**

**Sir,**

**Sub :** Forests - TWAD Board -Providing Combined Water Supply Scheme to Reddiarpatti and 63 rural habitations in Palayamkottai union Proposal for diversion of 0.1196ha for Muthur-Sivanthipatti Road online Proposal Submission -reply - Submitted-Regarding.

**Ref :** 1.Executive Engineer TWAD Board Lr.NO 2511/ F.Reddiarpatti CWSS  
Proj/Tly/2019 dated 25.11.19 & 25.02.2019

2.Chief Conservator of Forests, Tirunelveli Circle, Tirunelveli  
No.D/10678/2019 dated 10.02.2019.

3.District Forest officer and Wildlife warden, Tirunelveli  
Division, Tirunelveli No.D/9479/2019 dated 17.02.2020

\*\*\*\*\*

I Wish to inform that as per the proposal sent in the reference 2<sup>nd</sup> cited and as per site inspection done by the Chief Conservator of Forests, Tirunelveli on 10.02.2020, The following essential details called for in the above reference cited for which reply submitted as follows:-

1. As Per Reserved Forests notification verified the name of Reserved Forests is Wolf Hill RF and based on this, the necessary name changes have been carried out in Part I and Part II.
2. The Proposal Pipe line is along the roads, proper markings are made on ground and GPS reading are submitted herewith enclosed.
3. After the year 1951, the area is controlled by Forest Department.



4. The proposed pipeline one segment length is 296 m. The road (Palayamkottai to Sivanthipatti road Km 4 /800-8/900) and the user agency got the permission letter from Divisional Engineer (Highways), Tirunelveli is enclosed
5. The user agency reported to a width of 60 cm is enough to dig and they are requested to allow the one number of JCB machine to dig the pipeline and after completion of laying pipeline will level the area properly.
6. The GPS readings of proposed pipeline have been taken on every 50m on the linear stretch and the details of GPS reading is enclosed.

The defects noted and corrected accordingly, and then uploaded in the web portal. This is for favour your kind information.

**Yours Faithfully**  
Sd/-N.Senthil Kumar,  
District Forest Officer  
and Wildlife Warden,  
Tirunelveli

/True Copy/By Order/

*U. J. M. Jeyaraj*  
9/3/2020  
Draughting Officer

[illegible]

11818  
9/21/2020  
77.742



**Map showing laying pipeline (Wolf Hill RF) CWSS to Reddiarpatti and other 63 rural habitations in Palayamkottai Union in Tirunelveli Range Tirunelveli District**



**Legend**

- Wolf Hill RF
- Segment 1-1.698 Km (0.1019 Ha)
- Segment 2-0.296 Km (0.0177 Ha)



*N. Geetha*  
DISTRICT FOREST OFFICER  
THIRUNELVELI DIVISION  
THIRUNELVELI

11/01/2020  
9/13/2020

GPS Readings of (each 50m ) diversion of forest land for CWSS to Reddiarpatti and other 63 rural habitations in Tirunelveli District

	Lattitude	Longitude	S.No	Lattitude	Longitude
1	8.668373°	77.769614°	1A	8.673750°	77.774540°
2	8.668310°	77.769230°	2B	8.673310°	77.774640°
3	8.668280°	77.768760°	3C	8.672860°	77.774680°
4	8.668220°	77.768290°	4D	8.672390°	77.774740°
5	8.668170°	77.767830°	5E	8.671930°	77.774810°
6	8.668130°	77.767370°	6F	8.671510°	77.774870°
7	8.668080°	77.766910°			
8	8.668040°	77.766450°			
9	8.667990°	77.766000°			
10	8.667940°	77.765540°			
11	8.667920°	77.765080°			
12	8.667920°	77.764620°			
13	8.667930°	77.764150°			
14	8.667960°	77.763680°			
15	8.667950°	77.763230°			
16	8.668030°	77.762750°			
17	8.668080°	77.762280°			
18	8.668170°	77.761820°			
19	8.668280°	77.761370°			
20	8.668410°	77.760930°			
21	8.668550°	77.760490°			
22	8.668680°	77.760050°			
23	8.668810°	77.759600°			
24	8.668950°	77.759150°			
25	8.669070°	77.758720°			
26	8.669190°	77.758281°			
27	8.669300°	77.757820°			
28	8.669370°	77.757370°			
29	8.669400°	77.756900°			
30	8.669440°	77.756460°			
31	8.669490°	77.755990°			
32	8.669530°	77.755540°			
33	8.669581°	77.755082°			
34	8.669601°	77.754990°			

Counter Signed /



தெருச் சாலைத் துறை

அனுப்பநர்

பெறுநர்

திரு. மு. சுந்தர்சிங், டி.இ., பி.ஜி.பி.எம்.,  
கோட்டப் பொறியாளர் (நெ),  
க(ம)ப, திருநெல்வேலி-2

உதவிசெயற்பொறியாளர்,  
தமிழ்நாடு குடிநீர் வடிகால் வாரியம்,  
திட்டங்கள் உட்கோட்டம் II  
திருநெல்வேலி



கடித எண். 3991/2018-19/வ1/நாள்: - 02.2019

திருநெல்வேலி (நெ) க(ம)ப கோட்டம் - பாளையங்கோட்டை (நெ) க(ம)ப உட்கோட்டம் - கீழ்க்கண்ட மாநிலச் சாலைகளில் மற்றும் மாவட்ட இரா சாலைகளில் புருவங்கள், தார்பகுதியை தோண்டி குடிநீர் குழாய் பதிக்க அனுமதி - தொடர்பாக.

பார்வை:

- 1) உதவிசெயற்பொறியாளர், தமிழ்நாடு குடிநீர் வடிகால் வாரியம், திட்டங்கள் உட்கோட்டம் II, திருநெல்வேலி கடித எண்.F.Reddiarpatti CWSS/HW /AEE/TLY/2018 நாள்: 22.10.2018.
- 2) உதவிக்கோட்டப்பொறியாளர் (நெ) க(ம)ப, பாளையங்கோட்டை. கடித எண்.885/2018/இ.வ.அ./நாள்.07.12.2018.
- 3) நிர்வாகப் பொறியாளர், தஞ்சை வாரியம், திட்டக் கோட்டம், திருநெல்வேலி அவர்களின் கடித எண்.மே.வரைவோலை/அ1/தி.கோட்டம்/தி.வி நாள்:18.02.2019

உதவிக்கோட்டப்பொறியாளர்(நெ) க(ம)ப, பாளையங்கோட்டை அவர்களின் பரிந்துரைப்பின் பெயரிலும் உரிய சாலை சீரமைப்பு ரூ.37,44,000/- (ரூபாய் முப்பத்தி ஏழு லட்சத்தி நூற்பத்தி நான்காயிரம் மட்டும்) DD No.018165 Dt:16.02.2019, கனரா வங்கி பாளையங்கோட்டை திருநெல்வேலி மூலம் செலுத்தியதாலும் இக்கோட்டக் கட்டுப்பாட்டிலுள்ள கீழ்க்கண்ட மாநிலச் சாலைகள் மற்றும் மாவட்ட இரா சாலைகளில் தார்பகுதி மற்றும் புருவங்களில் தோண்டி குடிநீர் குழாய் பதிக்க நிபந்தனைகளுடன் அனுமதி அளிக்கப்படுகிறது.

வ. எண்	சாலையின் பெயர் மற்றும் வகை	சாலையின் குறுக்கே	புருவங்களில்	எல்லை
1	பாளையங்கோட்டை - குறுக்குசாலை - குளத்தூர் விளாத்திஞளம் - நாகலாபுரம் - பந்தல்குடி - அருப்புக்கோட்டை சாலை கிமீ 7/400-8/200	Km 8/200(8m)	Km 7/400 & 8/200 (800m)	--
2	பாளையங்கோட்டை - திருத்து சாலை கிமீ 10/6-11/400	Km 10/6 (3.75 m)	Km 10/6-11/800(800m)	--
3	கீழ்ப்பாட்டம் சாலை கிமீ 0/0-8/0	Km 0/280-0/600 (280 m)	Km 0/600-0/800 & 0/0-0/280 (530m)	--
4	பர்கீட் மாநகரம் சாலை கிமீ 0/0-1/400	Km 1/400 (3.75 m)	Km 0/0-1/400 (1400m)	--

5	அரியகுளம் - மேல்குளம் சாலை கி.மீ 0/0-0/4	Km 0/400 (3.75 m)	Km 0/0-0/400 (400m)	--
6	திருச்செந்தூர் - பாளையங்கோட்டை - அம்பாகமுத்திரம் - தென்காசி - குற்றாலம் - செங்கோட்டை சாலை கி.மீ 46/600	Km 46/600 (7 m)	Km 46/600 (30m)	--
7	பாளையங்கோட்டை - சிவந்திபட்டி சாலை கி.மீ 4/800-8/800	Km 5/0 (3.75 m)	Km 4/800-8/800 (400m)	--

இணைப்பு : நிபந்தனைகள்

ஒய்/- முகந்தர்சிங்  
கோட்டப் பொறியாளர் (கமப)  
நெடுஞ்சாலை, திருநெல்வேலி-2

✓ நகல்: உதவிக்கோட்டப் பொறியாளர் (நெ) கமப, பாளையங்கோட்டை.  
நகல்: உதவிப் பொறியாளர் (நெ) கமப, பாளையங்கோட்டை.

//உண்மை நகல் / உத்தரவின்படி //

*[Signature]*  
முதுநிலை வணிகத்தில் அலுவலர்  
25/04/19