

Div of 0.0054 ha forest land for construction of 66 kv tower line from 66 kv G/S/S Ramuwala to 66 kv G/S/S Chrik Sc/Dc tower line in Distt Moga under forest Division Ferozepur.

CHECK LIST SERIAL NUMBER:-15

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF

(For the Forest land to be diverted under FCA)

A proposal has been received by this office from **Sh. Harjeet Singh, Senior Executive Engineer** for diversion (Under FCA 1980) of **0.0054** ha. of forest land for non-forestry purpose. The subject envisages the use of forest land for **construction of 66 kv tower line from 66 kv G/S/S Ramuwala to 66 kv G/S/S Chrik Sc/Dc tower line in Distt Moga under forest Division Ferozepur.** The site inspection of the land involved in the proposal has been done by me on dt. 24/2/21.....

On inspection of the site, it is found that the land required by the user agency is a Protect forest measuring **0.0054 ha**

The requirement of forestland as proposed by the user agency in Col. 2 of part-I is unavoidable and is barest minimum required for the project.

Yes

Whether any rare/endangered/unique species of flora and fauna found in the area.

If so, the details thereof.

No

Whether any protected archaeological/heritage site/defence establishment or any other important monument is located in the area.

No

If so, the details thereof with NOC from competent authority, if required

- (a) **The user agency has not violated the provisions of Forest (Conservation) Act, 1980 and no work has been started without proper sanction.**
- (b) It has been found that the user agency has violated the Forest (Conservation) Act, 1980 provisions. A detailed report as per para 1.9 of Chapter 1, Part C of Handbook of Forest (Conservation) Act, 1980 is attached.

(Note: Whichever of the above is applicable should be shown in bold letters)

Specific recommendation for acceptance or otherwise of the proposal.
Recommended for Approval.

Place: Ferozepur

Date:.....

(Signature)

Name Sh. Harjeet Singh
Designation Senior Executive Engineer
Office FEROZEPUR

4/3/21