

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF

(For the Forest Land to be diverted under FCA)

A proposal has been received by this office from **construction Division-I Public Works Department, Allahabad** For diversion (Under FCA-1980) of **6.4180** ha. protected forest land for non-forestry purpose. The project envisages the use of forest land for **N.H.- 2, Exiting Ch. Km. 185.800 to 194.000** Tehsil Sadar Distt. Allahabad .The site inspection of the land involved in the proposal has been done by me on **12.07.2018**.

On inspection of the site, it is found that the land required by the user agency is a **P.F.** measuring **6.4180** Ha.

The requirement of forest land as proposed by the user agency in Col-2 part-I is unavoidable and is barest minimum required for widening of road project.

Whether any rare/endangered/unique species of flora and fauna found in the area. If so the details there of – **NO**

Whether any protected archeological /heritage site/defence establishment or any other important monument is located in the area. If so the details there of with N.O.C. from competent authority. If required– **No**


(A) The user agency has not violated provisions of Forest (Conservation) Act 1980 and no work has been started without proper sanction. **yes**

(B) It has been found that the user agency has violated the Forest(Conservation) Act 1980 provisions. A detail report as per para 1.9 of chapter I part C of Handbook of forest Forest (Conservation) Act 1980 is attached.-**No**

Specific Recommendation for acceptance of otherwise of the proposal: Recommended for acceptance.

Place-Allahabad

Date- **12.07.2018**


प्रमुख निदेशक
सामाजिक वानिकी वन प्रभाग
इलाहाबाद

N.B. x- State the purpose for which the forest land is proposed to be diverted

xx- Out of(a) & (b) tick the option which is applicable and cross the option which is not applicable.

As per letter No.-2-/2000-FC dated 16.10.2000 from Ministry of Environment & Forests Government of India for proposal involving less than 40 Hectare of forest land, the site inspection report from DCF is required and for proposal involving more than 40 hectare of forest land site inspection report from the CF is required.