

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF/ DFO
(For the Forest land to be diverted under FCA)

Rural Electrification works in Udhampur Distt under PMDP & DDUGJY

Proposal No. FP/JK/VELEC/117408/2020

A proposal has been received by this office from Executive Engineer Electric Division Udhampur for use of Forest Land (under section 2 of FCA-1980) 0.462 hectare of forest land for non- forestry purpose. The site inspection of the land involved in the proposal has been done by us on dated 08-02-2021. Compartment No. 49/P and 50a/P, Beat: Sarhi, Block: Damnote of Range Panchari are involved in diversion of area.

- On inspection of the site, it is found that the land required by the user agency is a forest area measuring 0.462 hectare.
- The requirement of forest land as proposed by the user agency in Col-2 of Part-I is unavoidable and is barest minimum required for the project.
- The user agency has not violated the provisions of Forest (Conservation) Act, 1980 and no work has been started without proper sanction.

Recommended for acceptance, please.

Dated:

Place: Udhampur


Beat Guard
Beat Sarhi


Block Forest Officer
Block Damnote


Range Forest Officer
Forest Range
Panchari


Divisional Forest Officer
Udhampur Forest Division
Udhampur


Executive Engineer
Electric Division JPDCL
Udhampur