

Recommendation of DCF/DFO, Nenmara in the Proposal No.
FP/KL/Pipeline/ 145441/2021

Proposal for the Forest Clearance submitted the Assistant Engineer, LSGD Section, Kizhakkanchery Grama Panchayath for seeking permission to divert **0.0243 Ha** (2 Locations) forests land for laying drinking water pipeline at Randampuzha through Puzhakkalidam Malavaram (VFC Item No.37/1) vested forest under Choolannur Section of Alathur Range in Nemmara Forest Division through PARIVESH online portal (FP/KL/Pipeline/ 145441/2021).

Detailed justifications for the diversion of **0.0243 Ha** (2 Locations) of vested forest land with dimensions (1) 447 x 0.5 Meter (0.02235 Ha), (2) 39 x 0.5 Meter (0.00195 Ha) in Puzhakkalidam Malavaram (VFC Item No.37/1) vested forest under Mangalamdam Forest Station of Alathur Range in Nemmara Forest Division has been described in the inspection report dtd 13.09.2023.

Proposed project area bear minimum forest land with the least impact to the existing forest ecosystem. The proposed forest land does not come under the purview of National Park, Wildlife Sanctuary, Elephant Corridor and Tiger Reserve or biosphere reserve land. Hence, the proposal is recommended to consider for diverting **0.0243 Ha** (2 Locations) of vested forest land with dimensions (1) 447 x 0.5 Meter (0.02235 Ha), (2) 39 x 0.5 Meter (0.00195 Ha) as per the provisions under Forest Conservation Act, 1980 and norms of MoEF & CC, Government of India.

Place : Nenmara
Date : 13.09.2023




Divisional Forest Officer
Nenmara