


## संयुक्त स्थल निरीक्षण रिपोर्ट

दमोह जिले में सतधारु जलाशय मध्यम सिंचाई (प्रेशराईज्ड पद्धति योजना) परियोजना के कार्य अंतर्गत सब पावर स्टेशन एवं पाईप लाईन बिछाये जाने हेतु प्रस्तावित रकवा 0.98 हे० (आवेदन क्रमांक/FP/MP/SUBSTATION/120657/2021) वनभूमि का दिनांक 28.02.2022 को वनक्षेत्र का संयुक्त स्थल निरीक्षण किया गया जो निम्नानुसार है:-

S.N.	Particular	Inspection Report by DFO (T.)					
		S. No.	Range	Comp. No.	length m.	width m.	area (h.)
1	Extent is hectares.  For Pipeline- For Sustation-	1	Damoh	PF-241	431	16	0.69
		2	Damoh	PF-241	50	58	0.29
		Total-					0.98
2	Location (lat-long) of the forest land proposed for diversion.	According to Attached panchnama.					
3	Legal status of the forest land (Protected forest, reserved forests, revenue forest lands or any other forest land)	Reserved forests					
4	Demarcation of the area with temporary cairns etc.	Yes					
5	Any signs of encroachment.	No					
6	Any activity already taken up within the forest land or adjoining non-forest land as part of the proposed project by the user agency. Details of action taken against the User Agency in case of violation of the FC Act and guidelines there under.	No					
7	Status of vegetation. Site quality, species composition etc.	Site Quality-V-B, Density 0.5 Mixed Composition.					
8	Importance of area from wildlife point of view. Status of wildlife (density and abundance of important species, bird life reptiles, butterflies and other scheduled animals, any endangered wildlife) Any latest census of wildlife in this area.	In The Applied area there is some wild animal habitat like monkey, jackal, common Indian hare etc.					
9	Endemism of flora/fauna or any other unique ecosystem in the area.	Not applicable.					
10	Current land use. Is this area managed as per prescriptions in the Working Plan and, if not, why ?	No.					
11	Importance of the area from historical or religious point of view.	Area do not have Significant Signification with in regard importance to historical or religious point of view.					
12	Any dependent persons/families on the land.	No persons/Families are dependent on the proposed area.					
13	Any displacement of persons proposed.	No displacement proposed.					
14	Is there any Rehabilitation and Resettlement Plan for the persons to be affected? Is there any dissenting voice among the persons to be affected? Is there any dissenting voice among the persons proposed to be displaced?	As no persons/families are dependent on the proposed area, therefore no resettlement and rehabilitation plan is applicable and there is no dissenting voice.					
15	Compensatory a forestation proposed is on forest land or non- forest land. Location of the area, suitability of the area for CA. If in the degraded forest land then what is the current Working Plan prescription for the area? Distance of the non-forest land for CA from the nearest forest area. Number of patches in case the area should be more than kms.	Not applicable					
16	Proposed area should not be part of any protected area. Also distance from the boundary of the nearest protected area should be more than 10 kms.	Proposed area is not a part of protected area proposed area is at 30.0 kms from Veerangana Durgawati Singorgarh Sanctuary, 65.0 kms from panna Tigar Reserve Panna, 11.0 kms from Nouradehi Sanctuary					
17	Dependence of tribal's in the area. Whether the rights of	No.					



	the tribal's have been recognized in the area.	
18	Utility of the project, including the people living in close vicinity of the project.	Project is of great importance for Drinking Waters
19	In case of renewal whether all the conditions stipulated in the earlier sanction order have been complied with.	It is application for allocation of fresh Extend forest land.
20	Alternatives examined by the user agency in case of non-site specific projects.	Not applicable
21	A certificate by the user agency that the forest land requested for diversion for non-forestry purpose is bare minimum.	yes
22	Any scope of saving tree growth while ensuring that the purpose for which the forest land is being diverted is also not adversely affected.	No
23	Any other issue of significance.	No
24	Specific recommendations of the DFO with reasons for approval of the project.	To Facility of Drinking Water in Distt. Damoh. It is recommended to divert 0.98 ha. minimum forest land For this project.

  
 वनमंडलाधिकारी  
 सामान्य वनमण्डल, दमोह (म.प्र.)