

(71)

Site Inspection Report By Bheemsen, Conservator of Forests,
Chitrakootdham Circle, Banda on 12.03.2018
(For the forest land to be diverted under FCA)

A proposal has been received by this office from **Electricity Distribution Division** Chitrakoot for diversion under (FCA-1980) of 25.5 ha. of forest land non-forestry purpose. The project envisages the use of forest land for **Construction of 33/11 KV Transmission line on NH-76 (Allahabad-Banda) Road from km 349 to 332 (RHS) in Chitrakoot for over Supply to Mau Drinking water Scheme in Chitrakoot District Protected Forest Land.** The site inspection of the land involved in the proposal has done by me on dated 12.03.2018

On inspection of the site it is found that land required by the user agency is a RF/unclassed/ protected forest measuring **PF 25.5 Ha.**

The requirement of forest land as proposed by the user agency in col. 2 part-1 is unavoidable and is barest minimum required for the project.

Whether any rare/endangered/unique species of flora and fauna found in the area, if so the details there of :- **(No)**

Whether an protected archeological/ heritadge site/ defence establishment or any other important monuments is located in area, if so details thereof with NOC from competent authority if required :- **(No)**

- (i) The user agency has not violated the provisions of forest (conservation)] Act-1980 and no work has been started without proper sanction :- **user agency has not violated the provision of FC Act 1980.**
- (ii) It has been found that the user agency has violated the forest (conservation), Act-1980 A detail & report as per para 1.9 of chapter 1 para C of handbook of forest (conservation), Act-1980 is attached :- **Not applicable**

I agree with the recommendation given by the Divisional Forest Officer Chitrakoot in this regard.

Place :- Chitrakoot

Dated :- 12.03.2018


(Bheem sen)

**Conservator of Forests,
Chitrakootdham Circle, Banda**

