

Diversion of 1.2631 ha for Construction of 765KV D/C Navsari (New) (South Gujarat) (GIS)-Padghe (GIS) Transmission line in Gujarat Under regulated tariff mechanism (RTM) through Reserved Forest Area in Valsad District.

FORM – A PART-II

(To be filled by the concerned Deputy Conservator of Forests) State serial No.of proposal. 2017

Location of the project/Scheme

\$

(i)	State/Union Territory	;	Gujarat
(ii)	District.	1	Valsad
(iii)	Forest Division	3	Valsad North Division Valsad
(iv)	Area of forest land proposed for diversion (in ha.)	;	1.2631 ha.
(v)	Legal status of forest		Reserve forest
(vi)	Density of vegetation	1	Degraded area
(vii)	Species-wise (scientific name) and diameter class-wise enumeration of trees (to be enclosed. In case of irrigation/hydel project enumeration at FRI-2 meter& FRL-4 meter also to be enclosed.)	1	Enclosed here with as per Check List No.16
(viii)	Brief note on vulnerability of the forest area to erosion.	¥:	Forest area has low to mild soil erosion.
(ix)	Approximate distance of proposed site of proposed site for diversion from boundary of forest.	1945	The proposed land is forest land.
(x)	Whether forms part of National park, wild life sanctuary, biosphere reserve, tiger reserve, elephant corridor etc.	•	This area is not pertaining with National park or wild life sanctuary, biosphere reserve, tiger reserve elephant corridor etc. The certificate enclosed here with.

G

- (xi) Whether any rare/ endangered / unique : There are no unique-species of flora species of flora and fauna found in the area if so details thereof.
- [xii] Whether any protected archaeological / heritage site/ détente establishment or any other important monument is located in the area. If so the details there of with NOC form competent authority, if required.
- Whether the requirement of forest land as : proposed by the user agency in col.2 of part-l is unavoidable and barest minimum for the project. If no, recommended area item -wise with details of alternative examined.
- Whether any work in violation of the Act has : been carried out (Yes/No) If yes, details of the same including period of work done, action taken on erring officials, whether work in violation is still in progress.
- 10. Details of compensatory afforestation scheme.
 - Details of / degraded forest area : Enclosed here with as per identified for compensatory Check List No.19 afforestation , its distance from adjoining forest, number of patches, size of each patch.

200

- Map showing / degraded forest area : Enclosed here with as per identified for compensatory Check List No.19 afforestation and adjoining forest boundaries.
- (iii) Details compensatory afforestation : Enclosed here with as per scheme including species to be planted, Check List No.19 implementing agency, time schedule cost structure etc.
- Total financial outlay for compensatory : 3,22,50,000.00 afforestation scheme.
- (v) Certificate form competent authority : Enclosed here with as per regarding suitability of area identified Check List No.21 for compensatory afforestation and from management point of view.

 There are no protected archaeological / heritage site/detente establishment or any other important monument is located in the area.

Yes, Enclosed here with as per Check List No.9

No, Enclosed here with as per Check List No.23

11. Site inspection report of the DCF (to be closed) : Enclosed here with as per especially highlighting facts asked in col. 7 (xi, Check List No.17 xii) 8 and 9 above 12. Division / District profile. 300283.00 Ha. Geographical area of the district ¥ 3 (i) 38790.25 Ha. : Forest area of the district (ii) 17 cases (96.71838 Ha.) Total forest area diverted since 1980 : (iii) with number of cases. 27.314 Ha. afforestation : compensatory Total (iv) stipulated in the district / division since 1980 on 27.314 Ha. penal : land including Forest (A) compensatory afforestation. 00.00 Ha. Non forest land 5 (B) Progress of compensatory afforestation : 27.314 Ha. (C) on (date) 31-03-2022 27.314 Ha. : Forest land. (A) : 00.00 Ha. Non Forest land. (B) Certified that all other alternative for Specific recommendation of the DCF for : 13 the purpose have been explored and acceptance or otherwise of the proposal with the demanded for the required area reasons. is the minimum demanded for forest land. It is recommended to Diversion of 1.2631 ha for Construction of 765KV D/C Navsari (New) (South (GIS)-Padghe Gujarat)

Place:- Valsad Date:- /01/2023

à

(Nisha I Dy. Conservator of Forests Valsad North Division Valsad

Transmission line in Gujarat Under regulated tariff mechanism (RTM) through Reserved Forest Area in

Valsad District

(GIS)