

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF (For the forest Land to be diverted under FCA)

A Proposal has been received by this office from M/s Indraprastha Gas Ltd New Delhi for Laying of 12" dia natural gas pipe line at a various roads, Shiv Chowk to Thana Bhanwan Tiraha Shamli NH. 709B Km. Chainage 98.845 to 118.345) total length 19.500 km. total land 0.975ha. in Shamli forest Division Shamli by Indraprastha Gas limited. New Delhi of Protected forest land for non-forestry purpose. The Project envisages the use of forest land for Construction of Approach Road in Shamli City, Village-Maharampur, Sikka, Hind, Hard Fatpur, Mullapur, Thabhanwan Tehsil-Shamli in Distt. Shamli.

The site inspection of the land involved in the proposal has done by me on dated. 12.04.2021

On inspection of the site, it is found that the land required by the user agency is a Protected forest measuring 0.975 ha.

The requirement of forest land as proposed by the user agency on col-2 part-I is unavoidable and is barest minimum required for the project.

Whether any rare / endangered/ unique species of flora and fauna found in the area. if, so the details there of- No.

Whether any protected archeological/ heritage site/ defense establishment of any other important monuments is located in the area, if, so the details there of with NOC from competent authority, if required- No

- (a) The user agency has not violated the provisions of forest (Conversation), Act 1980 and no work has been started without proper sanction, ().
- (b) It has been found that the user agency has violated the forest (Conservation, Act 1980 provisions. Detailed report as per Para 1.9 of chapter 1, Para C of Handbook of forest (conservation) Act, 1980 is attached. ()
- Specific recommendation for acceptance or other wise of the proposal.

The Project is recommended as it would benefit Public.

Place :- Shamli

Date:- 12.04.2021

(Narendra Kumar)
12-04-21
Divisional Forest Officer
शमली वन प्रभाग
शमली

N.B X- Stage the purpose for which the forest land is proposed to be diverted xx out of (a) and (b) tick the option which is applicable and cross the option which is not applicable.

As per letter number 2-2/2000 F.C dated, 16.10.2000 from ministry of Environment & Forest, land the site inspection report form DCF is required and for proposal involving more than 40 hectares of forest land site inspection report from the conservator of forests is required.