प्रारूप-7

SITE INSPACTION REPORT NOT BELOW THE RANK OF DCF (For the forest land to be diverted under FCA)

- 5-2: On inspection of the site, it is found that the land required by the user agency is a RF/un-classed/Protect forest measuring ha. 1.818 ha.
- 5-3: The requirement of forest land as proposed by the user agency in col.2 part-1 is unavoidable and is barest minimum required for the project. **Yes**
- 5-4: Whether any rare/endangered/unique species of flora and fauna found in the area. If, so the details there of :- No
- 5-5: Whether any protected archeological/heritage site/defense establishment or any other important mounuments is located in the area, if, so the details there of with NOC from competent authority, if required :-No, there are no protected archeological/heritage site/defense establishment or any other important mounuments in the area.
 - (a) The user agency has not violated the provisions of forest (Conversation), Act. 1980 and no work has been started without proper sanction. ($\sqrt{}$) No Violated
 - (b) It has been found that the user agency has violated the forest (Conservation) Act. 1980 porvisions. Adetail report as per para 1.9 of chapter 1, para C of Handbook of forest (Conservation) Act. 1980 is attached. (x)

Specific recommendation for acceptance or otherwise of the proposal.

स्थानीय ग्रामवासियों की सुविधा एवं क्षेत्र के विकास के लिये वन संरक्षण अधिनियम—1980 के प्राविधानों के अन्तर्गत आरक्षित वन भूमि सौड क0सं0—1 व 2 में 1.0125 है0 तथा सिविल सोयम भूमि 0.8055 है0 कुल—1.818 है0 भूमि की हस्तान्तरण हेतु संस्तुति की जाती है।

Place:- New Tehri Date:- 9.3/1.2/...2019

Divisional Forest Officer
Tender or Division

N.B. x State the propose for which the forest land is proposed to be diverted xx out of (a) and (b) tick the option which is applicable and cross the option which is not applicable.

As per latter number 2-2/2000 FC dated 16-10-2000 from Ministry of environment & Forests, Government of india for proposal involving less then 40 hectares of forest land, the site inspection report from DCF is required and for proposal involving mire than 40 hectares of forest land site inspection report from the conservation of forests is required.