Certificate No. 17 Site Inspection Report

Sr.	1			State S	erial No. of P	roposal: F	P/MH/R/	AIL/4324	0/2019
No.	Items				Obser	vation ar	nd rema	ırks	
1.	Name of the Project and location (Range, Round, Beat)		:	Ahme	dnagar - Bee ct.	d - ParliVa	aijnath N	lew Railv	way line
	Location	i)Division	:	Divisio	onal Forest O	fficer, Bee	ed.		
		ii) Range	:	Beed					
		iii) Round	:	Neknu	ır				
		iv) Beat	:	Imam	pur				
2.	Name of the User Agency		:		hief Enginee dnagar	er (Constr	uction),0	Central F	Railway,
3.	Date of Site Inspection		:		06 /2022	, , , , , , , , , , , , , , , , , , , ,			
4.	Extent (ha) and legal status of forest land proposed for diversion.		:	0.20	Ha. Reserve	Forest			
5.	a) Details of forest land		:	0.20 Ha. Reserve Forest					
	proposed activity-w	for diversion and rise break-up of forest		Sr. No.	Village	Sur No./ Gut No.	Area (in ha)	Compt. No.	Status Land
	land.			1	Bramhagaon		0.20	390	R.F.
					ity-wise brea		y railwa		es will
	b) Density of the forest.		:	Densi	rried out on p ty: less than alue Class-III	0.25	orest are	ea.	
·6.	forest lar user agen unavoidat minimum recomme	for the project. If no, nded area item-wise tails of alternative	:	Yes.		Sport.			
7.	Whether the proposal involves any construction of building (including residential) or not? If yes, details thereof.		:	No.					
8.	a. Whe proposed important view or n	ether Forest area for diversion is t from wildlife point of ot.	:	No.					
	b. Details of any rare or endangered or unique species of florae and fauna found in proposed forest land. If so, the details thereof.			Not S	een.				

	C. Acris		
	c. Aerial distance from the nearest boundary of any Protected Area(km)		No protected area is near by the proposed diversion land. Aerial distance is 29.20 Km from the nearest boundary if Naigaon Peacock Wildlife Sanctuary.
	d. Remarks about sensitivity of the forest area likely to be affected due to project. e. Whether wildlife mitigation		Sensitivity of any type will not be affected.
	therefore.	:	No.
9.	Details of vegetation	:	2017 Rains plantation has been done on Proposed Diversion land. Total 42 trees below the 60 cm girth will be affected.
	a. Total number of trees to be felled:	:	42
	b. Number of trees to be felled of girth below 60 cm:	:	42
	c. Number of trees to be felled of girth above 60 cm:	:	00
	d. Effect of removal of trees on the general eco system in the area	:	All 42 trees are below the 60 cm girth so No considerable effect will be there on general eco system in the area.
10.	Background note on the proposal (short summary)	:	Project Note attached at page no.
11.	Whether the proposal involves any violation of Forest (Conservation) Act. 1980? If yes, a detailed report on violation including action taken against the concerned officials to be attached.	:	No.
12.	Whether the proposal involves rehabilitation of displaced person. If yes, whether rehabilitation plan has been approved by the State Government?	:	No.
13.	Details on catchment and cultivable command area under the project (if applicable)Status of catchment area treatment palm to prevent siltation of reservoir (if applicable)	:	Nil.
14.	Utility of the Project	:	The Marathwada region of Maharashtra has remained backward for many years. Also, the advantage of greater mass transit facility will be made available in areas unknown to rail transport.
15.	Whether land being diverted has any socio-cultural / religious values? Whether anysacred groves or very old growth trees/forests exist in	:	No.

	the areas proposed for diversion		
16.	Any other important information related to the project (Separate note may be attached, if required)	:	Proposed Diversion land has existing 2017 rains plantation. Expenditure on TCM and Pits has been done previously details are given below (Expenditure Amount as per Current rate)
			 1) 135 m TCM (Rs 45801) 2) 60 Pits (.60X.60X0.45cm) (Rs 1650) 3) Two Boundry pillars stone (Rs 20000) Total - Rs 67451.
17.	Details of document and photographs enclosed:	:	Geo tagged photo enclosed in the proposal. (Page no.)
18.	Recommendations of the Inspecting Officer (CCF/CF/DCF)		The diversion of minimum forest land is recommended for the following reasons. 1. The project under reference is part of public infrastructure facility and essential for convenient& safe travel. 2. Minimum Forest is required which is unavoidable & no realignment is proposed in forest area. 3. The Marathwada region of Maharashtra has remained backward for many years. Also, the advantage of greater mass transit facility will be made available in areas unknown to rail transport. And thus, is also will boost up provides connectivity to various important religious places, cities, Sugarcane factories, important places of trades, agriculture growth in this area. 4. As proposal involves minimum forest area of 0.20 Ha., hence recommended for sanction of proposal.

Date: 13 / 06 /2022

Place: - Beed.

(S.B. Kand)
Divisional Forest Officer,
Beed.