Site Inspection Report

Prescribed vide PCCF (Hoff)No.Desk-17-4/1445, dated 5/11/2015

Sr No	Items	Observations and remarks
1	Name of the Project and location (Range, Round, Beat)	a) Divertion of 3.570 Ha.Forest land for Construction of 220 K.V. Wani- Pandharkawada Transmission line in PandharkawadaForest Division Yavatmal (M.S.) b) Name of Range:- Wani c) Name of Round:- Kalamb d) Name of Beat:- Chaprda
2	Name of the User Agency	Executive Engineer E.H.V. Projects Division M.S.E.T.C.L. Amravati.
3	Date of site inspection	11-12-2020
4	Extent (ha) and legal status of forest	3.570 Ha (Reserve Forest)
5	land proposed for diversion a) Detail of forest land proposed	Sr.N Name of Name of F.S./Gut Comptt. Length X Area(Ha.)
	for diversion and activity-wise break-up of forest land b) Density and Eco-value class	o. Component village No. No. Width (Mtr.) 1 Divertion Dhoptala 91 C-10 35X 561 1.9635 of 3.570 ha. Taluka Forest land for Wani
		Construction of District Yavatmal Pandharkawad a Transmission Dhandir line in Taluka 10 613 459X35 1.6065 Pandharkawad Wani a Forest Division Yavatma Yavatmal M.S.
		Total 35*1020 3.570
	Whether the requirement of forest land	Density- 0.4 to 0.6 and Eco-value class:- III (Southern tropical dry deciduous forest)
7	as proposed by the User Agency in Col.2 of Part- I is unavoidable and barest minimum for the project. If no, recommended area item-wise with details of alternative examined. Whether the proposal involves any	Forest land required for (3.570 ha.) Construction of 220 K.V. Wani -Pandharkawada Transmission line inPandharkawada Forest division Yavatmal (M.S.) is unavoidable and Barest minimum demand of Forest area for the Project hence no alternative need to be examined
	construction of building (including residential) or not? If yes, details thereof.	
8	Whether forest area proposed for diversion is important from wildlife point of view or not.	a) No
	 b) Details of any rare or endangered or unique species of flora and fauna found in proposed forest land. If so, the details there of. 	b) No.
	c) Aerial distance from the nearest boundary of any Protected Area (Km)	c) Wildlife sanctuary is 45 Kms. away.
	 d) Remarks about sensitivity of the forest area likely to be affected due to project: e) Whether Wildlife mitigation plan is required? If yes, reasons there for: 	d) No effected. e) Not necessary.
9	Details of vegetation a) Total number of trees to be felled:	a) 11

	Y .	
	 b) Number of trees to be felled of girth below 60 cm: c) Number of trees to be felled of girth above 60 cm: d) Effect of removal of trees on the general ecosystem in the area 	b) 8 c) 3
		d) Nil
10	Background note on the proposal (Short summary)	Divertion of 3.570 Ha.Forest land for Construction of 220K.V.Wani Pandharkawada Transmission line in Pandharkawada Forest Division Pandharkawada (M.S.).The proposed 220 K.V. Wani— Pandharkawada Transmission line is the Transmission project to strengthen Transmission network through Yavatmal District of Maharashtra State. This extra high voltage transmission line will ultimately improve voltage level and supply as well as power demand of agriculture, industrial, commercial sector in Wani and Pandharkawada Taluka.
11	Whether the proposal involves any violation of Forest (Conservation) Act 1980? If yes, a detailed report on violation including action taken against the concerned officials to be attached	No
12	Whether the proposal involves rehabilitation of displaced person. If yes, Whether rehabilitation plan has been approved by the State Government?	No
13	Details on catchment and culturable command area under the project (if applicable) Status of catchment area treatment plan to prevent siltation of reservoir (if applicable)	N.A.
14	Utility of the project	This extra high voltage transmission line will ultimately improve voltage level and supply as well as power demand of agriculture, industrial, commercial sector in Wani and Pandharkawada Taluka.
15	Whether land being diverted has any socio-cultural/religious values? Whether any scared grove or very old growth trees/forests exist in the areas proposed for diversion?	No
16	Any other important information related to the project (Separate note may be attached, if required)	No
17	Details of documents and photographs enclosed:	Photographs of diverted land, Necessary copy of 7/12, GPS Files Part-I Part-II and sanction copy of projects is enclosed. – Pg No.
18	Recommendations of the Inspection Officer (CCF/CF/DCF)	Proposal is recommended for acceptance.

Place:-Pandharkawada

Name of Inspecting Officer:-Kiran S Jagrap (I.F.S.)

Date: - 25/02/2021.

Designation:- Dy. Conservator of Forest (T), Pandharkawada

Pandharkawada (2) andhark