

Reference: Index Sr. NO 30

(For Satara Division)

(Site inspection Report from Deputy Conservator of Forests Satara.)

(Prescribed vide PCCF (HOFF) No Desk - 17 - 4 / 1445. Dated 5/11/2015)

Sr. No	Items	Observations and remarks.																																		
1	Name of Project and location (Range, Round Beat)	<p>Proposal for diversion of forest land for laying of underground OFC duct & cable within the ROW of existing road width in village Kudal, Kolghar,, Phalani, Kas Tal - Javali District Satara ,</p> <table border="1"> <thead> <tr> <th>S.R. no</th><th>Range</th><th>Round</th><th>Beat</th></tr> </thead> <tbody> <tr> <td>1</td><td>Medha</td><td>Medha</td><td>Medha</td></tr> <tr> <td></td><td></td><td>Bamnoli</td><td>Phalani, Kas</td></tr> </tbody> </table>	S.R. no	Range	Round	Beat	1	Medha	Medha	Medha			Bamnoli	Phalani, Kas																						
S.R. no	Range	Round	Beat																																	
1	Medha	Medha	Medha																																	
		Bamnoli	Phalani, Kas																																	
2	Name of User Agency	, The Vice president (JIO), JIO Digital Fiber Pvt. Ltd. (Formerly M/s Reliance jio infocomm Ltd) Reliance Corporate IT Park Ltd, Down town 2 nd . & 3 rd . Floor, S. no 8+13 /1/2 , Off. Karve road, Mhatre Bridge, Erandwane, Pune 411,004.																																		
3	Date of site Inspection	27.7.2020																																		
4	Extent (ha) and legal status of forest land proposed to diversion.	Forest land Required 0.423 ha. ('Reserved Forests.')																																		
5	a) Details of forest land proposed for diversion and activity-wise break-up of Forest land	<table border="1"> <thead> <tr> <th>Name of Row/ Type of Road</th><th colspan="4">Forest land required for OFC within ROW of existing road passing through forest</th></tr> <tr> <th></th><th>Name of Village</th><th>G. no</th><th>L.X W. In Mt.</th><th>Area in ha.</th></tr> </thead> <tbody> <tr> <td>Kudal To Medha MDR 19</td><td>Medha</td><td>69, C. no 270</td><td>500 x 1</td><td>0.050</td></tr> <tr> <td>Mdr 26 To Andhari Kolghar Kusambhi V.R. 172</td><td>Kolghar</td><td>.G no 33,34 C. no 294 C no 295</td><td>762 x1</td><td>0.0762</td></tr> <tr> <td rowspan="2">MDE 26 To Kas</td><td>Phalani</td><td>107 143,144 C. no 308</td><td>1000 x 1</td><td>0.10</td></tr> <tr> <td>Kas</td><td>134,48, 118, C. no 312</td><td>968 x1</td><td>0.0968</td></tr> <tr> <td colspan="4">Total Forest land</td><td>0.323</td></tr> </tbody> </table>	Name of Row/ Type of Road	Forest land required for OFC within ROW of existing road passing through forest					Name of Village	G. no	L.X W. In Mt.	Area in ha.	Kudal To Medha MDR 19	Medha	69, C. no 270	500 x 1	0.050	Mdr 26 To Andhari Kolghar Kusambhi V.R. 172	Kolghar	.G no 33,34 C. no 294 C no 295	762 x1	0.0762	MDE 26 To Kas	Phalani	107 143,144 C. no 308	1000 x 1	0.10	Kas	134,48, 118, C. no 312	968 x1	0.0968	Total Forest land				0.323
Name of Row/ Type of Road	Forest land required for OFC within ROW of existing road passing through forest																																			
	Name of Village	G. no	L.X W. In Mt.	Area in ha.																																
Kudal To Medha MDR 19	Medha	69, C. no 270	500 x 1	0.050																																
Mdr 26 To Andhari Kolghar Kusambhi V.R. 172	Kolghar	.G no 33,34 C. no 294 C no 295	762 x1	0.0762																																
MDE 26 To Kas	Phalani	107 143,144 C. no 308	1000 x 1	0.10																																
	Kas	134,48, 118, C. no 312	968 x1	0.0968																																
Total Forest land				0.323																																

	b) Density and Eco- value class	Eco-Value class = Dense forest Eco-Class III. NPV rate = 8.03 Lacks.
6	Whether the requirement of forest land as proposed by the User Agency in col. of Part I is unavoidable and barest minimum for the project. If no recommended area item-wise with details of alternative examined.	Yes, the requirement of forest land as proposed by U. A. is unavoidable and barest minimum for the project. As the work is proposed within Row of road there is no need to examined three alternative ,
7	Whether the proposal involves any construction of building (including residential) or not? If Yes , details thereof	No, this proposal doesn't involves any building construction.
8	<p>a) whether forest area proposed for diversion is important form wildlife point of view or not.</p> <p>b) Details of any rare or endangered or unique species of flora and fauna found in proposed forest land. If so the details thereof.</p> <p>c) Aerial distance from the nearest boundary of any Protected Area (Km).</p> <p>d) Remarks about sensitivity of the forest area likely to be affected due to project.</p> <p>e) Whether wildlife mitigation plan is required? If yes, reasons therefor.</p>	<p>Forest area Proposed for diversion is not importance from Wildlife point of view.</p> <p>There is no any rare or endangered unique species of flora and fauna found in proposed forest land.</p> <p>The proposed forest land failing 3.5 to 13.5 Km away from boundary of Sahyadri Tiger Reserved Project .</p> <p>There is no adverse effect due to this project as project is laying of underground OFC duct & cable within ROW of existing Road passing through forest.</p> <p>No</p>


9	<p>Details of vegetation:</p> <p>a) Total no of trees to be felled.</p> <p>b) Number of trees to be felled of girth below 60 cm.</p> <p>c) Number of trees to be felled of girth above 60 cm.</p> <p>d) Effect of removal of trees on the general ecosystem in the area.</p>	<p>No tree felling is required.</p> <p>Nil</p> <p>Nil</p> <p>Question doesn't arise.</p>
10	<p>Background note on the proposal</p> <p>(short summary)</p>	<p>Reliance Industries Led. has launched broadband service named as Gigafiber in year 2018. The main aim of company to provide the mobile service & 4G Internate data service in all over Indian villages. To provide network, there is need network of Towers connected by OFC duct & cable, For laying of underground the OFC duct & cable within ROW of road, where the maximum area will be covered for mobile network and also easy maintain for long period. Public Works Dept. has sanction permission for laying of underground OFC duct & cable within the ROW of existing road. As same part of existing road passing through the forest land, and there need the prior permission from competent authority for laying of underground OFC duct & cable within the Row of the existing road.</p> <p>There is no other alternative other than the use of forest land. Hence this proposal is being submitted for approval under section 2 (ii) of F. C. Act, 1980.</p>
11	<p>Whether the proposal involves any violation of Forest (Conservation) Act, 1980? If yes, a detailed report on violation including action</p>	<p>No violation of Forest (Conservation) Act, 1980.</p>

	taken against the concerned officials to be attached	
12	Whether the proposal involves rehabs of displaced person, If yes, whether rehabs plan has approved by the State Govt.?	No involves rehabs of displaced person
13	Details of catchment and culturable command area under the project (If applicable) Status of catchment area treatment plan to prevent siltation of reservoir (If applicable)	Not applicable. Not applicable.
14	Utility of Project	To provide network, there is need network of Towers connected by OFC duct & cable, For laying of underground the OFC duct & cable within ROW of road, where the maximum area will be covered for mobile network and also easy maintain for long period. This project is useful to rural peoples /Offices far away from the developed urban area.
15	Whether land being diverted has any socio-cultural/religious values? Whether any sacred grove or very old growth tree/ forests exist in the areas proposed for diversion	No. No.

16	Any other importance information related to the project (separate note may be attached, If required)	The proposed Forest lands required for Laying of underground OFC duct & cabal is already under road project. As this road is passing through forest land there is need to prior permission from competent authority of Forest Dept. After laying of OFC duct ith trench will be refill and land will be made useable. In this proposed no need of fresh forest land for laying of OFC duct & cable
17	Details of documents and photographs enclosed	1) Permission from PWD/ZP authorities. 2) Authority 3) Photographs of proposed area.
18	Recommendation of the Inspecting Officer.	The proposal is recommended for acceptance, as the proposed work will be useful to rural peoples /Offices far away from the developed urban area.

Place - Satara

Date- 27-7-2020



(Shri. Dr. Bharat Singh Hada)
Deputy Conservation of Forests,
Forest Division, Satara