

**SITE INSPECTION REPORT- NOT BELOW THE RANK OF DCF
(for the forest land to be diverted under FCA)**

5.1 A proposal had been received by this office from Executive Engineer, Provincial Division PWD Bageshwar for diversion under FCA 1980 of 2.4342 hact. Of forest land for non-forestry purpose. The project envisages the use of forest land for construction of x
Nargoli-Simayal-Bhandarisera-Saliya-Jagurabas Motor Road in District Bageshwar The site inspection of the land involved in the proposal has been done by me on dated 15-1-2018

5.2 On inspection of the site, it is found that the land required by the user agency is a RF/ PF/ un-classed/ other forests measuring 2.4342 ha.

5.3 The requirement of forest land as proposed by the user agency in Col. 2 part I is unavoidable and is barest minimum required for the project. Yes

5.4 Whether any rare/ endangered/ uique species of flora and fauna found in the area. If, so the details there of :- No

5.5 xx... Whether any protected archological / heritage site/ defence establishment or any other important monument is located in the area, if so the details thereof with NOC from competent authority, if required. No

(a) The user agency has not violated the prpovisions of forest (Conservation) Act 1980 and no work has been started without proer sanction. Yes

(b) It has been found that the user agency has violated (Conservation) Act 1980 and provisions. A details report as per para 1.9 of chepter I, para C of Hand book of forest (Conservation) Act, 1980 attached. No

Specific recommendation for acceptance or otherwise of the proposal.

Place- Bageshwar
Date 15-1-2018

Signature

Name

Designation

Office Seal

R. K. Singh
राजकीय वनाधिकारी,
बगेश्वर वन प्रभाग,
बगेश्वर

N.B/ x State the purpose for which the forest land is propised to be diverted.
xx Out of (a) and (b) tick the option which is applicable and cross the option which is not applicable.

As per letter number 2-2/ 2000 FC dated 16.10.2000 from Ministry of Environmet & Forest, Government of India for proposal involving less than 40 hactares of forest land, the site inspection report from DCF is required and for proposals involving more then 40 hacters of forest land site inspection report from the Conservator of forest is required.