

Name of Work - Proposal for diversion of forest land for laying of underground OFC duct and cable within ROW of existing road NH-548 H- Gadhingalaj- Gavase-Sawantwai Road passing through forest land at village -Sulgaon, Dardewadi, Gawase, Suleran Tal. -Ajara, Dist. -Kolhapur. Forest Area required -0.508322 ha.

Site Inspection Report

Sr. No.	Items	Observation & Remarks																								
1	Name of project and Location (Range, Round, Beat)	<p>Proposal for diversion of forest land for laying of underground OFC duct and cable within ROW of existing road NH-548 H- Gadhingalaj- Gavase-Sawantwai Road passing through forest land at village –Sulgaon, Dardewadi, Gawase, Suleran Tal. -Ajara, Dist. –Kolhapur. Forest Area required -0.508322 ha.</p> <table><tr><td>Rang e</td><td>Round</td><td>Beat</td><td>Village</td></tr><tr><td rowspan="4">Ajra</td><td>North Ajra</td><td>Madilge</td><td>Sulgaon</td></tr><tr><td rowspan="3">Dhangarm ola</td><td>Haloli</td><td>Dardewadi</td></tr><tr><td>Gavase</td><td>Alyachiwad i (Gawase)</td></tr><tr><td>Suleran</td><td>Suleran</td></tr></table>	Rang e	Round	Beat	Village	Ajra	North Ajra	Madilge	Sulgaon	Dhangarm ola	Haloli	Dardewadi	Gavase	Alyachiwad i (Gawase)	Suleran	Suleran									
Rang e	Round	Beat	Village																							
Ajra	North Ajra	Madilge	Sulgaon																							
	Dhangarm ola	Haloli	Dardewadi																							
		Gavase	Alyachiwad i (Gawase)																							
		Suleran	Suleran																							
2	Name Of user Agency	Senior Manager Telesonic Networks Ltd. Pune																								
3	Date of site inspection	26-1-2022																								
4	Extent (Ha) and legal status of forest land proposed for diversion	Area 0.508322 Ha.(Reserve Forest & Protected Forest)																								
5	a) Details of forest land proposed for diversion and activity-wise break up of forest land.	<p>Forest land requires for laying underground OFC duct & Cable.</p> <table><tr><td>Village</td><td>Gut No</td><td>Surve no</td><td>Area ha.</td></tr><tr><td>Sulgaon</td><td>37,36,33, 32</td><td>92,93,97, 96</td><td>0.125152</td></tr><tr><td>Dardewadi</td><td>23</td><td>20</td><td>0.12687</td></tr><tr><td>Alyachiwa di (Gawase)</td><td>57,59,60</td><td>57,59,60</td><td>0.13113</td></tr><tr><td>Suleran</td><td>95,96,13 3,24,3,25</td><td>95,96,105,24,4, 25</td><td>0.12517</td></tr><tr><td></td><td></td><td>Total</td><td>0.508322</td></tr></table> <p>Detail area statements are enclosed in certificate and map showing enclosed herewith.</p>	Village	Gut No	Surve no	Area ha.	Sulgaon	37,36,33, 32	92,93,97, 96	0.125152	Dardewadi	23	20	0.12687	Alyachiwa di (Gawase)	57,59,60	57,59,60	0.13113	Suleran	95,96,13 3,24,3,25	95,96,105,24,4, 25	0.12517			Total	0.508322
Village	Gut No	Surve no	Area ha.																							
Sulgaon	37,36,33, 32	92,93,97, 96	0.125152																							
Dardewadi	23	20	0.12687																							
Alyachiwa di (Gawase)	57,59,60	57,59,60	0.13113																							
Suleran	95,96,13 3,24,3,25	95,96,105,24,4, 25	0.12517																							
		Total	0.508322																							
	b) Density of Eco- value class	0.4 above, Eco class-I, Dense forest																								
6	Whether the requirement of forest land as proposed by the user Agency in col. 2 of Part -I is unavoidable and barest minimum for the project. if no recommended area item- wise with details of alternative examined.	<p>Yes, The requirement of forest land as proposed by U. A. is unavoidable and barest minimum for the project. As the work is proposed within Row of road. There is no need to examine three alternatives,</p>																								

7	Weather the proposal involves any construction of building (including residential) or not ? if Yes , Details thereof.	No.
8	a) Whether forest area proposed for diversion is important from wildlife point of view or not.	No.
	b) Details of any rare or endangered or unique species of flora and fauna found in proposed forest land. If so, the details there of	No rare/ endangered/ enquire species of flora and fauna found in this area.
	c) Arial distance from the nearest boundary of any protected area (km)	Distance for protected area is as 21.41 Km.
	d) Remarks about sensitivity of the forest area likely to be affected due to project	No any effect to sensitivity of the forest area.
	e) Whether wildlife mitigation plan is required ? if yes reasons therefore.	No
9	Details of Vegetation	No tree felling is required.
	a) Total number of trees to be felled.	
	b) number of trees to be felled of girth below 60 cm	Total number of trees.0
	c) number of trees to be felled of girth above 60 cm	Total number of trees. 0
	d) Effect of removal of trees on the general ecosystem in the area.	No.
10	Background note on the proposal (Short Summery)	To provide network, there is need network of Towers connected by OFC duct & cable, For laying of underground the OFC duct & cable within ROW of road, where the maximum area will be covered for mobile network and also easy maintain for long period. Enclosed herewith.
11	Whether the proposal involves any violation of forest (Conservation) Act 1980? If yes , a detailed report on violation including action taken against the concerned officials to be attached .	No
12	Whether the proposal involves rehabilitation of displaced person. if yes whether rehabilitation plan approved by state government	No.
13	Details on catchment and culturable command area under the project (if applicable)	No.
14	Utility of the project	To provide network, there is need network of Towers connected by OFC duct & cable, for laying of underground the OFC duct & cable

		within ROW of road, This project is useful to rural peoples /Offices far away from the developed urban area.
15	Whether land being diverted has any socio -cultural/ religious value ? whether any scared grove or very old growth trees/forest exist in the areas proposed for diversion	No
16	Any other important information related to the project (separate note may be attached , if required)	Not Required
17	Details of documents and photographs enclosed.	Enclosed herewith
18	Recommendations of the Inspections officer DCF	The proposal is recommended for acceptance. The proposed work will be useful to rural peoples /Offices far away from the developed urban area.

Place : Kolhapur

Date:- 15.3.2022

(R.R.Kale)

Deputy Conservator of Forests,
Kolhapur Division, Kolhapur