

PART-III

(To be filled by the concerned Conservator of Forests)

1. Whether site where the forest land involved is located has been inspected by concerned Conservator of Forests (Yes/No).
If yes, the date of inspection & observation made in form of inspection note to be enclosed.
No. As the proposed area for diversion of forest land in Hengrabari RF for construction of Geetanagar -I Reservoir, Transmission main pipelines and access roads is less than 1.0 Ha in extent, i.e. 0.96 Ha, inspection by conservator of Forests is not required. The area has been inspected by the concerned Divisional Forest Officer and has been recommended for diversion.
2. Whether the concerned Conservator of Forests agree with the information given in Part-B and the recommendation of Deputy Conservator of Forests.
Yes, agreed with the information submitted by the Divisional Forest Officer, Kamrup East Division, Basistha
3. Specific recommendation of concerned Conservator of Forests for acceptance or otherwise of the proposal with detailed reasons.
The construction of Geetanagar -I Reservoir, Transmission main pipelines and access roads through Hengrabari RF would greatly benefit the people of Guwahati City in getting clean drinking water which is essentially required for maintaining hygienic and healthy life. Further, as reported by the Divisional Forest Officer, Kamrup East Division, there is no rare or endangered species of flora and fauna and the site is not part of any protected area and does not include any archeological heritage site or defense establishment. Therefore, the proposed diversion is recommended.



(Sandeep Kumar, IFS)
Addl. Principal Chief Conservator of Forests
I/c O/o the Chief Conservator of Forests (T)
Central Assam Circle
Guwahati-29

Date: 20.04.2022

Place: Guwahati-Assam

Office Seal

Chief Conservator of Forests
Central Assam Circle,
Guwahati-29