

Site Inspection Report of Chief Conservator of Forests, High Range Circle,
Kottayam dated 16/12/2016

I inspected the four sites proposed for implementing water supply schemes under Jalandhi project on 15/12/2016. The details of the inspection are as below.

1. Jeevan water supply scheme.

Proposal is for laying pipe line in 2km and construction of check dam across Koodakkadu River. It is seen that no tree felling is required for the scheme. No adverse impact on forests will be caused by the scheme. 778 families will get benefited from the scheme. The scheme is recommended for the approval.

2. Nachivaval Water Supply Scheme

The proposed scheme is for laying pipe line for 42 kms and renovation of existing check dam at Kanyamkadavu. No tree felling is required for implementation of scheme. No adverse impact will be caused to the forests by the scheme. By implementing the scheme 269 families will be benefited. The scheme is therefore recommended for approval.

3. Pallanadu Water Supply Scheme.

The proposal is for laying pipelines for 1Km length from Anakkalpetty bus stop. No tree felling is required. No adverse impact will be caused to the forests during the implementation. 420 families will be benefited by the scheme. The scheme is recommended for the approval.

4. Nethaji Water Supplies Scheme.

The scheme is for laying pipeline for 2 kms from the water tank situated at Kammalankudy and renovation of water tank. No tree felling is required and no adverse impact will be caused to the forest during the implementation. The scheme is therefore recommended for approval.

The areas included in the above schemes do not have any rare/endangered/unique species of flora and fauna. More over there are no Protected/ Archeological/ Heritage sites/Defence establishment located in the area. No works in violation of Forest (Conservation) Act have been carried out in the area. Area proposed, ie, 0.47 Ha. is the minimum required for the proposed project. Hence based on the report of DFO Marayoor and observations noted, it is recommended to approve the proposal, to divert 0.47 Ha. land in various parts of Marayoor Forest Division.


Deepak Misra, IFS

Chief Conservator of Forests
High Range Circle, Kottayam.