

**PART - II**

(To be filled by the concerned Deputy Conservator of Forests)


State Serial No. of Proposal

7	Location of the project/Scheme :	Permission for laying 125 MM Dia MDPE Gas Pipeline Connectivity For Scoda Tubes Ltd. Taluka : Kadi, Dist: Mehsana (0.068 Ha)
	<ul style="list-style-type: none"> <li>(i) State / Union Territory</li> <li>(ii) District</li> <li>(iii) Forest Division</li> <li>(iv) Area of forest land proposed for diversion (in ha)</li> <li>(v) Legal status of forest</li> <li>(vi) Density of vegetation</li> <li>(vii) Species-wise (scientific names) and diameter class-wise enumeration of trees (to be enclosed. In case of irrigation/hydel projects enumeration at FRL, FRL. .2 meter &amp; FRL-4 meter also to be enclosed).</li> <li>(viii) Brief note on vulnerability of the forest area to erosion.</li> <li>(ix) Approximate distance of proposed site for diversion form boundary of forest.</li> <li>(x) Whether forms part of National Park, wildlife sanctuary, biosphere reserve, tiger reserve, elephant corridor,etc.(if so,the details of the area and comments of the Chief Wildlife Warden to be annexed).</li> <li>(xi) Whether any rare/endangered/unique species of flora and fauna found in the area-if so details thereof.</li> <li>(xii) Whether any protected archaeological/heritage site/defence establishment or any other important monument is located in the area. If so, the details thereof with NOC from competent authority, if required.</li> </ul>	<p>Gujarat Mehsana SF Division, Mehsana 0.068 Ha. Protected Forest 0.2 to 0.4</p> <p>N.A.</p> <p>The area is not vulnerable to erosion</p> <p>The demand area is Road side Forest Strip</p> <p>No</p> <p>No</p> <p>No</p>
8	Whether the requirement of forest land as proposed by the user agency in col.2 of Part-I is unavoidable and barest minimum for the project. If no, recommended area item-wise with details of alternatives examined.	The requirment of forest land is unavoidable and bare minimum.
9	Whether any work in violation of the Act has been carried out (Yes/No). If yes, details of the same including period of work done, action taken on erring officials. Whether work in violation is still in progress.	No
10	Details of compensatory afforestation scheme.	NA
	(i) Details of non forest area/degraded forest area identified for compensatory afforestation, its distance form adjoining forest, number of patches, size of each patch.	-
	(ii) Map showing non-forest/degraded forest area identified for compensatory afforestation and adjoining forest boundaries.	-
	(iii) Detailed compensatory afforestation scheme including species to be planted, implementing agency, time schedule, cost structure,etc.	-
	(iv) Total financial outlay for compensatory afforestation scheme.	-
	(v) Certificates from competent authority regarding suitability of area identified for compensatory afforestation and from management point of view. (To be signed by the concerned Deputy Conservator of Forests)	-

11	Site inspection report of the DCF (to be enclosed) especially highlighting facts asked in col.7(xi,xii), 8 and 9 above.	Enclosed herewith
12	Division / District profile : (i) Geographical area of the district. (ii) Forest area of the district. (iii) Total forest area diverted since 1980 with number of cases. (iv) Total compensatory afforestation stipulated in the district/division since 1980 on 28-2-2013 (a) forest land including penal compensatory afforestation, (b) non-forest land. (v) Progress of compensatory afforestation as on (date) <u>31-3-2006</u> on, (a) forest land, (b) non-forest land.	Social Forestry Division, Mehsana 444919 Ha 57015 Ha 363.7408 ha. Diverted 83 cases  39 Ha - 39 Ha - As PNG is Very Useful the Proposal is hereby recommended for Approval.
13	Specific recommendations of the DCF for acceptance or otherwise of the proposal with reasons.	

Date : 20 / 06 / 2022

Place : Mehsana.

  
(P.A.Desai)  
Dy. Conservator of Forest  
Social Forestry Division