

Full Title of the Project: Diversion of 0.441 hac. of forest land for construction of 220 KV double circuit line from sub-station A-5 to A-4 sub-station along Badarpur-Faridabad Bypass road Km 18-19 R/Side , village Faridabad in Distt. Faridabad.

File No. : **FP/HR/TRANS/8437/2014**

Date of Proposal: _____

PART - II

(To be filled by the concerned Deputy Conservator of Forests)

7.	Location of the project / Scheme :	Diversion of 0.441 hac. of forest land for construction of 220 KV double circuit line from sub-station A-5 to A-4 sub-station along Badarpur-Faridabad Bypass road Km 18-19 R/Side , village Faridabad in Distt. Faridabad.
(i)	State / Union Territory	Haryana State
(ii)	District	Faridabad
(iii)	Forest Division	Faridabad Forest Division
(iv)	Area of forest land proposed for diversion (in ha.)	0.441 Hec.
(v)	Legal status of forest	Strip Protected Forest
(vi)	Density of vegetation	0.4
(vii)	Species-wise (scientific names) and diameter class-wise enumeration of trees (to be enclosed. In case of irrigation / hydel projects enumeration at FRL, FRL-2 meter & FRL-4 meter also to be enclosed.)	YES
(viii)	Brief note on vulnerability of the area to erosion	No erosion at all
(ix)	Approximate distance of proposed site for diversion from boundary of forest.	The Proposed site for diversion involves the entire width of the protected Forest
(x)	Whether forms part of National Park, wildlife sanctuary, biosphere reserve, tiger reserve, elephant corridor, etc. (If so, the details of the area and comments of the Chief Wildlife Warden to be annexed).	No
(xi)	Whether any rare/ endangered / unique species of flora and fauna found in the area - if so details thereof.	No
	Whether any protected archaeological / heritage site / defense establishment or any other important monument is located in the area. If so, the details thereof with NOC from competent authority, if required.	No
8.	Whether the requirement of forest land as proposed by the user agency in col. 2 of Part-I is unavoidable and barest minimum for the project. If no, recommended area item-wise with details of alternatives examined.	The user agency requires Forest area for construction of 220 KV double circuit line from sub-station A-5 to A-4 sub-station The use of the Forest land is barest minimum and is unavoidable.
9.	Whether any work in violation of the Act has been carried out (Yes/No). If Yes, details of the same including period of work have done, action taken on erring officials. Whether work in violation is still in progress.	YES

10.	Details of compensatory Afforestation Scheme	
(i)	Details of non forest area / degraded forest area identified for compensatory Afforestation, its distance from adjoining forest, number of patches, size of each path.	Attached (Check List No.17)
(ii)	Map showing non-forest / degraded forest area identified for compensatory Afforestation and adjoining forest boundaries.	Attached (Check List No.17)
(iii)	Detailed compensatory Afforestation scheme including species to be planted, implementing agency, time schedule, cost structure, etc.	Attached (Check List No. 18)
(iv)	Total financial outlay for compensatory Afforestation scheme	Attached (Check List No. 18)
(v)	Certificates from competent authority regarding suitability of area identified for compensatory Afforestation and from management point of view. (To be signed by the concerned Deputy Conservator of Forests).	Attached (Check List No. 20)
11.	Site inspection report of the DCF (to be enclosed) especially highlighting facts asked in col. 7 (xi, xii), 8 and 9 above.	Attached (Check List No. 16)
12.	Division / District profile :	
(i)	Geographical area of the district	2105 Sq. Kms.
(ii)	Forest area of the district	4605 Hectares.
(iii)	Total forest area diverted since 1980 with number of cases	135.10 Hec.
(iv)	Total compensatory Afforestation stipulated in the district/division since 1980 on. a) Forest land including penal compensatory Afforestation b) Non-Forest land	61.48 Hectares 44.50 Hectares
(v)	Progress of compensatory Afforestation as on (date) a) forest land b) Non-forest land
13.	Specific recommendations of the DCF for acceptance or otherwise of the proposal with reasons.	<p>(i) No threat to any endangered/unique species of flora and fauna found in the area.</p> <p>(ii) No threat to any protected archaeological/ heritage site/defense establishment or any other important monument located in the area.</p> <p>(iii) There is no alternate access to the project. Hence recommended under prevailing rules in public interest.</p> <p>The proposal is recommended for acceptance.</p>

Dated: - 26/2/15
Place: - Faridabad.

Ruf
Dy. Conservator of Forests, *o/c*
Faridabad Forest Division.