

# PROJECT NOTE

Reference: Index Sr. NO 22  
Project Note by Project Authority

Name Of Proposal

Proposal for diversion of forest land for laying of underground OFC duct & cable within the ROW of existing road (SH-13) passing through forest land at village-Palashi. Tal-Man, Dist-Satara, under section 2 (ii) of Forest (Conservation ) Act 1980.

Proposal submitted by

This proposal is submitted by the Senior Manager, M/s Telesonic Networks Ltd, 4<sup>th</sup> Floor, D Building Vega Centre, Shankarsheth Road, Swargate, Pune 411,042.

Cost of Project

The labour component for the labour work is at Rs 185 / per Rmt. and the total work in forest is 1500Rmt, required Rs. 2,77500/ Employments likely to generated.

Type of work	Unskilled	Semi-Skilled	Skilled	Total
During Works Temporary	1	2	2	5
Permanent	0	3	2	5
Total	1	5	4	10

Justification

Telesonic Networks Ltd. The main aim of company to provide the mobile service & 4 G & 5 G Internet data service in all over Indian villages. To provide network, there is need network of Towers connected by OFC duct & cable. So detailed survey of existing roads have been done for laying of underground the OFC duct & cable within ROW of road SH-

13, where the maximum area will be covered for mobile network, and also easy maintain for long period. The Company as applied to do work within the ROW of road as per resolution issued by the Govt. of Maharashtra. Public works Dept. The Executive Engineer, Public works Division, Satara has sanction permission by Reference no-EP4365. for laying of underground OFC duct & cable within the ROW of existing road. As same part of existing road SH-13 passing through the Forest Land at village-Palashi. Ta-Maan, Dist-Satara. As same part of existing road passing through the Forest Land, and there need the prior permission from competent authority for Laying of underground OFC duct & cable within the Row of the existing road SH-13, passing from the forest land in Satara Dist. is as under,

Item of Work	Forest land required				Legal Status	Non forest land required				Total land in ha.
	Name of village	G.no/Co mp no	L X W in Mt.	Area in ha.		Name of village	G. no	L x W in Mt.	Area in ha.	
Diversion offorest land for laying of underground OFC duct & cable, within RoW of road SH-13 =1.5 Km	Mhaswad		0	0	R. F	Mhaswad		6920 x 1	0.692	0.692
	Warkute		0	0		Warkute		5770 x 1	0.577	0.577
	Palshi	G.no 961, C.no- 897 SY no 396	1500 x 1	0.15		Palshi		2230 x 1	0.223	0.373
	Mardi		0	0		Mardi		7680 x 1	0.768	0.768
	Mohi		0	0		Mohi		6000 x 1	0.6	0.6
	Shinganapur		0	0		Shinganapur		4410 x 1	0.441	0.441
	Pimpari		0	0		Pimpari		9730 x 1	0.973	0.973
	Morochi		0	0		Morochi		4490 x 1	0.449	0.449
	Dharampuri		0	0		Dharampuri		5010 x 1	0.501	0.501
	Rajuri		0	0		Rajuri		4460 x 1	0.446	0.446
	Barad		0	0		Barad		4040 x 1	0.404	0.404
	Nimblak		0	0		Nimblak		2670 x 1	0.267	0.267
	Pimprad		0	0		Pimprad		4950 x 1	0.495	0.495
	Vidnidea		0	0		Vidnidea		3540 x 1	0.354	0.354
	Dhuldev		0	0		Dhuldev		760 x 1	0.076	0.076
	Phaltan		0	0		Phaltan		1570 x 1	0.157	0.157
	Forest land required			0.15		Non forest land required			7.423	7.573

The OFC cable will be laid by digging trench of size 1.00 mt. wide and depth below 1.40mt. & in one trench two duct pipe will be laid, & out of which one duct pipe is use for OFC cable. After laying of pipe the trench will be refilled. In this work there is no need to cutting of trees for this works


Project authority submits that, cost of C.A. may not be levied in this proposal as the proposed laying of OFC cable within RoW of existing road, road passing outside National Park & WL. Sanctuary area & no need to cutting of trees, which fulfil the conditions given in MoEF & CC guideline no FC-11 /165/2019- FC, Dt. 27<sup>Th</sup>. July 2020

There is no alternative other than proposed alignment, & the required forest land for laying of underground OFC cable is barest minimum. Project Authority will start work on forestland after sanction from State Govt. Hence this proposal is submitted for sanction under F.C.A, 1980.

Hence this proposal is being submitted for necessary clearance under the provision of the Forest (Conservation) Act, 1980

Place –

Date –



(Kamaludeen S)

Senior Manager, Telesonic Networks Ltd.  
Project Authority