

Bonneroor RF Total 142.88ha

Regulation of Forests

Notification under Tamil Nadu Forest Act.

Declaration of Kayamalai Forest Block in Manapparai taluk, Tiruchirappalli district as reserved forests.

(Letter No. 20001/FR II/80-3, Forests and Fisheries, 12(b) September 1980).

No. 41 (2)/PRF1/5528/80.—In exercise of the powers conferred by section 46 of the Tamil Nadu Forest Act, 1882 (Tamil Nadu Act V of 1882), the Governor of Tamil Nadu hereby declares the area, the boundaries of which are specified in the schedule below as reserved forest with effect from and from the 8th January 1981.

SCHEDULE.

Tiruchirappalli district, Manapparai taluk, No. 130, Velakkurichi village.

Name of the forest block: Kayamalai.

Area of the forest block: 353.30 acres or 142.98 hectares.

Boundaries.

The block comprises the following S.F. Nos. of No. 130, Velakkurichi village and boundary by:—

S.F. No.	Extent in S.F. Nos. acres.	S.F. No.	Extent in acres.
167	9.23	221	2.63
168	13.74	222	3.78
170/2	6.70	225/5	0.18
169	3.86	8	0.21
191	3.05	9	0.22
192	4.50	16	0.32
227	2.24	226	4.20
228/1	3.00	131/13	0.93
230	1.04	154	0.60
232	2.46	153/6	1.01
233	2.61	155/2	1.16
234	2.59	156/1	4.64
122	1.62	150/1	0.21
123/1	0.35	157	1.21
2	0.51	158	265.40
3	0.14	159	2.89
131/1	3.69	160/1	1.82
132/2	0.29	161	4.56
133/5	0.95	163/1	1.71
		166/1	2.00
Total	... 353.30 acres, (or) 142.98 hectares.		

North.—Starting from the trijunction of S.F. Nos. 187-1 and 186-2 of No. 130, Kanjaiackenpatti village and S.F. No. 171-2 of No. 130, Velakkurichi village which is also the south western corner of S.F. No. 171-2 of the said Velakkurichi village, the boundary runs generally towards east along the southern side of S.F. No. 171-2, western side of S.F. No. 170-1 A, western, southern and eastern sides of S.F. No. 173-1 B, eastern side of S.F. No. 170-1 A, southern side of S.F. No. 171-2, western side of S.F. No. 171-3 A, western and southern sides of S.F. No. 171-3 B, trijunction of S.F. Nos. 170-3 B, 171-2 and 176-13 B, southern side of S.F. Nos. 176-13 B, 171-1 B, 190-4 B, 193-5 B and 214-1 B to the north-western corner of S.F. No. 220-1 all of the said Velakkurichi village.

East.—Thence the boundary runs generally towards south along the western side of S.F. Nos. 220-1, 2-A, 2-B, 3, 4-B, 10 and 18, western and southern sides of S.F. No. 220-19, western side of S.F. Nos. 223-1, 2, 6, 7, 9, 12, 13,

14, 225-1 and 2, western and southern sides of S.F. Nos. 225-1, western side of S.F. Nos. 225-6, 7 and 12, western and southern sides of S.F. No. 225-11, western side of S.F. Nos. 229-2 and 9, western and southern sides of S.F. Nos. 229-10, western side of S.F. No. 229-1, northern and western sides of S.F. No. 229-11, western sides of S.F. Nos. 229-12, northern and western sides of S.F. Nos. 229-2, western sides of S.F. Nos. 231-1, 236-2, 235-1, 11 and 12, western and southern sides of S.F. No. 235-13, western side of S.F. Nos. 235-13, western side of S.F. No. 235-15, trijunction of S.F. Nos. 235-15, 22-2 and 23-3, western side of S.F. Nos. 23-3, 110-1 and 110-2 to the north eastern corner of S.F. No. 119 all of the said Velakkurichi village.

South and west.—Thence the boundary runs generally towards west and north along the northern and western sides of S.F. No. 119, northern side of S.F. Nos. 121-17, 16, 14, 13, 12, 3, 2 and 1, trijunction of S.F. Nos. 121-1, 124 and 123-4, eastern and northern sides of S.F. Nos. 123-4, southern and eastern sides of S.F. Nos. 131-4 and 3, eastern and northern sides of S.F. No. 131-2, eastern side of S.F. No. 130, trijunction of S.F. Nos. 130, 91 and 132-7, southern side of S.F. No. 132-7, southern and eastern side of S.F. Nos. 132-6, southern, eastern and northern sides of S.F. No. 132-5, eastern side of S.F. No. 132-3, eastern and northern sides of S.F. No. 132-1, eastern side of S.F. No. 133-3, eastern side of S.F. Nos. 134-12 and 9, eastern and northern sides of S.F. Nos. 134-8, 7 and 1, northern side of S.F. No. 152-9, eastern side of S.F. Nos. 153-4 and 5, eastern and northern sides of S.F. No. 155-1, southern, eastern and northern sides of S.F. No. 156-2, eastern side of S.F. Nos. 153-1, 150-2, 149, 148-7, 6, 5, 4, 2, 1, 149-19, 18, 17, 16 and 4, southern and eastern sides of S.F. No. 160-2, eastern side of S.F. Nos. 162-19, 18, 17, 16, 15 and 14, trijunction of S.F. Nos. 162-14, 162-10 and 163-4, eastern side of S.F. Nos. 161-1, 165-1, 164-1, eastern and northern sides of S.F. Nos. 163-1 and 165-2, northern and eastern sides of S.F. Nos. 163-3, northern, eastern and southern sides of S.F. Nos. 163-7 and 163-2, western side of S.F. Nos. 163-2 and 3, northern side of S.F. No. 163-21, all of No. 130, Velakkurichi village, thence along the eastern side of S.F. Nos. 199-1, 187-2 and 187-1 all of No. 131, Kanjaiackenpatti village to the starting point.

Rights admitted.—(1) A cart track (width 25 feet 7.6 metres) from Karaipatti to Kanjaiackenpatti village passes through the forest block in S.F. Nos. 234, 122, 123 and 1. The length of the cart track is 374 metres. To villages of Karaipatti, Velakkurichi and Kanjaiackenpatti are using the cart-track. The above cart track also being used by the buses plying from Manapparai, Sejdurai and Thuvaramkurichi to Natham routes. This cart track in the forest block enters in S.F. No. 234 and runs through S.F. Nos. 122, 123-3 and 1 with the following bearing and distances. This is admitted in the forest block without any hindrance to the forest block.

Station number.	Magnetic bearings in degrees.	Distance.	
		In links.	In metres.
(1)	(2)	(3)	(4)
1 to 2	276°	395	79.4
2 to 3	259½°	419	82.4
3 to 4	282½°	765	154.0
4 to 5	309½°	452	91.3

(2) A footpath (5 feet or 1.3 metres width) length from Karaipatti to Velakkurichi village passes through S.F. Nos. 234, 233, 232, 230, 227, 226, 222 and 221 and joins with the another cart track coming from Kallakampatti Kanjaiackenpatti village. The villagers of Kallakampatti Surakkapatti are using this foot path. This foot path in the forest block is admitted without any hindrance.

the forest block. This footpath is diverting from station No. 2 in S.E. No. 234 and runs towards north with the following bearings and distances :—

Station number	Magnetic bearing in degrees.	Distance.	
		In links.	In metres.
(1)	(2)	(3)	(4)
5	161°	479	96.4
6	82°	876	176.2
7	10°	523	105.2
7A	1°	889	171.0
8	3°	762	153.4
9	355°	718	144.4
10	352°	768	154.6
11	355°	1589	319.8
12	351°	579	116.4
13	346°	981	197.4
14	346°	841	169.2
14A	17°	121	24.4

(5) A cart track (25 feet or 7.6 metres width and 562 feet length) from Kallakampatti to Kanjanaickenpatti through S.E. Nos. 168, 167, 166-1, 163-1 of Kayamalai Forest. The villagers of Kanjanaickenpatti, Kallakampatti and Velkurichi are using this cart track. Cart track in the forest block is admitted without any hindrance to the forest block. This cart track is in the forest block in S.E. No. 168 and runs through S.E. Nos. 167, 166-1, 163-1 with the following bearing and distances :—

Station number	Magnetic bearing in degrees.	Distance.	
		In links	In metres.
(1)	(2)	(3)	(4)
16	280°	235	47.2
17	258°	361	72.6
18	255°	481	96.8
19	270°	348	70.0
20	285°	363	73.0
21	190°	198	39.8
22	189°	807	162.4

(6) A footpath (5 feet or 1.5 metres width) from the cart track from Kallakampatti to Kanjanaickenpatti diverted towards the S.E. No. 166-1 in Station No. 21 already described in easement right No. 3 runs north to reach the cultivation lands. The ryots are using this footpath. This footpath in the forest is admitted without any hindrance to the forest block. This footpath is diverting from magnetic station 21, with the following bearing and distances :—

Station number	Magnetic bearing in degrees.	Distance.	
		In links	In metres.
(1)	(2)	(3)	(4)
23	1°	262	52.8
24	11°	181	36.4
25	21°	455	91.6
26	35°	371	74.6

(5) A footpath (5 feet or 1.5 metres width) from the main cart track from Kallakampatti to Kanjanaickenpatti village diverted from the S.E. No. 168 in station No. 17 already described in easement right No. 3 runs towards southern side of the forest block to reach these cultivation lands. The ryots are using this footpath. This footpath in the forest block is admitted without any hindrance to the forest block. This footpath is diverted from magnetic bearing station No. 17 with the following bearing and distances :—

Station number	Magnetic bearing in degrees.	Distance.	
		In links.	In metres.
(1)	(2)	(3)	(4)
17 to 30	207°	258	52.0
30 to 31	195°	298	60.0
31 to 32	202°	251	50.6

(6) A footpath (5 feet or 1.5 metres width) from the foot path already described in easement right No. 4 diverting from S.E. No. 167 in Magnetic bearing station No. 24 runs towards east and then towards south and joins with the main cart track already described in assessment right No. 3 in Magnetic bearing station No. 18. The ryots are using this footpath to reach the cultivation lands. This footpath in the forest block is admitted without any hindrances to the forest block. This footpath runs towards south and east with the following bearings and distances :—

Station number	Magnetic bearing in degrees.	Distance.	
		In links.	In metres.
(1)	(2)	(3)	(4)
24 to 27	85°	395	79.4
27 to 28	105°	335	67.4
28 to 18	175°	257	51.8

(7) A footpath (5 feet or 1.5 metres width) from the main cart track already described in easement right No. 3 runs towards north to reach the cultivation lands. The ryots are using this footpath. This footpath is diverting from S.E. No. 168 from magnetic bearings station No. 17. This foot path is admitted in the footpath without any hindrance to the forest block. This footpath runs towards north with the following bearings and distances :—

Station number	Magnetic bearing in degrees.	Distance.	
		In links.	In metres.
(1)	(2)	(2)	(4)
17 to 29	12°	345	69.4

T. A. SUNDARARAJAN,
Deputy Secretary to Government.

வளச்சரக அலுவலர்
துவரங்குறிச்சி வளச்சரகம்
துவரங்குறிச்சி

and 3-1 junction of S.F. Nos. 31, 32 and 2-3, northern side of S.F. Nos. 2-3, 2-2 and 2-1, northern side of S.F. No. 1-1, 1-2, northern and western sides of S.F. No. 1-1, western side of S.F. Nos. 1-3, 9-1, 9-4 and 10-5 northern side of S.F. No. 11, western side of S.F. Nos. 12-1, 12-2, 32-1, 32-2, 33-4 and 33-1 western and southern sides of S.F. No. 33-2, southern side of S.F. Nos. 33-3, 33-5 33-13 33-11, 34-1, 3 and 4, 35-1 and 36 western and southern sides of S.F. Nos. 37-2, 96-10 and 96-14 western side of S.F. Nos. 96-13, 102-2, 102-1, 102-2 and 102-3 western sides of S.F. Nos. 101-1, 2, 3, 8, 9, 10, 13 and 14 southern sides of S.F. No. 100-15 100-18 and 101-10, eastern sides of S.F. Nos. 101-14, 108-1 and 109-1, northern and western sides of S.F. Nos. 109-2, western side of S.F. Nos. 109-3, 110-6, 110-14 and 103-15 all of No. 78, Nallur village to the trijunction point of S.F. Nos. 110-15 and 111 of Nallur village and S.F. No. 571 of Nallur village.

South.—Thence the boundary runs generally towards west along the northern side of S.F. No. 571, western side of S.F. No. 570 (trijunction of S.F. Nos. 570, 563 and 583-7, northern side of S.F. Nos. 583-7, 6, 5, 4, 2 1 562-4 and 562-3) eastern, western sides of S.F. No. 562-1, western side of S.F. No. 558-4, trijunction of S.F. Nos. 558-4, 559 and 555, northern and western sides of S.F. No. 555, western side of S.F. No. 542-1, northern and western sides of S.F. No. 540-2, northern side of S.F. Nos. 538-2, eastern, northern and western sides of S.F. Nos. 538-2 eastern, northern and western sides of S.F. Nos. 538-1, northern side of S.F. Nos. 537-2, 537-1 and 489, eastern and northern sides of S.F. No. 482 (trijunction of S.F. Nos. 582-1, 479-2 and 480-4, eastern and northern sides of S.F. Nos. 480-4, northern side of S.F. No. 480-1 eastern side of S.F. No. 474-2, northern side of S.F. No. 472-5, eastern side of S.F. Nos. 472-3 and 2, eastern and northern sides of S.F. Nos. 472-7, 465, 464, 462 and 221 to the trijunction of S.F. Nos. 221, 219-5 and 219-4 all of No. 80, Thuvarkurichi village.

West.—There the boundary runs generally towards along the eastern side of S.F. Nos. 219-4 and 219-3, along the eastern side of S.F. Nos. 218, eastern, northern and western sides of S.F. No. 214-2, northern and western northern side of S.F. No. 215, northern sides of S.F. No. 213, sides of S.F. No. 212-1, eastern side of S.F. Nos. 211-5 and 211-4, eastern and northern sides of S.F. Nos. 210-1, eastern side of S.F. No. 80, southern and eastern sides of S.F. No. 209, southern side of S.F. Nos. 208-1, 207 and 205-3, western, southern and eastern sides of S.F. Nos. 205-2, southern and eastern sides of S.F. Nos. 202-5, eastern side of S.F. Nos. 292-1, 202-2, 196-2, 195-6, 175-2 and 1 and 187, southern side of S.F. Nos. 175-3 and 174-1, 175-2, southern and 178, western side of S.F. Nos. 174-3, northern western and southern sides of S.F. Nos. 174-8, eastern side of S.F. No. 174-1 and south-eastern side of S.F. No. 172, all of No. 80, Thuvarkurichi village to the starting point.

Rights admitted.—(1) Right is allowed to the public for the use of Panchayat road passing west to east in the southern and S.F. No. 599 of Thuvarkurichi village cutting also S.F. No. 598-2 (an enclave with in S.F. No. 599) abutted by station No. 1, 49 links (9.8 metres) south of the trijunction of S.F. Nos. 472, 473 and 599 on the western border of S.F. No. 599 and emerging out of the 1st half portion of road at a point 801 links (10 metres) south of the trijunction of S.F. Nos. 550, 550 and 559 and after passing through non-forest area in S.F. No. 558 (Non-forest areas) again entering the forest limits through station No. 7, 44 links (8.8 metres) south of the trijunction of S.F. Nos. 1562 and 599 of Thuvarkurichi village and S.F. No. 234 of Nallur village proceeding in the same direction till it reaches station No. 9 of the eastern border of S.F. No. 569, 45 links (9 metres) south of the trijunction of S.F. Nos. 569 and 570 of Thuvarkurichi village and S.F. No. 234 of Nallur village. The length of the 1st half

portion of the road is 5118 links (1029.6 metres) and the second half portion is 2190 links (440.6 metres) with a width of 20 links or 4 metres. The particulars of distance with reference to bearings at each station are furnished below:

Station No.	Bearings in degrees.	Distance in links	Distance in metres.
(1)	(2)	(3)	(4)
1-2	10 m.	2022	406.8
2-3	10 m.	406	81.6
2-4	10 m.	1170	335.4
4-5	10 m.	1520	305.8
5-6	95		
Total of the First half portion of road.		5118	1029.6
7-8	91.5		
8-9	90	1066	213.4
		1121	226.2

Total of the Second half portion of road.

Total length of the road in Forest area is 2,300 links or 1470.2 metres + 1029.6 metres = 2499.8 metres.

This road connects Thuvarkurichi village with Nallur village.

(For access to the patta field S.F. No. 598-1 in exclusive with in S.F. No. 599 the pattadar will be permitted to use the footpath abutted by station No. 2, 49 links (9 metres) east of the western F line of S.F. No. 598-1 from the above road to the field which is at a distance of 54 links (10.9 metres) bearing 13.50.

(2) Right is allowed to the public for access to the temple called Malayandi Koil in an area of 100 by 100 square links (0.10 cents or 0.04 hectare) in S.F. No. 237 of Yagapuram village. The temple is led by a footpath 6 links (7 metre) wide abutted by station 27,364 links (73 metres) west of the trijunction of S.F. Nos. 410-2, 410-3 and 397 on the eastern F line of S.F. No. 397. The bearing distances particulars are as follows:

Station From	To	Bearings in degrees.	Distance in Links.
(1)	(2)	(3)	
27-28	175.5	260 or 40.2 metres.	

The Diety is represented hereby some spears effects on ground and the villages of Nallur and Yagapuram come here for workshop.

(3) Rights allowed to the public for the use of the cart-track in the eastern half of S.F. No. 233 of Nallur village running north to south connecting 'Mukkampalam' in the Virallimalai-Madurai Highways Road with Nallur nathum on the south abutted by Station No. 20, 101 links (20.3 metres) east of the trijunction of S.F. Nos. 414 and 421 of Yagapuram village and S.F. No. 233 of Nallur village on the northern F line of S.F. No. 233 and emerging out of the forest at a point 57 links (10.5 metres) east of the trijunction of S.F. Nos. 233, 3 and 4. The width of the cart-track is 20 links (1 metres). The bearings and distance particulars of the cart-track are:

Station No.	Bearing in degrees.	Distance in Links.
From	To	(3)
(1)	(2)	
20-21	121	652
21-22	150.5	422
22-23	169	129
23-24	184.5	430
24-25	162.5	346
25-26	145.5	162
Total		2,741 or 450.8 metres.

வாழ்வரக அனுவீகா
துவங்குறிச்சி வளச்சுக்கு
துவங்குறிச்சி.

IN VISION EHI