

कार्यालय अधिशासी अभियन्ता
निर्माण खण्ड, लोक निर्माण विभाग, उत्तरकाशी
(मुख्यालय-चिन्थालीसौड़)

E-mail- eecdpwd uki@radifmail.com

Phone No. 01371-237084

पत्रांक 174 / 3LA

दि- 12 / 02 / 2018

सेवामें

प्रभागीय वनाधिकारी,
उत्तरकाशी वन प्रभाग, उत्तरकाशी

विषय:- राज्य योजना के अन्तर्गत के अन्तर्गत दीवारीखोल से जोखणी मोटर मार्ग निर्माण हेतु 1.75 हे० वन भूमि हस्तान्तरण प्रस्ताव के सम्बन्ध में -

सन्दर्भ- आपके पत्रांक संख्या 2133 / 12-1(2) दिनांक 10 / 01 / 2018 के सम्बन्ध में-

महोदय,

उपरोक्त विषयक के सम्बन्ध में अवगत कराना है कि आपके द्वारा लगाई गई आप्तियों का आनलाईन निराकरण निम्न प्रकार से किया गया है।

क्र०स०	लगाई गई आप्तियां	निराकरण
1	Needs of project submitted in place of justification for locating the project in forest land at para D in part I	justification for locating the project in forest has been uploaded at para D in part I of proposal(performa enclosed)
2	Employment details filled appear to be incorrect at part E in part I may be reviewed	Correct employment details has been filled at part E in part I of Proposal
3	In the 3 rd para of Village level committee meeting proceeding village rikhangaun mentioned whereas the name of village is written as jokhni at para B-2.3 Part I online	In Village level committee meeting proceeding, Village JOKHNI is corrected mentioned at para B-2.3 Part I of proposal (correct certificate enclosed)
4	Document uploaded at L(G) does not pertain to this point may be deleted	Necessary document has been uploaded at L(G) part of proposal

5	Joint inspection report uploaded at SI NO 5 in addit, document is unsigned copy	Signed copy of joint inspection report have been uploaded (enclosed)
6	Copy of administration approval ,CA scheme and some other document are uploaded in part SI NO 16-23 in many files, may upload each document in one file	Each document in one file have been uploaded
7	NPV certificate uploaded at si no 27 in add. Document is for 0.3 density however density mentioned in part II is 0.4 may correct this discrepancy	Revised correct density in NPV certificate is 0.4 have been uploaded
8	Approximate distance of purposed land from boundary of forest is given as zero in part II which seems incorrect. May give distance towards inside from boundary	Approximate distance of purposed land from boundary of forest in Part II, will be correct by D.F.O office Uttarkashi
9	DSS analysis of CA area show that it is intersecting with CA area for another proposal 15527/2015 and overlapping area is 0.15hact. State govt may review the same and change accordingly	In CA area of proposal 15527/2015 khasra no 1532 and 1533 is mentioned. While Khasra no 69 and 502 mentioned in CA area of this proposal(Diwarikhhol to jokhni). So there is no chance for overlapping area in both proposal. The geo refrence sheet of proposal 15527/ 2015 is enclosed for clarification where co-ordinate is different in both proposal.
10	Original hard copy of Part IV and V not provided	Original hard copy of Proposal have been send to Bhagrati circle, Muni ki reti Rishikesh, by DFO office uttarkashi.

अधिशोसी अभियन्ता

निर्माण खण्ड लो0नि0वि0,
चिन्यालीसौड(उत्तरकाशी)।