

To

District Magistrate,
Amritsar.

No: 3537

Dated 19/01/2022

Sub: No Objection Certificate for the proposed retail outlet (only for Two/Three Wheelers) on Ajnala within Municipal Limits (on Ajnala Fatehgarh Churian Road, District Amritsar at Khasra no. 52//4/2, 52//5/1, Khatoni no. 655, 1498 situated at Ajnala (WML) District Amritsar.

Ref: Your office letter no. A.L.A. 1330-39 dated 24/11/2021

As per subject cited above it is inform to you that there is no objection to issue NOC for setting up pump as per report submitted by Sub Division Engineer, Construction Sub Division Ajnala vide letter no. 365 dated 12/01/2022 that BPC Retail Outlet (only for Two/Three Wheelers) on Ajnala within Municipal Limits (on Ajnala Fatehgarh Churian Road, (MDR-63) District Amritsar at Khasra no. 52//4/2, 52//5/1, Khatoni no. 655, 1498 situated at Ajnala (WML) District Amritsar with road point of view and issue as per below mentioned conditions:-

1. 2.50' span slab type culvert should be construct on road for draining of water on road opposite pump.
2. Level should be down from road of pump land.
3. Extra water of pump should not be going on road. Its disposal should be arrange by pump owner.
4. Size of Buffer Stip should be as per map i.e. 6.00 x 1.00 meter.
5. Distance of Buffer Stip from the center line of the road should be kept as per the attached map i.e. 13.41 meter.
6. Passage area for ongoing vehicles should be 6.00 meter x 6.00 meter.
7. Pump should be installed on land shown in jamabandi bearing khasra no. 52//4/2, 52//5/1, and khatoni no. 655, 1498.
8. Slip road will be construct by firm on his own cost.
9. If there is any tree on land/passage of pump then no construction should be start before cutting of tree.
10. As per office order vide memo no. 5/13/2018-3BR3/1294287/3 dated Chandigarh 10-08-2018 of Secretary o Govt. of Punjab, Department of Public Works (B&R) this NOC is issue for the

