

Lr.Rc.No. 326/2020/AE1/RCPLWE
Dated: 18.02.2021

O/o the Executive Engineer
PR (PIU) Division, Vizianagaram.

From :
Sri P. Vijaya Kumar, B.Tech.,
Executive Engineer,
PR (PIU) Division, Vizianagaram.

To :
The District Forest Officer,
Vizianagaram.

Sir,

Sub : PR (PIU) Division, Vizianagaram – RCPLWE Programme – Road from Neelamvalasa to Gummidiguda in Pachipenta Mandal of Vizianagaram District – Diversion of 1.10 Ha of forest land required – 6 (Six) sets of hard copies of forest clearance proposals resubmitted for uploading Part - II – Regarding.

Ref : 1. G.O.Ms.No. 604, Dt. 06.03.2020 of PR&RD (Progs.II) Dept.
2. Rc.No. EFS02 – 15034/62/2020-FCA-SEC PCCF/FCA-3, Dt. 23.10.2020 of PCCF, Guntur.
3. Online proposals No. FP/AP/ROAD/65583/2020, Dt. 28.11.2020.
4. Rc.NO. EFS02-15034/62/2020-FCA-SEC PCCF/FCA-3, Dt. 02.12.2020 of PCCF, Guntur.
5. Rc.No. EFS02-15034/62/2020-FCA SEC-PCCF/FCA-3, Dt. 03.01.2021 of the PCCF, Guntur addressed to the District Forest Officer, V.Z.M.
6. Rc.NO. 3392/2020/S4, Dt. 07.02.2021 of D.F.O. Vizianagaram.
7. Lr.of Dy. Executive Engineer, PR(PIU) Salur, dated: 12.02.2021.

-o0o-

I submit that, the work "Road from Neelamvalasa to Gummidiguda in Pachipenta Mandal" of Vizianagaram District is sanctioned under RCPLWE grant vide reference 1st cited.

The DGPS Survey for the said work authenticated by the PCCF, Guntur, vide reference 2nd cited. Online forest clearance proposal is submitted, vide reference 3rd cited.

In response to the reference 4th cited, 7 sets of Hard copies of forest clearance proposal for the above work submitted to the PCCF, Guntur.

In the reference 5th cited, the PCCF, Guntur has forwarded 6 sets of above proposal to the District Forest Officer, Vizianagaram for uploading Part – II. As per D.G.P.S. survey map the required Forest area is 1.12 hectares (length 1493 meters x 7.50 meters).


In the reference 6th cited, District Forest Officer, Vizianagaram has inspected the above proposals on 06.02.2021 and arrived Forest area is 1.166 hectares (length 1555 meters x 7.50 meters) and returned to resubmit the proposal duly rectifying the omissions observed during field inspection.

In this connection, it is stated that we hereby undertake to restrict the required Forest area of 1.12 hectors as per D.G.P.S. map as follows.

Sl.No.	Description	Length(m)	Width(m)	Area(Ha)
1	Bit-1	320	7.50	0.24
2	Bit-2	60	6.60	0.04
3	Bit-3	1175	7.15	0.84
	Total :	1555		1.12

I am herewith furnishing proposals duly rectifying the omissions for taking further action.

Encl : 5 sets of proposals.

Yours faithfully,

Executive Engineer
PR (PIU), Vizianagaram.

Copy submitted to the Engineer-in-Chief, PR, PMGSY, Vijayawada for favour of information.
Copy submitted to the Superintending Engineer, PR, Vizianagaram for favour of information.