

Lr.Rc.No. 329/2020/AE1/RCPLWE

Dt. 18.02.2021

From :

Sri P. Vijaya Kumar, B.Tech.,

Executive Engineer,

PR (PIU) Division, Vizianagaram.

Sir,

O/o the Executive Engineer

PR (PIU) Division, Vizianagaram.

To :

The District Forest Officer,

Vizianagaram.

Sub : PR (PIU) Division, Vizianagaram – RCPLWE Programme – Road from Kuntam Road to Thummiguddi (via) Mettaguddi upto Mandal Boundary in Pachipenta Mandal of Vizianagaram District – Diversion of 1.10 Ha of forest land required – 6 (Six) sets of hard copies of forest clearance proposals resubmitted for uploading Part - II – Regarding.

- Ref : 1. G.O.Ms.No. 604, Dt. 06.03.2020 of PR&RD (Progs.II) Dept.  
2. Rc.No. EFSO2 – 15034/61/2020-FCA-SEC PCCF/FCA-3, Dt. 23.10.2020 of PCCF, Guntur.  
3. Online proposals No. FP/AP/ROAD/66106/2020, Dt. 27.11.2020.  
4. Rc.NO. EFSO2-15034/61/2020-FCA-SEC PCCF/FCA-3, Dt. 02.12.2020 of PCCF, Guntur.  
5. Rc.NO. EFSO2-15034/61/2020-FCA-SEC PCCF/FCA-3, Dt. 03.01.2021 of PCCF, Guntur.  
6. Rc.NO. 3975/2020/S4, Dt. 06.02.2021 of D.F.O. Vizianagaram.  
7. Lr.of Dy. Executive Engineer, PR(PIU) Salur, dated: 12.02.2021.

-o0o-

I submit that, the work "Road from Kuntam to Thummiguddi (via) Mettagudi upto Mandal Boundary" in Pachipenta Mandal of Vizianagaram District is sanctioned under RCPLWE grant vide reference 1<sup>st</sup> cited.

The DGPS Survey for the said work authenticated by the PCCF, Guntur, vide reference 2<sup>nd</sup> cited. Online forest clearance proposal is submitted, vide reference 3<sup>rd</sup> cited.

In response to the reference 4<sup>th</sup> cited, 7 sets of Hard copies of forest clearance proposal for the above work submitted to the PCCF, Guntur.

In the reference 5<sup>th</sup> cited, the PCCF, Guntur has forwarded 6 sets of above proposal to the District Forest Officer, Vizianagaram for uploading Part – II. As per D.G.P.S. survey map the required Forest area is 1.10 hectares (length 1467 meters x 7.50 meters).

In the reference 6<sup>th</sup> cited, District Forest Officer, Vizianagaram has inspected the above proposals on 06.02.2021 and arrived Forest area is 1.274 hectares (length 1698 meters x 7.50 meters) and returned to resubmit the proposal duly rectifying the omissions observed during field inspection.

In this connection, it is stated that we hereby undertake to restrict the required Forest area of 1.10 hectors as per D.G.P.S. map as follows.

Sl.No.	Description	Length(m)	Width(m)	Area(Ha)
1	Bit-1	296	6.10	0.18
2	Bit-2	587	6.80	0.40
3	Bit-3	153	6.00	0.09
4	Bit-4	180	6.00	0.11
5	Bit-5	337	6.50	0.22
6	Bit-6	145	6.90	0.10
	Total :	1698		1.10

I am herewith furnishing proposals duly rectifying the omissions for taking further action.

Yours faithfully,

*P. Vijaya Kumar*  
Executive Engineer,

PR (PIU), Vizianagaram.

Encl : 5 sets of proposal

Copy submitted to the Engineer-in-Chief, PR, PMGSY, Vijayawada for favour of information.  
Copy submitted to the Superintending Engineer, PR, Vizianagaram for favour of information.